

IDEA9103: Creative Coding S1 2025

Week 1 Lecture: Introduction

Coordinator, Lecturer and Tutor:
Dr Carlos Tirado Cortes



THE UNIVERSITY OF
SYDNEY

What you'll learn

Foundations for designing and developing your own visual and art prototypes.

- Understanding the basics of Web Development.
- Introduction to JavaScript
- p5.js library
- Heaps of fun!

What you'll learn

Introduction to Web Development

- Week 1



Introduction to programming using JavaScript

- Weeks 2 - 6



p5.js

- Week 7 onwards

IDEA9103 - Timetable

Lectures: Fridays, 1:00 – 2:00 (In-person)

Lecture content will appear in Canvas for your access a couple of days before the lecture.

Tutorials: Fridays, 2:00 – 4:00 and 4:00 to 6:00 (In person)

- **It is key to bring your laptop to the tutorials.**

Need a laptop?

You can borrow a laptop at the laptop vending machines found at:

- Fisher Library
- SciTech Library
- level 4 of the Susan Wakil Health building near Seminar room 405
- the Central Acute Services Building (CASB), Westmead Campus, Building K, level 6.

The standard period for borrowing laptops is eight hours and the due for return time & date will be aligned with each location's standard opening hours.

Lectures vs Tutorials

- Lectures give you a theoretical understanding of a concept.
- Tutorials teach you practical methods and tools to apply that concept.

THE TEACHING TEAM IS UNDER NO OBLIGATION TO RE-CAP THE CONTENT OF LECTURES, OR WORSE, SLOW DOWN THE LEARNING OF THOSE WHO COME TO THE LECTURE BECAUSE SOME DECIDE TO SKIP IT.

IF TWO STUDENTS BOOK A CONSULTATION TO SPEAK TO ME, PRIORITY WILL BE GIVEN TO THOSE WHO COME TO THE LECTURE.

Can't make it to the lectures? Let me know ASAP:

carlos.tiradocortes@sdyney.edu.au

Assessment

Weekly Quizzes 60%

Final Assessment – 40% - Brief on Week 6

Individual Component – 20%

Team Component – 20%

Welcome and
information to support
your University journey



THE UNIVERSITY OF
SYDNEY

CRT005 00026A



Click to add title

- Staying safe in the event of an emergency
- Your role in ensuring a safe campus
- Accessing tools and support
- Understanding your academic integrity responsibilities
- Using generative AI
- Completing your mandatory Canvas modules

Emergency and evacuation

In the unlikely event of a serious emergency, such as a serious ill or injured person or threat, call **triple zero (000)** for emergency services.

During an emergency, you may be required to evacuate. All University staff, students and visitors are required to **respond to emergency alarms** and **follow instructions**.



Check for any sign of immediate danger



Shutdown equipment/processes that cannot be left unattended



Locate your closest exit



Follow the green exit signs to find your way out of the building (**do not use lifts**)



Proceed to the assembly area, a safe distance from the building, while waiting until the emergency is over.



More information on staying safe in the event of an emergency is available at:
www.sydney.edu.au/about-us/campuses/emergencies-and-personal-safety.html

Emergency lockdown or shelter in place

In some circumstances, we might be asked to remain inside the building for our own safety. We call this a lockdown or shelter-in-place.



You will be notified of an emergency lockdown via **building announcements or other mechanisms** including **verbally by Protective Services or Building Emergency Wardens**.



It is important that you **follow directions from a Warden, Protective Services and/or Emergency Services**, remain calm and **stay inside the building**.



If your life is being threatened, or if someone is seriously ill or injured, or if you just witnessed a serious incident **dial triple zero (000) for emergency services** (fire/ambulance/police).



More information on staying safe in the event of an emergency is available at:
www.sydney.edu.au/about-us/campuses/emergencies-and-personal-safety.html


Safezone App

SafeZone is a **free safety app** for all University of Sydney students and staff. It connects you quickly with Protective Services, emergency teams, and sends real-time safety alerts.

Get started with SafeZone by **downloading the app** and logging in with your **university email**.

While on campus, you can access features including:

- **Emergency assistance:** Connect instantly with Protective Services
- **First aid:** Request medical help
- **Timed Check-In:** Set a timed check-in when working or studying alone
- **Call Security:** If you're locked out, lost on campus or need an escort
- **Report something:** If you notice something concerning or unusual
- **Wellbeing support:** Connect with student support services
- **Location sharing:** So help can reach you faster
- **Push notification alerts:** Keep informed about critical incidents



More information on SafeZone is available at:
sydney.edu.au/safezone

Your role in ensuring a safe campus

We are committed to providing a safe and healthy learning environment that is free from bullying, unlawful harassment and discrimination.



You can ensure the safety of yourself and your peers by understanding your rights and responsibilities, which are detailed in our Student Charter.



If you experience or witness any form of behaviour that breaches the Student Charter or our codes of conduct, you can report it to our Student Affairs team.



Our support services, including the Wellbeing team and Safer Communities Office, can support you in dealing with any threats to your safety. You can connect with these teams via the Student Portal.



If your class is full...

Once a class is physically full, the lecturer may ask students not to enter. This is to ensure the safety of everyone. For example, sitting or standing on the stairs or in walkways may block emergency exits.



You will have access to a recording of the lecture shortly after it finishes as well as online resources including the lecture notes.



You will not be penalised for non-attendance.



Your lecturer will let you know if there are additional classes or other options.

Accessing tools and support

Click to add title

Stay Organised. Stay Connected. Stay Supported. Make uni life easier with the Student Portal & Sydney Uni App



Stay organised – Use the new **Study Dashboard** to plan for your semester and view your assignments and to-do lists all in one place.



Stay supported – Need study help, wellbeing resources, or student services? The **Service and Support page** has everything you need



Stay connected – Find events on **What's On**, track your classes and exams with the **Calendar**, and find your way with **Campus Maps**.



Download the Sydney Uni app

Visit myuni.sydney.edu.au or download the [Sydney Uni app](#).

Click to add title

Need in person assistance on campus? Visit our Student Services Hubs, where we can help you with:

- Completing enrolment
- Understanding your timetable
- Course & Degree planning
- Candidature variations
- ICT support
- Peer and learning support
- General advice to thrive at The University of Sydney


Student Services Hubs are open **Monday to Friday, 9 am to 5 pm** in **Fisher Library** , the **Belinda Hutchinson Building**  and the **Susan Wakil Health Building** .

You can collect your Student ID card from our Cards Hub, located in Jane Foss Russell **after the date in your 'Ready to Collect' email** . Cards cannot be printed prior to this date. For instructions on initiating a card request, visit the [Student Cards](#) website.



Managing access to our University systems

Multifactor Authentication (MFA) is an additional security step to verify your identity at the University.

A screenshot of the Okta 'Sign In' interface. It features a dark grey background with white text. At the top, it says 'Sign In'. Below that is a label 'Username (UniKey)' followed by a white input field containing a single 'x' character. Under the input field is a checkbox labeled 'Keep me signed in'. Below the checkbox is a large orange button with the word 'Next' in white. At the bottom, there are three small links: 'Forgot account?', 'Help', and 'Privacy'.

Step 1

*Sign in with your username
(UniKey and password)*



Step 2

*Verify your identity using
your smartphone*



*For more information
Scan the QR code*

Remember:

- Set up a secondary email, phone number and security question in your Okta profile so that you can reset your Unikey.
- Always have your Okta enabled device with you and do not uninstall the Okta verify app.
- If you change your mobile device, install Okta Verify on your new device before removing it from your old one.

Academic integrity and the use of AI

Understanding your academic integrity responsibilities

Academic integrity refers to behaving honestly, ethically and responsibly in relation to all elements of your study at the University, including assessments.

It's important that you:



Always submit your own work, sit your own tests, and take your own examinations.



Acknowledge any contributions in your assignment which are not your original thoughts, ideas or words.



Complete the Academic Honesty Education Module (AHM), which all new students must complete by census date (31 March 2026).



Listen to your coordinator's instructions about use of Generative AI in assessments



Be alert to individuals or companies that claim to offer students external academic assistance. Many are illegal 'contract cheating' services.



Scan to enrol in AHM and view
Academic Integrity resources

Using generative AI

Generative AI tools, such as Microsoft Copilot Chat, can create digital content, including text, images, and video. Different guidelines for use of generative AI apply to learning and assessment:



Generative AI for general learning

- You can use generative AI to help you learn. For example, it can explain things, apply knowledge, plan your study and make practice questions. Use our student co-designed AI resource so you are aware of its strengths and limitations.



Generative AI for assessment

- Check your unit outline for whether you can use generative AI tools in your assessment:
 - **Secure assessments** (in-person, supervised): generally no AI allowed unless express permission.
 - **Open assessments** (unsupervised): generally AI is allowed.
 - Failing to acknowledge AI use is an academic integrity breach.
- When using generative AI tools, don't provide content generated by other students, others' intellectual property (unless with permission), or personal or health information. Your unit coordinator can provide guidance on this.



AI resource made by students:
<https://bit.ly/students-ai>

Which generative AI tools are best to use?

The University provides **free** access to Microsoft Copilot Chat to accelerate your learning and help you in those assessments where use of generative AI is allowed.



Why use Microsoft Copilot Chat?

- It is a University-supported, industry standard tool powered by up-to-date AI models
- It keeps your data secure and protects your privacy
- Log in with your UniKey using Okta so that you are using Copilot in protected mode, which introduces necessary guardrails to protect you within the system



Why not use other tools like ChatGPT and DeepSeek?

- Watch out for your privacy and the security of your personal and other data if using a free or emerging tool like ChatGPT and DeepSeek



Powerful and secure
<https://copilot.microsoft.com/>

Mandatory Canvas modules

Click to add title

We've developed a series of Canvas modules to help you understand what to expect from the University and what is expected from you. They include:

- *Respect@Sydney 2026*, explores key concepts related to gender-based violence, consent, respectful relationships, and support and reporting options (mandatory for commencing students, continuing students will be provided more information early in semester 1, 2026 on their requirements for modules).
- *Academic Honesty Education Module* (mandatory for commencing students).
- *Engaging with the Student Charter*, a module where you can unpack the values and expectations outlined in our Student Charter, including information about penalties for breaching our codes of conduct and displaying threatening, discriminatory or racist behaviour.
- *Anti-Slavery Awareness Module*.

Many of these modules are mandatory for commencing students and your results may be withheld if you do not complete them.

Useful links


- www.sydney.edu.au/students/new-students.html
- www.sydney.edu.au/students/glossary.html
- www.sydney.edu.au/students/support.html
- www.sydney.edu.au/students/academic-integrity.html
- www.sydney.edu.au/students/exams.html
- www.sydney.edu.au/students/scams.html
- www.library.sydney.edu.au/visit
- www.sydney.edu.au/students/log-in-to-university-systems.html
- www.sydney.edu.au/students/student-it.html
- www.sydney.edu.au/students/key-dates.html

Join our ADP Peer Mentoring Program and become a mentee!

The ADP Peer Mentoring Program is designed to foster a supportive and collaborative learning environment for students within the School of ADP. The program connects peer mentors with first-year students, providing guidance, leadership development, and opportunities for community engagement.

MENTEE BENEFITS:

- Receive support and guidance, develop leadership skills, and build a sense of belonging within the faculty.
- Forge meaningful connections and make new friends.
- Gain insights and learn from our Peer Mentors.
- Navigate around the school with confidence!





? Ask Me Anything
sessions
Meet your Program
Directors and Academic
Course Advisors

Careers Events
with ADP's Careers
Development Officer
🎓

Join a
Student Society 🤝

**Semester 1
Student
Life**

**Welcome Back to Wilko
Week 1 - Daily Food Giveaways!**



**Health and Wellbeing Advising
Events 🍏**

Extended Welcome and
Weeks 9 -13

Keep an eye out for
Canvas
announcements 📺

Student Life Events in Semester 1

Week 0	School Welcome Days Welcome Fest – USU Village
Week 1	Welcome Back to Wilko Daily Food Giveaways and Activities with Student Societies
Week 2 – 4	Extended Welcome Activities Sustainability Tour, Craft Swap, Petting Zoo
Throughout Semester	Careers Events Student Society Events Design Jams
Week 9 – 13	End of Semester Wellbeing Events with Student Societies

Keep an eye out for Canvas
announcements for event details!

Week 1

Introduction to Programming and Web Languages



THE UNIVERSITY OF
SYDNEY



What is Programming?

Think of programming as a series of steps you need to write for a computer to create something.

Think, for example, of the process of preparing tea.

HOW TO PREPARE THE PERFECT CUP OF JAPANESE GREEN TEA



1. Boil fresh water
in a kettle



2. Add the tea to
the teapot



3. Let the water cool down to the correct
temperature (pouring into tea cups or a ce-
ramic container is a good way to do this)



4. Pour the water into
the teapot



5. Steep for the
recommended time



6. Pour the tea into the
cups, a little at a time
in
a circular fashion



7. Don't forget to
shake out the last few
drops (they have the
most flavour)

What is programming

Communicating the steps to another human is simple because humans have intuition and understand the context of the conversation.

Machines, or more precisely, computer processors, do not have that ability.

**Programming is the art and science
of EXACTLY telling a computer to
do EXACTLY what YOU want it
to do.**

“In some ways, programming is like painting.
You start with a blank canvas and certain
basic raw materials. You use a combination
of science, art, and craft to determine what
you want to do with them.”

Andrew Hunt,
Author of many Programming Books

“In ~~some~~ many ways, ~~programming~~ creative coding is like painting. You start with a blank canvas and certain basic raw materials. You use a combination of science, art, and craft to determine what you want to do with them.”

Modified by Carlos (Not Douglas)


Designers and Programmin

“Why do I need to learn to code?”

Programming Skill

- Learning how to write code is beyond simply learning how to write lines of code and execute them.
- Learning to code gives you a THINKING SKILL. Programmatically thinking (Week 6) helps you learn how to organise your thoughts.
- In this day and age, learning to code is a MAKING SKILL. You can now MAKE your own prototypes, interfaces, apps, and more!

But to master this skill, you need to do A LOT OF IT

A close-up of Morpheus from the movie The Matrix, wearing his signature sunglasses and a green leather jacket, looking slightly to the side with a serious expression.

**“THERE'S A DIFFERENCE
BETWEEN KNOWING THE PATH
AND **WALKING** THE PATH.”**

— Morpheus, "The Matrix"

Software and Tools

The tools we will use for the first 7 weeks





HTML or Hyper-Text-Markup-Language is the standard markup language for web pages. It controls the **STRUCTURE** of web pages.



CSS or Cascading Style Sheets is the language that controls how web pages will be displayed. It controls the **STYLE** of web pages.




JavaScript or JS is the programming language of the web. It controls the **BEHAVIOUR** of web pages.



SVG or Scalable Vector Graphics is the framework for drawing vector based drawings in XML format inside HTML pages. It enables lossless **GRAPHICS** to be drawn.

This is what we will learn...



|



AGENT SESSIONS

LOCAL CHAT AGENT

Refactoring MailList component str...

GITHUB COPILOT CLOUD AGENT

Extract MailListem into stan... 10 min

#1 +42 -24

GITHUB COPILOT CLI AGENT

Start CLI Agent Session

MailList.tsx

MailListItem.tsx

Extract MailListItem into standalo

```
1 import { For, createSignal, createMemo } from "solid-js";
2 import { navigate, useNavigate, useParams } from "@tanstack/solid-router";
3 import { getEmailsForMailbox } from "~/data/emails";
4 import { MailListItem } from "~/components/MailListItem";
5
6 export function MailList() {
7   const params = useParams({ strict: false }) as {
8     mailbox?: string;
9     id?: string;
10  };
11  const navigate = useNavigate();
12  const [query, setQuery] = createSignal("");
13  const mailbox = () => params.mailbox || "inbox";
14  const list = createMemo(() => {
15    const q = query().toLowerCase();
16    return getEmailsForMailbox(mailbox()).filter(
17      (e) =>
18        !q ||
19        e.subject.toLowerCase().includes(q) ||
20        e.snippet.toLowerCase().includes(q)
21    );
22  });
23  function open(id: string) {
24    navigate({
25      to: "/mail/${mailbox}/${id}",
26      params: { mailbox: mailbox(), id },
27      search: (prev) => prev,
28    });
29  }
30
31  return (
32    <For each={list()}>
33      {e} => (
34        <div
35          role="listitem"
36          tabindex={0}
```

CHAT

Please update the MailList component to abstract mail list items into their own standalone component

GitHub Copilot Cloud Agent

Delegate to cloud agent

The agent will work asynchronously to create a pull request with your requested changes.

kenzi.lawson selected "Delegate"

GitHub Copilot Cloud Agent

🔗 [WIP] Refactor MailList to abstract mail list items - Copilot

Cloud agent has begun work on Please update the Ma... and will update this pull req [See more](#)


GitHub Copilot cloud agent has begun working on your request. Follow its progress in the associated chat and pull request.

MailList.tsx +

Describe what to build next

Agent Claude Opus 4.6

Introduction to HTML



HTML

- Lets Analyze some HTML

```
1  <!DOCTYPE html>
2  ∨ <html>
3  ∨   <head>
4      <title>Page Title</title>
5      </head>
6  ∨   <body>
7      <p>Hello world!</p>
8      </body>
9  </html>
```

HTML

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     <p>Hello world!</p>
8   </body>
9 </html>
```

First line tells the browser “this is an HTML file”

HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>hello world!</p>
8  </body>
9  </html>
```

Indentation helps
us understand
which elements
go inside of
what.



HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>Hello world!</p>
8  </body>
9  </html>
```

This tag means:
“Anything inside
this tag is part of
the HTML”

HTML


```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>Hello world!</p>
8  </body>
9  </html>
```

Everything inside the head tag will appear in the header of the browser.

HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>Hello world!</p>
8  </body>
9  </html>
```


Everything inside the head tag will appear in the header of the browser.



HTML

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <title>Page Title</title>
5   </head>
6   <body>
7     <p>Hello world!</p>
8   </body>
9 </html>
```

Everything inside the head tag will appear in the header of the browser.



HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <title>Page Title</title>
5  </head>
6  <body>
7  <p>Hello world!</p>
8  </body>
9  </html>
```

What do you
guys think this
mean?

HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>Hello world!</p>
8  </body>
9  </html>
```

Body in here
refers to the
body of the
page.

HTML

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4    <title>Page Title</title>
5  </head>
6  <body>
7    <p>Hello world!</p>
8  </body>
9  </html>
```

P is for
“paragraph”

HTML Headings

HTML headings are, as the name suggests, Headings. They go from `<h1>` (largest) to `<h6>` (smallest).

HTML

```
1 <h1>Hello World!</h1>
2 <h2>Hello World!</h2>
3 <h3>Hello World!</h3>
4 <h4>Hello World!</h4>
5 <h5>Hello World!</h5>
6 <h6>Hello World!</h6>
7 <p>Hello World!</p>
```

Hello World!

Hello World!

Hello World!

Hello World!

Hello World!

Hello World!

Hello World!

HTML Links

```
<a href="https://www.google.com">This is a link to Google</a>
```



More?

<https://developer.mozilla.org/en-US/docs/Web/HTML/Element>

Nesting Example

```
<p>This is a link to <a href="https://www.google.com">Google</a></p>
```



127.0.0.1:5500/Week1/Week1_Basic.html

This is a link to [Google](https://www.google.com)

Introducing CSS

Cascading Style Sheet

CSS and HTML

- CSS is used to give **STYLE** to our web pages.
- HTML gives structure to the content; CSS gives it a look and feel.

How to include CSS

```
<> Week1_Basic.html ×
Week1 > <> Week1_Basic.html > html > body > p
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>IDEA9103, Week 1</title>
5      <meta charset="UTF-8" />
6      <style>
7        p {
8          color: red;
9        }
10     </style>
11   </head>
12   <body>
13     <p>This is a humble, but red paragraph.</a></p>
14   </body>
15 </html>
16
```

How to include CSS

CSS should go inside the `<head>` tag, inside a `<style>` tag.

```
Week1 > <> Week1_Basic.html > html > body > p
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>IDEA9103, Week 1</title>
5 <meta charset="UTF-8" />
6 <style>
7   p {
8     color: red;
9   }
10 </style>
11 </head>
12 <body>
13 <p>This is a humble, but red paragraph.</a></p>
14 </body>
15 </html>
16
```


How to include CSS

```
<> Week1_Basic.html x
Week1 > <> Week1_Basic.html > html > body > p
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>IDEA9103, Week 1</title>
5      <meta charset="UTF-8" />
6      <style>
7        p {
8          color: red;
9        }
10     </style>
11   </head>
12   <body>
13     <p>This is a humble, but red paragraph.</a></p>
14   </body>
15 </html>
16
```


p means that
all inside <p>
tag in HTML
will have red
color.

How to include CSS

```
<> Week1_Basic.html ×
Week1 > <> Week1_Basic.html > html > body > p
1  <!DOCTYPE html>
2  <html>
3    <head>
4      <title>IDEA9103, We
5      <meta charset="UTF-8" >
6      <style>
7        p {
8          color: red;
9        }
10     </style>
11   </head>
12   <body>
13     <p>This is a humble, but red paragraph.</a></p>
14   </body>
15 </html>
16
```



.css file



```
<> Week1_Basic.html # Week1.css
Week1 > # Week1.css > p
1 p {
2   color: red;
3 }
```

When you have larger projects, having separate .css files works better. Here is how our previous style looks in a separate file.

.css file

```
<> Week1_Basic.html # Week1.css ●
Week1 > # Week1.css > p
1  p {
2      color: red;
3  }
```

```
<> Week1_Basic.html x # Week1.css ●
Week1 > <> Week1_Basic.html > html > head > link
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <title>IDEA9103, Week 1</title>
5          <meta charset="UTF-8" />
6          <link rel="stylesheet" href="Week1.css">
7      </head>
8      <body>
9          <p>This is a humble, but red paragraph.</a></p>
10     </body>
11 </html>
12
```

To include your CSS file, add a `<link>` tag.

Link means you want to “link” your HTML file to an external resource.

The “rel” property means “the relationship to that document”, in this case, we are after a stylesheet.

Note how tags can have properties, but more on that later.

The “href” property points to the file you want to link.

Closing Thoughts, CSS

- CSS is a massive topic that will not be covered in this course.
- You can find out more about CSS here: <https://developer.mozilla.org/en-US/docs/Web/CSS>
- You do not need to learn every single tag by the end of this week; there are developers with years of experience who still need to Google the names of references and properties.

Introduction to SVG

Scalable Vector Graphics

SVG -Introduction

- SVG stands for scalable vector graphics.
- You use the `<svg>` tag in HTML to draw your vector graphics on your web page.
- Does anyone know the difference between a Raster Image and a Vector Image?



SVG

- This week, we will see during our tutorial how to create SVG shapes.
- Later in the course, you will learn how to create SVG graphics through code using JavaScript.

Comments in HTML

Help yourself by leaving comments

Comments

- It is very important that you get into the habit of leaving comments to yourself (and your team members) so that whoever is reading (or marking) your code understands what is happening.
- Comments are lines of code that get ignored; they are designed specifically for humans to leave notes about the code that appears.

```
1  <!DOCTYPE html>
2  <html>
3      <head>
4          <title>Page Title</title>
5      </head>
6      <body>
7          <!-- This is a comment, the browser will ignore it -->
8          <p>Hello world!</p>
9
10         <!-- I wrote this line for a previous example -->
11         <a href="https://www.google.com">This is a link to Google</a>
12
13         <!-- Version 2 of the previous line -->
14         <p>This is a link to <a href="https://www.google.com">Google</a></p>
15
16     </body>
17 </html>
```