

Факторы и численные выражения ветвей преимума

$$U_2 = \lambda R_1 = -2 \quad \Gamma \rightarrow 1 \quad 37 \quad 4 \rightarrow 8 \quad 66 \rightarrow 5 \quad 47$$

$$U_3 = \sqrt{X_{11}} I_1 = \sqrt{4084} \quad (-2 \quad \Gamma \rightarrow 1 \quad 37) = 5 \quad 59 \rightarrow 8 \quad 84$$

$$U_4 = \sqrt{X_{11}} I_1 = -70 \quad (-2 \quad \Gamma \rightarrow 1 \quad 37) = -0 \rightarrow 0$$

$$U_5 = I_2 R_2 = -2 \quad \Gamma \rightarrow 0 \quad 05 \quad 5 \rightarrow 1 \quad 8 \rightarrow 0 \quad 77$$

$$U_{56} = \sqrt{X_{12}} I_2 = \sqrt{21 \quad 991} \quad (-2 \quad \Gamma \rightarrow 0 \quad 05) = -1 \quad 13 \rightarrow 46 \quad 62$$

$$U_{57} = \sqrt{X_{12}} I_2 = \sqrt{12 \quad 732} \quad (-2 \quad \Gamma \rightarrow 0 \quad 05) = 0 \quad 65 \rightarrow 26 \quad 99$$

$$U_{48} = \lambda R_3 = -0 \quad 05 \rightarrow 1 \quad 42 \quad 14 \rightarrow -0 \quad 64 \rightarrow 19 \quad 87$$

$$U_{89} = \sqrt{X_{12}} I_2 = \sqrt{34 \quad 558} \quad (-0 \quad 05 \rightarrow 1 \quad 42) = 49 \quad 06 \rightarrow 1 \quad 58$$

$$U_{20} = \sqrt{X_{12}} I_2 = -56 \quad 841 \quad (-0 \quad 05 \rightarrow 1 \quad 42) = -80 \quad 69 \rightarrow 2 \quad 6$$