Annual Review

Michalis Panayides

2020-06-10

Game Theory - Syllabus

- Normal Form Games
- Mixed-Strategy Nash Equilibrium
- Alternate Solution Concepts
- Extensive-Form Games
- Repeated Games (TBC)
- Bayesian Games (TBC)
- Coalitional Games (TBC)

Normal Form Games



Normal Form Games



Normal Form Games



Normal Form Games



$$u_i = A_1 \times A_2 \times A_3 \times \cdots \times A_N$$

Rock-Paper-Scissors



$$\begin{bmatrix} (0,0) & (1,-1) & (-1,1) \\ (-1,1) & (0,0) & (1,-1) \\ (1,-1) & (-1,1) & (0,0) \end{bmatrix}$$

Nash Equilibrium

$$\begin{bmatrix} (3,3) & (0,5) \\ (5,0) & (1,1) \end{bmatrix}$$

Nash Equilibrium

$$\begin{array}{c} \mathrm{C} \longrightarrow \\ \mathrm{D} \longrightarrow \end{array} \begin{bmatrix} (3,-) & (0,-) \\ (5,-) & (1,-) \end{bmatrix}$$

Nash Equilibrium



Nash Equilibrium



Pareto Optimality

$$\begin{bmatrix} (3,3) & (0,5) \\ (5,0) & (1,1) \end{bmatrix}$$

$$\overbrace{(3,3),\ (0,5),\ (5,0),\ (1,1)}$$

Pareto Optimality

$$\begin{bmatrix} (3,3) & (0,5) \\ (5,0) & (1,1) \end{bmatrix}$$

$$\overbrace{(3,3),\ (0,5),\ (5,0),\ (1,1)}$$

$$(3,3) > (1,1)$$

Computing the Nash Equilibria

- Lemke-Howson Algorithm
- Support Enumeration
- Iterative removal of strictly dominated strategies

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C	R
U	$(3,0)$	$(2,1)$	$(0,0)$
M	$(1,1)$	$(1,1)$	$(5,0)$
D	$(0,1)$	$(4,2)$	$(0,1)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C	R
U	$(3,0)$	$(2,1)$	$(0,0)$
M	$(1,1)$	$(1,1)$	$(5,0)$
D	$(0,1)$	$(4,2)$	$(0,1)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C
U	$(3,0)$	$(2,1)$
M	$(1,1)$	$(1,1)$
D	$(0,1)$	$(4,2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C
U	$(3,0)$	$(2,1)$
M	$(1,1)$	$(1,1)$
D	$(0,1)$	$(4,2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C
U	$(3,0)$	$(2,1)$
D	$(0,1)$	$(4,2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	L	C
U	$(3,0)$	$(2,1)$
D	$(0,1)$	$(4,2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	C
U	$(2, 1)$
D	$(4, 2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	C
U	$(2, 1)$
D	$(4, 2)$

Iterative Removal of Strictly Dominated Strategies

$P1 \setminus P2$	C
D	$(4, 2)$

Perfect Information Extensive Form Games



Perfect Information Extensive Form Games



Perfect Information Extensive Form Games



Perfect Information Extensive Form Games



Perfect Information Extensive Form Games



Perfect Information Extensive Form Games



Backwards Induction



Backwards Induction



Backwards Induction



Backwards Induction



Backwards Induction



Backwards Induction



Imperfect Information Extensive-form Games

PhD - Motivation



PhD - Motivation



PhD - Motivation



Hospital Formulation



Ambulance - Hospital Interface



Hospital - Markov Chain



Figure: C=4, T=3, N=5, M=2

State Probabilities



Waiting Times



Optimal patient distribution



Future Plans

- Get all performance measures from model
- Build the game theoretic interface