Home

DropBridge

Send Big.
Resume Anytime.

Your original files. Every verified byte preserved.

↑ Send Files

↓ Receive Files

PHASE 1 · ON THIS DEVICE

File engine available for local testing

Nearby and remote connections arrive in later phases. No devices are connected.

Recent activity

No copies yet. The developer Transfer Lab tests real files on this device.

Open Transfer Lab

Local copy history

Send files

Send files

Keep every detail.

Choose an original file. Importing retains a private copy without compression and needs extra space.

Choose a file

Nearby sending is coming in Phase 2.

No pairing code or transfer is generated in this foundation build.

Test a real copy in Transfer Lab

Receive files

Ready for something big.

Secure phone-to-phone receiving will be added in Phase 2.

Pairing code

Available in a later phase

Connect — coming later

This build does not accept incoming files or connect to peers.

Transfer Lab

DEVELOPER TRANSFER LAB

Real files. Real recovery.

Single-device engine test. This copies a local file; it does not prove phone-to-phone transfer.

Keep the app open. After a forced close, the session lock may take up to 30 seconds to expire.

Choose file & prepare copy

Interrupt once at a verified chunk boundary:

10% | 50% | 95%

Saved lab sessions

History

Local copy history

These are single-device lab sessions.

No sessions yet.

Resume a saved copy in Transfer Lab

About & security

About & security

Private by design.

Phase 1 · Version 0.1.0

No accounts, file uploads, analytics, or paid APIs. Imported files and lab copies stay in app storage.

Integrity checks

The lab checks SHA-256 digests and durable checkpoints. Hashes detect corruption; they do not encrypt transfers or authenticate senders.

Large files & battery

The lab retains an imported source and a second local copy. Keep enough storage and keep the app open. iOS and Android may suspend background work. Native device validation remains required.

Storage

Files remain until app data is removed. Uninstalling deletes sources, partial files and checkpoints. Export and cleanup controls arrive in a later phase.