SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)

Department of Computer Science and Engineering

CO1 ASSESSMENT TOOL 2 – Agile Sprint Planning & User Story Workshop

Course Code:	CSA10 / CSA1005	**Course Title:**	Software Engineering
CO Assessed:	CO1	**Assessment:**	Assessment Tool 2 – **Agile Sprint Planning & User Story Workshop**
Weightage:	20%	**Total Marks:**	25
CO1 Statement:	*Apply advanced methodologies and agile project management techniques to manage software projects effectively*		
Student Name:	P. Akhila	**Reg. No.:**	192425225
Date:	24-10-2026	**Duration:**	60 minutes

Code of Conduct

I **Akhila Pochimireddy(192425225)** *(Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.*

Signature of the Student: Akhila.P

Annexure A – Agile Sprint Planning & User Story Workshop

Instructions to Students:

Each student is assigned an individual software project problem statement. Based on the given problem statement, perform an **Agile Sprint Planning and User Story Workshop** by applying Agile software engineering practices. Prepare a comprehensive sprint planning document covering the following aspects:

Based on the given problem statement, perform an **Agile Sprint Planning and User Story Workshop** by applying Agile software engineering practices. Prepare a comprehensive sprint planning document covering the following aspects:

1. **Identify the Project Vision and Stakeholders**
   - Define the project's vision, objectives, and identify all key stakeholders involved.
2. **Create Epics and User Stories**
   - Break down the requirements into Epics and formulate well-structured User Stories using the format: *As a <user>, I want <feature>, so that <benefit>*.
3. **Define Acceptance Criteria**
   - Write clear and measurable acceptance criteria for each selected user story using the Given–When–Then format or equivalent.
4. **Prioritize the Product Backlog**
   - Organize and prioritize the product backlog based on business value, customer needs, and project dependencies.
5. **Plan the Sprint Backlog**
   - Select high-priority user stories for the first sprint and divide them into actionable development tasks.
6. **Estimate Effort Using Story Points**
   - Assign story points to each selected user story using an appropriate estimation technique (e.g., Fibonacci sequence or Planning Poker) and justify your estimates.
7. **Present the Sprint Goal and Expected Deliverables**
   - Define a clear sprint goal and describe the expected sprint deliverables, including the features to be completed at the end of the sprint.

Rubrics for Calculation

Criteria	Excellent (5 Marks)	Good (3 Marks)	Satisfactory (2 Marks)	Needs Improvement (1 Mark)
Project Vision & Stakeholder Identification (30%)	Project vision is clear, comprehensive, and aligned with the problem statement. All relevant stakeholders and their roles are correctly identified.	Vision is clear with minor omissions. Most stakeholders are correctly identified.	Vision is partially defined. Some stakeholders are missing or incorrectly identified.	Vision is unclear or incomplete. Stakeholders are poorly identified or missing.
Epics & User Stories (25%)	Epics are well-defined and user stories are complete, follow Agile format, and fully capture functional requirements.	Epics and user stories are mostly complete with minor formatting or requirement issues.	User stories are partially complete with limited Agile structure.	User stories are incomplete, unclear, or do not follow Agile practices.
Acceptance Criteria (20%)	Acceptance criteria are specific, measurable, testable, and aligned with all user stories.	Acceptance criteria are mostly clear and testable with minor gaps.	Acceptance criteria are partially defined and lack clarity or completeness.	Acceptance criteria are missing or not aligned with user stories.
Product Backlog Prioritization & Sprint Planning (15%)	Product backlog is logically prioritized, sprint backlog is realistic, and task breakdown is complete.	Backlog prioritization and sprint planning are mostly appropriate with minor issues.	Prioritization or sprint planning is partially complete with limited justification.	Backlog prioritization and sprint planning are poorly organized or incomplete.
Story Point Estimation, Sprint Goal & Presentation (10%)	Story point estimation is well justified, sprint goal is clear, deliverables are realistic, and presentation is professional and well organized.	Estimation and sprint goal are mostly appropriate with minor inconsistencies. Presentation is clear.	Estimation or sprint goal lacks justification. Presentation is adequate but incomplete.	Estimation is unrealistic or missing. Sprint goal, deliverables, and presentation are unclear or incomplete.

Criteria	Mark
Project Vision & Stakeholder Identification **(30%)**	/5
Epics & User Stories **(25%)**	/5
Acceptance Criteria **(20%)**	/5
Product Backlog Prioritization & Sprint Planning **(15%)**	/5
Story Point Estimation, Sprint Goal & Presentation **(10%)**	/5
TOTAL	/25

Annexure A – Agile Sprint Planning & User Story Workshop

Project: Smart Agricultural Marketplace Platform

1.Identify the Project Vision and Stakeholders

1.1 Project Vision

For farmers, wholesalers, retailers, and consumers who need a direct, transparent, and trustworthy way to trade agricultural produce, the Smart Agricultural Marketplace Platform is a web and mobile marketplace that lets farmers list produce, buyers order it, and everyone pay securely, track delivery, and see prices. Unlike the traditional mandi and middleman system, our product removes intermediaries, shows market prices openly, and keeps a permanent record of every transaction.

1.2 Project Objectives

- Register and verify farmers and buyers.
- Manage agricultural product listings and display live availability.
- Manage orders and support secure payments.
- Track deliveries and maintain transaction histories.
- Provide market analytics to improve price transparency and supply-demand coordination.
- Manage ratings and feedback to build trust.

1.3 Key Stakeholders

Stakeholder	Role	Interest / Expectation
Farmers	Sellers; list products and fulfil orders.	Better prices, wider market access, guaranteed and timely payment.
Wholesalers	Bulk buyers.	Reliable supply, bulk pricing, and traceable quality.
Retailers	Medium-volume buyers.	Fresh stock, visible availability, and regular supply.
Consumers	End buyers.	Fresh produce at fair prices with safe payment and delivery.
Delivery partners	Transport goods.	Clear pickup tasks, simple status updates, and timely payment for trips.
Platform administrator	Verify users, moderate listings, and resolve disputes.	A secure, fraud-free marketplace with reports.
Payment gateway / bank	Process and settle payments.	Correct and secure payment integration.

Government agencies	Provide price references and regulate trade.	Compliance with regulations and fair trade.
Product Owner	Owns the backlog and sets priorities.	Maximum business value from each sprint.
Scrum Master & Development team	Facilitate Scrum; design, build, and test the product.	Clear stories, a realistic sprint commitment, and no scope changes during the sprint.

Scrum team assumed for planning: 1 Product Owner, 1 Scrum Master, and 5 team members (2 backend, 1 frontend, 1 full-stack, 1 QA). Sprint length: 2 weeks (10 working days).

2. Create Epics and User Stories

2.1 Epics

ID	Epic	Description
E1	User Management & Verification	Registration, secure login, and verification of farmers and buyers.
E2	Product Listing	Creating, editing, and moderating agricultural product listings.
E3	Availability & Search	Showing live stock and helping buyers find produce.
E4	Order Management	Cart, order placement, acceptance, cancellation, and bulk quotes.
E5	Secure Payments	Online payment, escrow, refunds, and invoices.
E6	Delivery Tracking	Assigning delivery partners and tracking status to proof of delivery.
E7	Transaction History	Permanent record and statements of orders and payments.
E8	Market Analytics	Price trends and demand dashboards.
E9	Ratings & Feedback	Two-way ratings, reviews, and complaints.
E10	Notifications	SMS, e-mail, and push alerts on order and delivery events.

2.2 User Stories

All stories follow the format: As a <user>, I want <feature>, so that <benefit>.

ID	User Story
E1 – User Management & Verification	
US-01	As a farmer, I want to register with my mobile number, name, village, and ID proof, so that I can be verified and start selling on the platform.

US-02	As a buyer (wholesaler, retailer, or consumer), I want to register by choosing my buyer type and giving contact and delivery details, so that I can place orders.
US-03	As a registered user, I want to log in using an OTP or password, so that my account and transactions stay secure.
US-04	As an administrator, I want to review and approve or reject farmer registrations, so that only genuine farmers can list products.
E2 – Product Listing	
US-05	As a verified farmer, I want to create a product listing with crop, grade, quantity, price, images, and pickup location, so that buyers can find my produce.
US-06	As a farmer, I want to edit or delete my listings, so that price and quantity always stay accurate.
US-28	As an administrator, I want to moderate and remove suspicious listings, so that the marketplace stays trustworthy.
E3 – Availability & Search	
US-07	As a buyer, I want to browse product listings that show price and available quantity, so that I can see what I can buy right now.
US-08	As a buyer, I want to search and filter by crop, price, location, and grade, so that I can quickly find suitable produce.
US-09	As a farmer, I want my stock to reduce automatically when an order is confirmed, so that I never oversell.
E4 – Order Management	
US-10	As a buyer, I want to add products to a cart and place an order with a delivery address, so that I can purchase directly from farmers.
US-11	As a farmer, I want to accept or reject incoming orders, so that I only commit to orders I can fulfil.
US-12	As a buyer, I want to cancel an order before dispatch, so that I can change my mind without penalty.
US-13	As a wholesaler, I want to request a quotation for a bulk quantity, so that I can negotiate a better price.
E5 – Secure Payments	
US-14	As a buyer, I want to pay online through UPI, card, or net banking, so that my payment is safe and recorded.
US-15	As a farmer, I want the payment held in escrow and released after delivery is confirmed, so that I am sure of getting paid and the buyer is sure of getting the goods.
US-16	As a buyer, I want an automatic refund when an order is rejected or cancelled, so that I do not lose my money.

US-17	As a buyer, I want an invoice for every payment, so that I have proof for my accounts.
E6 – Delivery Tracking	
US-18	As a logistics coordinator, I want to assign a delivery partner to each confirmed order, so that goods are picked up on time.
US-19	As a buyer, I want to track the delivery status live, so that I know when the goods will arrive.
US-20	As a delivery partner, I want to capture proof of delivery (OTP or photo), so that delivery is confirmed without dispute.
E7 – Transaction History	
US-21	As a user, I want to view my transaction history, so that I can verify past orders and payments.
US-22	As a user, I want to download a statement of my transactions, so that I can use it for tax and accounts.
E8 – Market Analytics	
US-23	As a farmer, I want to see price trends for my crop by market, so that I can set a fair price and time my sales.
US-24	As a wholesaler or farmer, I want a demand dashboard by crop and region, so that I can plan supply and purchases.
E9 – Ratings & Feedback	
US-25	As a buyer, I want to rate the farmer and the product after delivery, so that other buyers can trust good sellers.
US-26	As a buyer, I want to raise a complaint about poor quality, so that the issue is resolved fairly.
E10 – Notifications	
US-27	As a user, I want SMS, e-mail, or push notifications for order and delivery changes, so that I stay informed.

3. Define Acceptance Criteria

Acceptance criteria are written in the Given–When–Then format for every user story selected for Sprint 1 (US-01 to US-07). Each one is specific, measurable, and testable.

Story	Acceptance Criteria (Given – When – Then)

US-01	As a farmer, I want to register with my mobile number, name, village, and ID proof, so that I can be verified and start selling on the platform. AC1: Given a new farmer on the registration page, When they enter a valid name, 10-digit mobile number, village, and an ID proof (JPG/PDF, up to 5 MB) and submit, Then the account is created with status "Pending Verification" and a confirmation appears within 3 seconds. AC2: Given a mobile number that is already registered, When the farmer submits, Then the system shows "Mobile already registered" and creates no duplicate account. AC3: Given a mandatory field is empty or invalid, When the farmer submits, Then a field-level error is shown and the form is not submitted.
US-02	As a buyer (wholesaler, retailer, or consumer), I want to register by choosing my buyer type and giving contact and delivery details, so that I can place orders. AC1: Given a new buyer, When they select a buyer type (wholesaler / retailer / consumer) and enter valid contact and delivery details, Then the account is created as Active within 3 seconds. AC2: Given the buyer type is not selected, When they submit, Then registration is blocked with a "Select buyer type" message. AC3: Given an e-mail or mobile number already in use, When they submit, Then the system rejects it with a duplicate-account message.
US-03	As a registered user, I want to log in using an OTP or password, so that my account and transactions stay secure. AC1: Given a registered user, When they request an OTP, Then a 6-digit OTP is sent within 30 seconds and stays valid for 5 minutes. AC2: Given a correct OTP, When it is submitted, Then the user is logged in and sees the dashboard for their role (farmer, buyer, or admin). AC3: Given 5 consecutive wrong OTP attempts, When the fifth fails, Then the account is locked for 15 minutes.
US-04	As an administrator, I want to review and approve or reject farmer registrations, so that only genuine farmers can list products. AC1: Given the admin opens the pending list, When they approve a farmer, Then the status changes to "Verified" and the farmer is notified within 1 minute. AC2: Given the admin rejects a farmer, When no reason is entered, Then the rejection is blocked; with a reason, the status becomes "Rejected" and the reason is sent to the farmer. AC3: Given a non-admin user, When they open the admin verification page, Then access is denied (HTTP 403).
US-05	As a verified farmer, I want to create a product listing with crop, grade, quantity, price, images, and pickup location, so that buyers can find my produce. AC1: Given a verified farmer, When they enter all mandatory fields (price > 0, quantity > 0, up to 5 images of 2 MB each) and publish, Then the listing becomes "Active" and appears in the catalogue within 5 seconds. AC2: Given a farmer who is not verified, When they try to publish, Then the system blocks it with the message "Verification pending". AC3: Given a price or quantity of zero or negative, When the farmer submits, Then a validation error is shown and nothing is saved.

US-06	As a farmer, I want to edit or delete my listings, so that price and quantity always stay accurate. AC1: Given a farmer's own listing, When they change the price or quantity and save, Then the catalogue shows the new values immediately and the change is recorded in the audit log. AC2: Given a listing with a pending order, When the farmer tries to delete it, Then deletion is blocked with an explanatory message. AC3: Given a listing owned by another farmer, When a farmer tries to edit it, Then the request is denied.
US-07	As a buyer, I want to browse product listings that show price and available quantity, so that I can see what I can buy right now. AC1: Given active listings exist, When a buyer opens the catalogue, Then each card shows crop name, price per kg, available quantity, and location, with 20 listings per page, loading within 3 seconds. AC2: Given a listing whose available quantity is 0, When the catalogue loads, Then it is marked "Out of stock" and cannot be added to an order. AC3: Given no listings exist, When the catalogue loads, Then the message "No products available" is shown.

Acceptance criteria for key upcoming stories (for reference)

Story	Acceptance criterion
US-10 (Sprint 2)	Given available stock, When the buyer places an order of quantity ≤ stock with a delivery address, Then an order ID is generated and its status is "Placed"; if quantity > stock, the order is rejected with the available quantity displayed.
US-14 (Sprint 3)	Given a placed and accepted order, When the buyer pays via UPI/card/net banking, Then the payment status becomes "Held in Escrow" within 10 seconds of gateway success; on failure, the order stays "Payment Pending" and no money is debited twice.
US-19 (Sprint 4)	Given a dispatched order, When the delivery partner updates the status, Then the buyer sees the new status (Picked up, In transit, Delivered) within 1 minute.

4. Prioritize the Product Backlog

The backlog is ordered using three factors: business value (does it bring the marketplace to life for farmers and buyers?), customer need (MoSCoW: Must / Should / Could), and dependencies (a story cannot start before the stories it depends on). The result is that registration, verification, and listing come first, then ordering, then payment, delivery, history, ratings, and finally analytics, which needs data produced by earlier sprints.

Rank	ID	Story (short title)	Epic	Business value	MoSCoW	Depends on	Pts	Planned sprint

1	US-01	Farmer registration	E1	High	Must	–	5	**Sprint 1**
2	US-02	Buyer registration	E1	High	Must	–	3	**Sprint 1**
3	US-03	Secure login (OTP)	E1	High	Must	US-01, 02	5	**Sprint 1**
4	US-04	Admin verifies farmer	E1	High	Must	US-01	3	**Sprint 1**
5	US-05	Create product listing	E2	High	Must	US-04	5	**Sprint 1**
6	US-07	Browse listings with availability	E3	High	Must	US-05	5	**Sprint 1**
7	US-06	Edit / delete listing	E2	Medium	Must	US-05	3	**Sprint 1**
8	US-08	Search and filter	E3	High	Must	US-07	3	Sprint 2
9	US-09	Auto stock update	E3	High	Must	US-05	5	Sprint 2
10	US-10	Cart and place order	E4	High	Must	US-07, 09	8	Sprint 2
11	US-11	Farmer accepts / rejects order	E4	High	Must	US-10	3	Sprint 2
12	US-28	Admin moderates listings	E2	Medium	Should	US-05	5	Sprint 2
13	US-12	Cancel order	E4	Medium	Should	US-10	3	Sprint 2
14	US-14	Online payment	E5	High	Must	US-10	8	Sprint 3
15	US-15	Escrow and release	E5	High	Must	US-14	8	Sprint 3
16	US-17	Invoice generation	E5	Medium	Should	US-14	3	Sprint 3
17	US-16	Refund	E5	Medium	Should	US-14	5	Sprint 3
18	US-18	Assign delivery partner	E6	High	Must	US-11	5	Sprint 4
19	US-19	Track delivery	E6	High	Must	US-18	8	Sprint 4

20	US-27	Notifications	E10	Medium	Should	US-10	5	Sprint 4
21	US-20	Proof of delivery	E6	Medium	Should	US-19	3	Sprint 4
22	US-21	Transaction history	E7	Medium	Should	US-14	5	Sprint 5
23	US-25	Ratings	E9	Medium	Should	US-20	5	Sprint 5
24	US-26	Complaints	E9	Medium	Should	US-20	5	Sprint 5
25	US-22	Download statement	E7	Low	Could	US-21	3	Sprint 5
26	US-13	Bulk quotation	E4	Medium	Could	US-10	8	Sprint 5
27	US-23	Price trends	E8	Medium	Should	US-21	8	Sprint 6
28	US-24	Demand dashboard	E8	Medium	Could	US-21	8	Sprint 6

Total backlog size: 143 story points across 28 stories. Indicative plan: Sprint 1 = 29, Sprint 2 = 27, Sprint 3 = 24, Sprint 4 = 21, Sprint 5 = 26, Sprint 6 = 16 points. The backlog is refined at the end of every sprint, so this plan can change.

5. Plan the Sprint Backlog

5.1 Selected Stories

Team capacity for Sprint 1 is 5 members × 10 days × 6 productive hours = 300 hours. As a new team has no history, the planned velocity is conservative at about 30 story points. Seven high-priority "Must" stories totalling 29 points are selected, because together they form the foundation (users and products) that every later epic needs.

Story	Title	Epic	Reason for selecting	Points
US-01	Farmer registration	E1	Entry point for supply side	5
US-02	Buyer registration	E1	Entry point for demand side	3
US-03	Secure login (OTP)	E1	Security base for all features	5
US-04	Admin verifies farmer	E1	Builds trust; needed before listing	3
US-05	Create product listing	E2	Core value for farmers	5
US-06	Edit / delete listing	E2	Keeps data accurate	3

US-07	Browse listings with availability	E3	Core value for buyers	5
Total				**29**

5.2 Task Breakdown

Story	Task	Task description	Type	Est. (hrs)
US-01	**T1**	**Design registration form UI**	**Frontend**	**6**
	T2	**Farmer registration API with validation**	**Backend**	**10**
	T3	**Create DB schema (users, farmers)**	**Backend**	**6**
	T4	**ID-proof upload and storage**	**Backend**	**8**
	T5	**Unit tests**	**Testing**	**6**
Subtotal – US-01				**36**
US-02	**T1**	**Buyer registration UI (buyer-type selection)**	**Frontend**	**4**
	T2	**Buyer registration API (reuse user service)**	**Backend**	**6**
	T3	**Unit tests**	**Testing**	**4**
Subtotal – US-02				**14**
US-03	**T1**	**Integrate OTP / SMS service**	**Backend**	**10**
	T2	**Login API with token session and lockout**	**Backend**	**10**
	T3	**Login UI and role-based redirect**	**Frontend**	**6**
	T4	**Unit and security tests**	**Testing**	**6**
Subtotal – US-03				**32**
US-04	**T1**	**Admin pending-farmers list UI**	**Frontend**	**6**
	T2	**Approve / reject API with reason**	**Backend**	**8**
	T3	**Send approval / rejection message**	**General**	**4**
	T4	**Unit tests**	**Testing**	**4**
Subtotal – US-04				**22**
US-05	**T1**	**Listing form UI**	**Frontend**	**10**

	T2	**Create-listing API and validation**	**Backend**	**10**
	T3	**Image upload (up to 5 images)**	**Backend**	**8**
	T4	**DB schema for products**	**Backend**	**6**
	T5	**Unit tests**	**Testing**	**6**
Subtotal – US-05				**40**
US-06	**T1**	**Edit / delete UI**	**Frontend**	**6**
	T2	**Update / delete API with ownership check**	**Backend**	**8**
	T3	**Unit tests**	**Testing**	**4**
Subtotal – US-06				**18**
US-07	**T1**	**Catalogue UI with availability badge**	**Frontend**	**10**
	T2	**List API with pagination**	**Backend**	**10**
	T3	**Unit and performance tests**	**Frontend**	**6**
Subtotal – US-07				**26**
Sprint	**T1**	**Project setup, repository, and CI/CD pipeline**	**General**	**16**
	T2	**Integration and regression testing**	**Testing**	**16**
	T3	**Documentation and sprint-review demo preparation**	**General**	**8**
Subtotal – Sprint				**40**
TOTAL PLANNED EFFORT				**228**

Commitment check: planned effort is 228 hours against a capacity of 300 hours, which leaves about 24% buffer for defect fixing, code reviews, and unplanned work.

6. Estimate Effort Using Story Points

6.1 Technique

The team used Planning Poker with the Fibonacci sequence (1, 2, 3, 5, 8, 13). Each member privately selects a card based on effort, complexity, and uncertainty; if the cards differ, the highest and lowest estimators explain their reasons and the team votes again until it agrees. US-02 (Buyer registration, 3 points) is the reference story, and all other stories are compared with it by relative sizing.

6.2 Estimates and Justification

Story	Points	Justification

US-02	3	Reference story. Standard form, validation, and one table; well understood and reuses the user service.
US-04	3	Small admin screen and one status-update API; low complexity, a little extra for notification and access control.
US-06	3	Edit / delete on an existing listing; ownership rule and pending-order check add minor complexity.
US-01	5	Larger form, ID-proof file upload and storage, and duplicate checks; moderate effort with some uncertainty about file handling.
US-03	5	Depends on a third-party OTP service, session tokens, and lockout rules; security-sensitive and needs more testing.
US-05	5	Multi-field form, up to 5 image uploads, validation, and verification rule; the most data-heavy form of the sprint.
US-07	5	Pagination, availability logic, and an efficient query for many listings; UI and performance effort.

Total Sprint 1 estimate: 29 points, within the planned velocity of about 30. Larger stories such as US-10 (8 points) are planned for later sprints; stories above 8 points would be split before being taken into a sprint.

7. Present the Sprint Goal and Expected Deliverables

7.1 Sprint Goal

"By the end of Sprint 1, farmers and buyers can register and log in securely, the administrator can verify farmers, and verified farmers can publish and manage product listings that buyers can browse with live price and availability."

7.2 Expected Deliverables (Potentially Shippable Increment)

- Farmer and buyer registration with ID-proof upload (US-01, US-02).
- OTP-based secure login with role-based dashboards and lockout protection (US-03).
- Admin screen to approve or reject farmers with notification (US-04).
- Product listing creation, editing, and deletion with images (US-05, US-06).
- Buyer catalogue with price, location, and availability status (US-07).
- Database schema for users and products, a working CI/CD pipeline, a deployed test environment, unit tests, and API documentation.

7.3 Definition of Done

- Code is reviewed, merged, and passes the CI build.


- Unit tests pass with at least 80% coverage on new code and all acceptance criteria are verified by QA.
- No open critical or high-priority defects.
- Feature is deployed to the test environment and accepted by the Product Owner in the sprint review.
- Documentation (API and user notes) is updated.

7.4 Sprint Events

Event	When	Purpose
Sprint Planning	Day 1	Confirm the sprint goal, selected stories, and task breakdown.
Daily Scrum	Every day, 15 min	Share progress, plans, and blockers.
Backlog Refinement	Mid-sprint	Clarify and estimate the stories for Sprint 2.
Sprint Review	Day 10	Demonstrate the increment to stakeholders and collect feedback.
Sprint Retrospective	Day 10	Decide how to improve teamwork and process in the next sprint.

7.5 Sprint Risks and Mitigation

Risk	Mitigation
OTP / SMS provider delay or cost	Use the provider’s sandbox early; keep password login as a fallback.
Large image and ID-proof uploads slowing the system	Limit file sizes and compress images; store in object storage.
Stories not finished within the sprint	Start with Must stories; move US-06 to Sprint 2 if needed, as it is the lowest-risk deferral.
Unclear requirements from farmers	Early prototype review with 2–3 farmers during the sprint.


Board - SAMP Sprint 1-User Mar
Case Study Analysis
akhilapochimireddy.atlassian.net/jira/software/projects/SAMP/boards/34?sprintStarted=true&filter=&groupB...
Jira
Search
Create
See plans
For you
Recent
Starred
Apps
Plans
Spaces
Filters
Dashboards
Assets
Teams
Goals
Projects
Customise sidebar
Spaces
Smart Agricultural Marketplace Platform
Summary
Timeline
Board
Backlog
Calendar
List
Forms
Development
Docs
Search bo...
Filter
Group
Complete sprint
To Do 0
In Progress 0
Done 4
SAMP-4
User Login
User Management
SAMP-6
Profile Management
User Management
SAMP-7
32°C
Mostly cloudy
ENG
IN
18:34:08
08-10-2026