
a
ULM after prespecified 12-gene depletion
Discovery STAT1
Discovery STAT2
Internal nonoverlap STAT1
Internal nonoverlap STAT2
Childhood replication STAT1
Childhood replication STAT2
92 targets
11 targets
122 targets
15 targets
153 targets
16 targets
0
1
2
3
ULM activity slope (95% CI)
b
ULM after M5911 depletion
77 targets
8 targets
104 targets
12 targets
136 targets
13 targets
ULM activity slope (95% CI)
c
Dedicated six-test BH q values
Fill: -log10(q)
12-gene | ULM
12-gene | CAMERA
12-gene | FRY
M5911 | ULM
M5911 | CAMERA
M5911 | FRY
3.2e-08
0.018
7.1e-11
5.8e-12
4.9e-15
1.8e-07
0.028
0.33
0.028
0.028
0.028
0.05
1.8e-05
0.001
1.8e-05
1.8e-05
1.8e-05
1.8e-05
0.031
0.5
0.00019
9.3e-09
6.2e-08
9.1e-05
0.12
0.62
0.12
0.038
0.038
0.081
0.013
0.099
0.001
1.1e-05
3.6e-05
4.1e-05
Discovery STAT1
Discovery STAT2
Internal STAT1
Internal STAT2
Childhood STAT1
Childhood STAT2
d
Regulon target retention
12-gene depletion
M5911 depletion
50
60
70
80
90
100
110
Prespecified targets retained (%)