

Assignment II

Design Decisions

Entities

1. Customer

- Attributes:
- Username (identifier)
- Name
- Surname
- Email
- Phone
- Country
- City

Relations:

- Location
 - **1 -> 1**: One Customer can have the one Location, one Location can have only one Customer.
- Car Order
 - **1 -> N**: One Customer can have multiple Car Orders, but one Car Order can have only one Customer.

2. Location

Attributes:

- Latitude
- Longitude

Relations:

- Customer
- Car
- Car Order (From and To)
- Workshop
 - For further explanations see information about corresponding Entities

Description:

- We decided to move GPS coordinates to Location entity, which contains attributes of latitude and longitude. This is also a weak entity, because it depends on corresponding parent entity.

3. Car Order

Attributes:

- Order ID
- Price

Relations:

- Customer
 - **1 -> N**: One Customer can have multiple Car Orders, but one Car Order can have only one Customer.
 - Car
 - **1 -> N**: One Car Order can have only one Car, but Car can be involved in many Orders*.
- *Of course, not in real time. It's about history of Car Orders

4. Car

Attributes:

- Registration ID (Unique)
- Brand
- Model
- Type
- Price per Minute
- Color
- Charge Level
- Availability
- Mileage. Car has a location (Multiple Cars can have the same location), charges at the Charging Station

Relations:

- Car Order
 - **1 -> N**: One Car Order can have only one Car, but Car can be involved in many Orders*.
 - *Of course it's not in real time: Car Orders keeps track of all Car Orders made from the start of the system.
- Charging Station
 - **1 -> N**: One Car Station can have multiple Cars, but Car can be charged only at one Car Station.
- Service Order
 - **1 -> 1**: Only one Service Order can specify only one Car

5. Charging Station

Attributes:

- ID (Unique)

Relations:

- Car
 - **1 -> N**: Car can charge only at one Station, but there can be multiple Cars at one Station
- Location
 - **1 -> 1**: There can be only one Station at one Location
- Plug
 - **1 -> N**: There can be multiple plugs at one Station, but each Plug belongs only to the one certain Station

6. The Plug

Attributes:

- Number
- Time for Charge
- Price

Relations:

- Charging Station
 - **1 -> N**: There can be multiple plugs at one Station, but each Plug belongs only to the one certain Station
- Type
 - **1 -> N**: There can be many Plugs of one Type, but the Plug belongs only to the one certain type

7. The Type

Attributes:

- ID (Unique)
- Shape
- Size

Relations:

- Plug
 - **1 -> N**: There can be many Plugs of one Type, but the Plug belongs only to the one certain type

8. Workshop:

Attributes:

- ID (Unique)

Relations:

- Timetable
 - **1 -> 1**: There is only one Timetable for each Workshop
- Car Part
 - **1 -> N**: There can be many Car Parts in one Workshop, but each Car Part belongs only to the one certain Workshop
- Location
 - **1 -> 1**: There can be only one Workshop at each Location

9. Car Part:

Attributes:

- Catalog ID (Unique)
- Type

Relations:

- Car
 - **N -> N**: One Car can have many Car Parts, one Car Part can have many Cars which it can be fitted in.
- Parts Provider
 - **N -> N**: Many Part Providers can provide many Car Parts
- Workshop
 - **1 -> N**: There can be many Car Parts in one Workshop, but each Car Part belongs only to the one certain Workshop
- Service Order
 - **N -> N**: Many Service Orders can specify many different Car Parts

10. Parts Provider:

Attributes:

- Company ID (Unique)
- Name
- Address
- Phone

Relations:

- Car Part
 - **N -> N**: Many Part Providers can provide many Car Parts
- Service Order
 - **N -> N**: One Service Order can have many Providers, many Service Orders may be involved in many Service Orders

11. Timetable:

Attributes:

- Start Time
- End Time

Relations:

- Workshop
 - **1 -> 1**: There is only one Timetable for each Workshop
- Service Order
 - **1 -> N**: Only one certain Service Order can set Timetable, but many different Timetables can be set by one Service Order

12. Manager:

Attributes:

- Manager ID (Unique)
- Name
- Phone

Relations:

- Service Order
 - **1 -> N**: Manager can place many Service Orders, but every Service Order can be placed by only one certain Manager

13. Service Order:

Attributes:

- ID (Unique)
- Price

Relations:

- Manager
 - **1 -> N**: Manager can place many Service Orders, but every Service Order can be placed by only one certain Manager
- Car
 - **1 -> 1**: Only one Service Order can specify only one Car
- Parts Provider
 - **1 -> N**: One Provider can provide parts for one Service Order, but Provider may provide parts to many different Service Orders
- Car Part
 - **N -> N**: Many Service Orders can specify many different Car Parts
- Timetable
 - **1 -> N**: Service Order can be set in only one timetable, but Timetable can have many Service Orders

Decision Statements:

- Service Order - order which is placed by Manager, when Car is broken. It shows which Car to repair, where to fix (Workshop) and where to buy parts, if needed (Provider).
- Each Workshop has Timetable. Workshop works according planned activities in Timetable. Timetable contains Service Orders, start time and end time.
- Manager checks Cars and creates Service orders if necessary.
- Location is a separate entity, which contains latitude and longitude. There will be separate table which connect Location and Customer; Location and Car and so on. We didn't find information about ability to make many parents from weak entity, so we've drawn it this way.