



# **EBU714U A**

Joint Programme Examinations 2017/18

**EBU714U Security and Authentication** 

Paper A

Time allowed 2 hours

**Answer ALL questions** 

For examiners' use only

1	
2	
3	
4	
Total	

Complete the information below about yourself very carefully.

QM student number					
BUPT student number					
Class number					

# **INSTRUCTIONS**

- 1. You must NOT take answer books, used or unused, from the examination room.
- 2. Write only with a black or blue pen and in English.
- 3. Do all rough work in the answer book do not tear out any pages.
- 4. If you use Supplementary Answer Books, tie them to the end of this book.
- 5. Write clearly and legibly.
- 6. Read the instructions on the inside cover.

#### **Examiners**

Dr Yasir Alfadhl, Dr Na Yao, Dr Yuanwei Liu

Copyright © Beijing University of Posts and Telecommunications & © Queen Mary University of London 2017

Filename: 1718\_EBU714U\_A No answer book required

#### Instructions

#### Before the start of the examination

- 1) Place your BUPT and QM student cards on the corner of your desk so that your picture is visible.
- 2) Put all bags, coats and other belongings at the back/front of the room. All small items in your pockets, including wallets, mobile phones and other electronic devices must be placed in your bag in advance. Possession of mobile phones, electronic devices and unauthorised materials is an offence.
- 3) Please ensure your mobile phone is switched off and that no alarm will sound during the exam. A mobile phone causing a disruption is also an assessment offence.
- 4) Do not turn over your question paper or begin writing until told to do.

## **During the examination**

- 1) You must not communicate with or copy from another student.
- 2) If you require any assistance or wish to leave the examination room for any reason, please raise your hand to attract the attention of the invigilator.
- 3) If you finish the examination early you may leave, but not in the first 30 minutes or the last 10 minutes.
- 4) For 2 hour examinations you may **not** leave temporarily.
- 5) For examinations longer than 2 hours you **may** leave temporarily but not in the first 2 hours or the last 30 minutes.

#### At the end of the examination

- 1) You must stop writing immediately if you continue writing after being told to stop, that is an assessment offence.
- 2) Remain in your seat until you are told you may leave.

## **Question 1**

a) Within the context of security requirements, define **integrity** and **authentication.** For each of the two requirements, list two security mechanisms that can achieve it. [6 marks]

Security requirement	Meaning	Security Mechanism
Integrity		
Authentication		
		6 marks

h`	Answer	the	questions	helow	about	AFS.
υ	MISWEI	uic	questions	DCIOW	aooui	ALS.

[8 marks]

i) AES is a block cipher. What is a block cipher?

(2 marks)

- ii) AES uses techniques of substitution and permutation during the operation. Briefly define the terms substitution and permutation. (4 marks)
- iii) What is the purpose of the key expansion algorithm used in AES?

(2 marks)

Do not write in this column

		•
		8
c) DES is a block-cipher and its basic mode of operation is Electronic Code Book (ECR	) In thi	marks
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain how k of cip	s mode always oyed in w CBC hertext
c) DES is a block-cipher and its basic mode of operation is Electronic Code Book (ECB of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly exp mode works with the help of a diagram. What's the error propagation of CBC if one block corrupted during transmission?	age, it be deplo blain ho k of cip	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always oyed in w CBC hertext
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expressed works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]
of operation, if the same 64-bit block of plaintext appears more than once in a mess produces the same ciphertext. In order to avoid such a security weakness, DES can be different modes of operation such as the Cipher Block Chaining (CBC) mode. Briefly expended works with the help of a diagram. What's the error propagation of CBC if one block	age, it be deplo blain ho k of cip [11 m	s mode always byed in w CBC hertext arks]

EBU714U Paper A

2017/18

EBU714U Paper A	2017/18	
	-	
		11
		11 marks

Question marking:  $\frac{-}{6} + \frac{-}{8} + \frac{-}{11} = \frac{-}{25}$ 

# **Question 2**

a) Using your knowledge of RSA public key encryption, answer the following: [12 marks]

- (i) Use mathematical functions to describe both encryption and decryption processes. (6 marks)
- (ii) Explain how RSA can be used in 'digital signatures' and in 'data confidentiality'. (4 marks)
- (iii) Traditionally, session keys (conventional encryption) are used together with public keys to achieve data confidentiality. Briefly explain why is it more effective to use such a combination to encrypt large volume of data. (2 marks)

Do not write in this column

EBU714U Paper A	2017/18
	12
	marks

b)	Using your knowledge of message authentication methods, answer the following:	[13 marks]
	i) What is the difference between a Message Authentication Code (MAC) and a function?	one-way hash (4 marks)
	ii) What changes are required to replace a HMAC with an underlying hash function?	(3 marks)
	iii) Explain what is the birthday attack (hash attack)?	(6 marks)

Do not write in this column

	EBU714U Paper A	2017/1	2017/18			
13 marks						
13 marks						
13 marks						
I3 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
13 marks						
marks			12			
			marks			

Question marking:  $\frac{1}{12} + \frac{1}{13} = \frac{1}{25}$ 

$\sim$		. •		
Qı	166	1111	nn	•
$\mathbf{v}$		LIL		•

a) A simple way for a server to authenticate a client is to ask for a password. In Kerberos this authentication is not used, why? How does Kerberos authenticate the server and the clients?

[6 ma	arksj
Do no this	t write in column
	6 marks

b) Kerberos services are required to be <u>secure</u>, <u>reliable</u>, <u>transparent</u>, and <u>scalable</u>. What mechanisms are used within Kerberos systems to achieve these requirements? [4 marks]

Requirement	Mechanism
Secure	
Reliable	
Transparent	
Scalable	
	4 marks

c) Based on your knowledge in IPSec, answer the following: [15 marks]

- i) Briefly explain what is meant by IPSec, and why it is important? (3 marks)
- ii) List the two IPSec modes of operation. Explain how one can achieve protection against traffic analysis using either mode. (4 marks)
- iii) List four of the parameters used to characterise the nature of a particular Security Associate (SA). (4 marks)
- iv) In IPSec, what are the specific key exchange algorithms in ISAKMP? What are the roles of the Oakley key determination protocol and ISAKMP? (4 marks)

Do not write in this column
this column

EBU714U Paper A 20	17/18	
		15
	n	narks

Question marking:  $\frac{-}{6} + \frac{-}{4} + \frac{-}{15} = \frac{-}{25}$ 

# **Question 4**

a)	Within the context of Secure Socket Layers, answer the following sections:	[9 marks]
	i) Explain the meaning of the terms 'SSL connection' and 'SSL session'.	(4 marks)

ii) What protocols are included in SSL architecture? Support your answer with a diagram. (5 marks)

Do not write in this column
 tilis Column
9
9 marks

b)	How many encryptions keys are used/generated in PGP? Explain how PGP manages keys.		cryption marks]
			t write in column
			7 marks
:)	In PGP key management, there is a possibility of multiple public keys per user recipient of the message needs to know which of his/her public keys was used a Explain how PGP identifies the public key.	for enc	ryption.
	Explain now FOF identifies the public key.	[4 ms	t write in
			column
			4 marks

LBO7140 Taper A	2017/10
d) Explain the Certificates Processing of S/MIME.	[5 marks]
	Do not write in this column
	5
	mark

**Question marking**:  $\frac{-}{9} + \frac{-}{7} + \frac{-}{4} + \frac{-}{5} = \frac{-}{25}$ 

EBU714U Paper A	Use this section for rough work	2017/18
	<del>-</del>	Do not
		write in
		this
		column
	017-2018	
	017-2010	
R()		
1100	gh Working	
	ge 16 of 18	
Par	70 16 Ot 18	
Гач		
	J	

EBU714U Paper A	Use this section for rough work	2017/18
		Do not
		write in
		this
		column
	047 0040	
7)	017-2018	
	017-2010	
	1016 \\/\015151000	
KAH		
1100	igh Working	
		······································
	4 - 6 4 6	
1)0/	70 17 of 10	
Pau	JE	
	ge 17 of 18	

EBU714U Paper A	Use this section for rough work	2017/18
		Do not write ir this columr
	2017-2018	
Ro	ugh Working	
Pa	age 18 of 18	