AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Patient's Name: Synthetic Overflow Patient **Age:** 41 **Sex:** Male

Address: Unit 1204 Grand Central Residences, Highway Hills, Mandaluyong City **Date:** October 30, 2026

Rx

1. Long named dental analgesic compound 1 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

2. Long named dental analgesic compound 2 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

3. Long named dental analgesic compound 3 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

4. Long named dental analgesic compound 4 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

5. Long named dental analgesic compound 5 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

6. Long named dental analgesic compound 6 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

7. Long named dental analgesic compound 7 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

8. Long named dental analgesic compound 8 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

9. Long named dental analgesic compound 9 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

10. Long named dental analgesic compound 10 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

11. Long named dental analgesic compound 11 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

AMETHYST

DENTAL CLINIC

102 Grand central Residences Cityland EDSA cor. Sultan st
Brgy Highway Hills Mandaluyong City
Tel. 09658045988 / 0275030553

Rx

12. Long named dental analgesic compound 12 with extended label

Qty: 10 Dosage: 500mg Sig: Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol. Take one capsule after meals with a full glass of water and continue until the bottle is finished even if symptoms improve, unless the dentist instructs otherwise. Avoid alcohol.

DR. SARAH CRUZ
Orthodontics and Dentalofacial Orthopedics

Authorized in DentaSync by the authenticated dentist account. This line is not a reproduced handwritten signature.
Authorized October 30, 2026 at 12:00 PM