

Prueba del codigo




```
Output - Run (PruebaArbol)
-----
resources: 3.1.1:resources (Default-resources) @ ArbolTest ---
skip non existing resourceDirectory C:\Users\jasha\OneDrive\Documents\NetBeans\Projects\ArbolTest\src\main\resources
---
compiler: 3.11.0:compile (Default-compiler) @ ArbolTest ---
Nothing to compile - all classes are up to date.
---
exec: 3.1.0:run omda018-c111 @ ArbolTest ---
Insertando valores: 50, 30, 70, 20, 40
Recorrido Inorden: 20 30 40 50 70
-----
BUILD SUCCESS
-----
Total time: 1.002 s
Finished at: 2025-11-27T13:56:24-04:00
-----
```


Prueba 1 arbol balanceado

Ejemplos de Prueba 1


① insertar 50: será la raíz




② insertar 30: $30 < 50$, va a la izquierda





③ insertar 70: $70 > 50$ derecha




④ insertar 20: $20 < 50$ izquierda, $20 < 30$ izquierda



⑤ insertar 40: $40 < 50$ izquierda, $40 > 30$ derecha, insertar 80: $80 > 50$ der, $80 > 70$ der



Inorden esperada: 20, 30, 40, 50, 60, 70, 80



The image shows the Eclipse IDE console with the following output:

```
--- compiler:3.13.0:compile (default-compile) @ Arboless ---  
Recompiling the module because of changed source code.  
Compiling 3 source files with javac [debug release 24] to target\classes  
  
--- exec:3.1.0:exec (default-cli) @ Arboless ---  
Insertando valores: 50, 30, 70, 20, 40, 60, 80  
Recorrido Inorden esperado: 20 30 40 50 60 70 80  
Recorrido Inorden: 20 30 40 50 60 70 80  
Recorrido Preorden: 50 30 20 40 70 60 80  
Recorrido Postorden: 20 40 30 60 80 70 50  
  
-----  
BUILD SUCCESS  
-----
```

Prueba 2 arbol cargado a la derecha


Prueba 2

Insertar 10: Raíz




①

Insertar 20: derecha




②


Insertar 30: 10 der, 30: 20 der



Insertar 40: 20 der, 40: 30 der



Insertar 50: 30 der, 50: 40 der



Inorden Espinado 10, 20, 30, 40, 50

```
Output - Run (PruebaArbol)
recompiling the module because of changed source code.
Compiling 3 source files with javac [debug release 24] to target\classes

--- exec:3.1.0:exec (default-cli) @ Arboless ---
Insertando valores: 10, 20, 30, 40, 50
Recorrido Inorden esperado: 10 20 30 40 50
Recorrido Inorden: 10 20 30 40 50
Recorrido Preorden esperado: 10 20 30 40 50
Recorrido Preorden: 10 20 30 40 50
Recorrido Postorden esperado: 50 40 30 20 10
Recorrido Postorden: 50 40 30 20 10

-----
BUILD SUCCESS
-----

Total time: 1.670 s
Finished at: 2025-11-25T14:23:50-06:00
-----
```

Prueba 3 arbol varias ramas

Prueba 3

Inscripción 45: Bal. 2

(45)

/ /

75 der 45

(45)

25 75

(1)

25 129 45

(45)

(25)

(2)

(3)

15 129 25

(45)

(25) (75)

(15)

/ /

(4)

35 der 25

(45)

(25) (75)

(15) (35) / /

(5)

65 129 25

(45)

(25) (75)

(15) (35)

(65)

(6)

85 der 25

(45)

(25) (75)

(15) (35) (65) (85)

/ / / /

7

18 der 15

(45)

(25) (75)

(15) (35) (65) (85)

(5) (18)

9

5 129 15

(45)

(25) (75)

(15) (35) (65) (85)

(5)

8

30 129 35, 38 der 35

(45)

(25) (75)

(15) (35) (65) (85)

(30) (38)

10

```

] --- resources:3.3.1:resources (default-resources) @ Arboless ---
- skip non existing resourceDirectory C:\Users\jante\OneDrive\Documentos\NetBeansProjects\Arboless\src\main\resources

] --- compiler:3.13.0:compile (default-compile) @ Arboless ---
- Recompiling the module because of changed source code.
- Compiling 3 source files with javac [debug release 24] to target\classes

] --- exec:3.1.0:exec (default-cli) @ Arboless ---
Insertando valores: 45, 25, 75, 15, 35, 65, 85, 5, 18, 30, 38
Recorrido Inorden esperado: 5 15 18 25 30 35 38 45 65 75 85
Recorrido Inorden: 5 15 18 25 30 35 38 45 65 75 85
Recorrido Preorden esperado: 45 25 15 5 18 35 30 38 75 65 85
Recorrido Preorden: 45 25 15 5 18 35 30 38 75 65 85
Recorrido Postorden esperado: 5 18 15 30 38 35 25 65 85 75 45
Recorrido Postorden: 5 18 15 30 38 35 25 65 85 75 45


-----
BUILD SUCCESS
-----

Total time: 1.751 s
Finished at: 2025-11-25T14:44:38-06:00
-----

```

Prueba4

Prueba 4



- Compiling 3 source files with javac [debug release 24] to target\classes

] --- exec:3.1.0:exec (default-cli) @ Arboless ---

Insertando valores: 50, 30, 70, 30, 50, 20, 70

Recorrido Inorden esperado: 20 30 50 70

Recorrido Inorden: 20 30 50 70

Recorrido Preorden esperado: 50 30 20 70

Recorrido Preorden: 50 30 20 70

Recorrido Postorden esperado: 20 30 70 50

- Recorrido Postorden: 20 30 70 50

BUILD SUCCESS
