





Parte 1: Configuración base










Parte 2: Desafíos 1 y 2


Desafío 1: configuración global en JSON y en XML






Desafío 2: solo GigabitEthernet1 en JSON



JUAN ANTONIO SALAZAR MENDEZ's Worksp...
Search
Invite
Upgrade
Overview
U4ACT01_RESTCONF
GET New Request
GET New Request
WeatherAPI
U4ACT01_RESTCONF › New Request
Save
Share
COLLECTIONS
Inventario Flask
My Collection
Pises
Programacion de redes
U4ACT01_RESTCONF
GET New Request
Unidad2_Act2
WeatherAPI.com
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
No items in this panel
Create
DATASETS
TOOLSETS
FLOWS
GET
https://10.10.20.48/restconf/data/ietf-interfaces:interfaces/interface=GigabitEthernet1
Send
Docs
Params
Authorization
Headers 9
Body
Scripts
Settings
Cookies
Headers
7 hidden
Key
Value
Description
Bulk Edit
Presets
Accept
application/yang-data+xml
Content-Type
application/yang-data+xml
Body
Cookies
Headers 12
Test Results
200 OK
461 ms
1.07 KB
Load test
Save Response
XML
Preview
Visualize
<interface xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">
<name>GigabitEthernet1</name>
<description>MANAGEMENT INTERFACE - DON'T TOUCH ME</description>
<type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
<enabled>true</enabled>
<ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
<address>
<ip>10.10.20.48</ip>
<netmask>255.255.255.0</netmask>
Open Folder
Terminal
Console
Need help with the next steps?
Globals
Vault
Tools


JUAN ANTONIO SALAZAR MENDEZ's Worksp...
Search
Invite
Upgrade
Overview
U4ACT01_RESTCONF
GET New Request
GET New Request
WeatherAPI
U4ACT01_RESTCONF › New Request
Save
Share
COLLECTIONS
Inventario Flask
My Collection
Pises
Programacion de redes
U4ACT01_RESTCONF
GET New Request
Unidad2_Act2
WeatherAPI.com
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
No items in this panel
Create
DATASETS
TOOLSETS
FLOWS
GET
https://10.10.20.48/restconf/data/ietf-interfaces:interfaces
Send
Docs
Params
Authorization
Headers 9
Body
Scripts
Settings
Cookies
Headers
7 hidden
Key
Value
Description
Bulk Edit
Presets
Accept
application/yang-data+xml
Content-Type
application/yang-data+xml
Body
Cookies
Headers 12
Test Results
200 OK
1.02 s
3.46 KB
Load test
Save Response
XML
Preview
Visualize
<interfaces xmlns="urn:ietf:params:xml:ns:yang:ietf-interfaces"
xmlns:if="urn:ietf:params:xml:ns:yang:ietf-interfaces">
<interface>
<name>GigabitEthernet1</name>
<description>MANAGEMENT INTERFACE - DON'T TOUCH ME</description>
<type xmlns:ianaift="urn:ietf:params:xml:ns:yang:iana-if-type">ianaift:ethernetCsmacd</type>
<enabled>true</enabled>
<ipv4 xmlns="urn:ietf:params:xml:ns:yang:ietf-ip">
<address>
<ip>10.10.20.48</ip>
Open Folder
Terminal
Console
Need help with the next steps?
Globals
Vault
Tools




Pregunta 3b: ¿cuál es la nueva URL para datos operativos?


https://10.10.20.48/restconf/data/ietf-interfaces:interfaces-state




Parte 3: Desafíos 3, 4 y 5


Desafío 3: crear la Loopback






Desafío 4: modificar con PATCH





Desafío 5: eliminar con DELETE



Preguntas de Reflexión


¿Qué encabezado HTTP le indica al servidor en qué formato queremos recibir la información?

El encabezado **Accept**. Con Accept: application/yang-data+json el router responde en JSON, y con application/yang-data+xml (el valor por defecto si no se manda nada) responde en XML. No se confunde con **Content-Type**, que indica el formato del cuerpo que nosotros *enviamos* (por ejemplo en un PUT o POST).


¿Qué código de estado HTTP devuelve el router tras eliminar exitosamente la interfaz?

204 No Content


Escribir mal las credenciales en Basic Auth (Ej. intentar con developer / Cisco123) -> Esperado: 401 Unauthorized.



Escribir mal la URL (Ej. /restconf/data/ietf-interfaces:interfases) -> Esperado: 404 Not Found.



Enviar un cuerpo JSON mal formado o con sintaxis inválida en un POST -> Esperado: 400 Bad Request o 415 Unsupported Media Type.


JUAN ANTONIO SALAZAR MENDEZ's Worksp...
Search
Invite
Upgrade
Overview
U4ACT01_RESTCONF
New Request
Save
Share
POST
https://10.10.20.48/restconf/data/ietf-interfaces:interfaces
Send
Docs
Params
Authorization
Headers 10
Body
Scripts
Settings
Cookies
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"ietf-interfaces:interface": [
"name": "Loopback99",
"enabled": true,
]
Body
Cookies
Headers 11
Test Results
401 Unauthorized
331 ms
632 B
Load test
Save Response
Thinking...
Cancel
JSON
Preview
Pass the correct auth credentials
{
"ietf-restconf:errors": {
"error": [
{
"error-type": "protocol",
"error-tag": "access-denied"
}
]
}
}
COLLECTIONS
Inventario Flask
My Collection
Pises
Programacion de redes
U4ACT01_RESTCONF
GET New Request
PATCH New Request
GET New Request
ENVIRONMENTS
DOCUMENTS
SPECS
MOCKS
No items in this panel
Create
DATASETS
TOOLSETS
FLOWS
Open Folder
Terminal
Console
Globals
Vault
Tools