

Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 1 of 7

ZHEJIANG MERRY SMART HOME JOINT STOCK CO., LTD

NO. 507, XINSHENG ROAD, YUXIN TOWN, NANHU DISTRICT, JIAXING, ZHEJIANG PROVINCE

The following sample(s) was / were submitted and identified on behalf of the client. SGS is not responsible for the authenticity, integrity and results of the data and information and / or the validity of the conclusion. Results apply to the sample as received.

Sample Description	ACCENT CHAIR WITH OTTOMAN
Sample Receiving Date	JUL 20, 2023
Test Performing Date	JUL 20, 2023 TO JUL 27, 2023

Test Result Summary

Test(s) Requested	Result(s)
As per client's requirement	PASS
Part 1303, Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.ALead in paint/similar surface coating material	PASS
State of California, Department of Consumer Affairs, Bureau Household Goods and Services, Technical Bulletin 117-2013(R2019), Requirements, Test Procedure and Apparatus for Testing the Smolder Resistance of Materials Used in Upholstered Furniture, Section 1 Cover Fabric Test.	PASS

Remark:

- 1. This declaration of conformity is only based on the result of this laboratory activity, the impact of the uncertainty of the results was not included.
- 2. For further details, please refer to the following page(s).

Signed for and on behalf of SGS-CSTC Co., Ltd. Anji Branch

m

S6S

David Fan Approved Signatory





Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 2 of 7

Test Result:

Country of Origin 19 CFR 134 Shall indicate country of origin legibly, and in comparable size and visible to purchase.	Test Result	
(must be on the individual selling unit outer packaging and visible without any effort by the consumer) The country of origin (if outside USA) shall be listed in comparable font size of similar prominence and in close proximity to USA, or the name of any city or location in the United States, or the name of any foreign country or locality other than the country or locality in which the article was manufactured or produced appear on an imported article or its container. Important Note: 1. Goods produced in Hong Kong entering the U.S. may no longer be marked to indicate "Hong Kong" as their origin but must be marked to indicate "China". This marking notice will be applicable as of July 29th, 2020, with a transition period until November 9th, 2020. Goods produced in Hong Kong, when entered or withdrawn from warehouse for consumption into the United States after November 9th, 2020, must be marked to indicate that their origin is "China". 2. For product marked as "Made in USA", the vendor shall provide an LoG to declare that: "The final assembly or processing of the product occurs in the U.S., all significant processing that	PASS	





Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 3 of 7

Test Item		Test Method & Test Requirement	Test Result
Formaldehyde Emissions from Composite Wood Products Labeling Requirements for Fabricators Note: Fabricator is anyone including individuals and/or companies that use composite wood products to make finished goods such as furniture, cabinets, doors, etc.	California Code of Regulations, Title 17, Sections 93120.7 (d) / Formaldehyde Emission Standards for Composite Wood Products. Title VI, Toxic Substance Control Act. 40 CFR part 770, Federal Code of Regulation.	Vendor must provide the material type of all wood components and shall be responsible for the accuracy of the information contained. For finished goods:- If labeling (CARB or EPA) is present, it shall consist of a stamp, tag, or sticker. If a bar code is used, all required information must still be indicated in English. The label shall indicate in English at least the following: 1) Name of fabricator or responsible party; 2) Date of production for the finished good; 3) Below designated statement of two different types of labels. a) California Code of Regulations, Title 17, Sections 93120 (CARB): The material complies with one of the following: Statement of compliance to California regulation 93120 phase 2 Has No Added Formaldehyde based resins (NAF) or Ultra Low Emitting Formaldehyde based resins (ULEF) as per section 93120.3d b) TSCA Title VI 40 CFR part 770 (EPA): The material complies with one of the following: Statement that the finished goods are TSCA Title VI compliant. Has No Added Formaldehyde based resins (NAF) or Ultra Low Emitting Formaldehyde based resins (ULEF) as per section 40 CFR 770.17 & 40 CFR 770.18. Note: EPA label must be presented after Jun 1, 2018 by client's request.	PASS
Sharp points and sharp edges	16 CFR 1500.48 & 49	After assembled for intended use, there shall be no sharp points and sharp edges on the product.	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.app. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document. Any holder of this document is the state of t



Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 4 of 7

Remark: Below tests were performed by SGS internal lab.

Test Part Description:

SN IDSample No.SGS Sample IDDescriptionSN1A1SHA23-0109387-0001.C001Transparen coating

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Part 1303, Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A.-Lead in paint/similar surface coating material

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by AAS/ICP-OES.

 Test Item(s)
 Limit
 Unit(s)
 MDL
 A1

 Lead(Pb)
 0.009
 %
 0.0020
 ND

 Conclusion
 Pass

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019.

Test Conducted

The test was conducted in accordance with California Technical Bulletin 117-2013(R2019) Testing the Smolder Resistance of Materials Used in Upholstered Furniture, Section 1: Cover Fabric Test.

Test Specimen

Description	Fabric
Color	Brown gray
Area density	491 g/m ²
Size of specimen	203 mm × 203 mm & 203 mm × 381 mm

Conditioning

Prior to testing, the specimens were conditioned for a minimum of 24 hours, at $70 \pm 5^{\circ}F$ (21°C ± 3°C) and less than 55% relative humidity.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condition

No. 301, Sunlight Road, 2 Block, Sunlight Industry Zone, Anji County, Zhejang Province, China 313300 t (86-572) 5018825 f (86-572) 5018820 www.sgsgroup.com.cn 中国·浙江·安吉县阳光工业园二区阳光大道301号 邮编:313300 t (86-572) 5018825 f (86-572) 5018820 e sgs.china@sgs.com



Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 5 of 7

Test Result

Specimen No.	Duration of smoldering (min:s)	Open flaming (Yes/No)	Vertical char length (mm)	Comment
1	33 min 49 s	No	16	Pass
2	34 min 20 s	No	17	Pass
3	33 min 34 s	No	16	Pass

Pass / Fail Criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - a) The mock-up test specimen continues to smolder after the 45 minute test duration.
 - b) A vertical char length (measured as specified in step 11.9 of ASTM E1353-08a ε1) of more than 1.8 inches (45 mm) develops on the cover fabrics.
 - c) The mock-up test specimen transitions to open flaming.
- 2. The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their full length and the mock-ups are no longer smoldering.
- 3. If more than one initial specimen fails, the cover fabric fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
- 5. If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.

Statement:

The specimen was supplied by the sponsor and SGS-CSTC ANJI Branch was not involved in any selection or sampling procedure.





Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 6 of 7

Sample Information

Chair

Overall dimension: 730 mm (L)×685 mm (W)×990 mm (H)

Weight: 9.0 kg

Stool

Overall dimension: 382 mm (L)×580 mm (W)×386 mm (H)


Weight: 4.15 kg

Photo Appendix











Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, aspx and, for electronic focuments at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Document.agp. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervinon only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the .Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 830



Test Report No.: AJHL2307002543FT Date: JUL 28, 2023 Page 7 of 7













SGS authenticate the photo on original report only

End of Report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions,aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervient on only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing Inspection report & certificates, please contact us at telephone: (86-755) 8307

1443, or email: CNLDoccheck@sgs.com No. 301, Sunight Rodusty Zone, Anji County, Zhejiang Province, China 313300 t t (86-572) 5018825 f (86-572) 5018829 www.sgsgroup.com.cn 中国 · 浙江 · 安吉县阳光工业园二区阳光大道301号 邮编:313300 t t (86-572) 5018825 f (86-572) 5018829 e sgs.china@sgs.com