

TEST REPORT

Oct. 21, 2024

ISSUE DATE:

PAGE:

LAB LOCATION: **VIET NAM REPORT NUMBER:** 76124-100883

OVERALL RATING PASS FAIL DATA

1 of 9

Applicant:	GIGACLOUD TECHNOLOGY (USA) INC				
Address:	4388 SHIRLEY AVE, EL MONTE, CA 91731				
Contact:	LUNJIA LI				
TEL:	(626)912-8886 FAX: -				
E-mail:	ds@gigacloudtech.com congtytanhoang2403@gmail.com				
Copy To:	-				

Sample Information							
Sample Description	HOUSE BED						
Style Number	1						
SKU	MF305886AAB/ MF305886AAK/ MF305886AAH						
Vendor Name	GIGACLOUD TECHNOLO	OGY (USA) INC.					
Vendor style number	VJH						
Quantity	-	PO Number	ALL PO				
Buyer's Name	GIGACLOUD TECHNOLOGY (USA) INC.	Manufacturer	GIGACLOUD TECHNOLOGY (USA) INC.				
Country of Origin	Viet Nam	Country of Destination	US				
Code Number	-	Date of production	-				
Reference item/ style number	-	Color	BLACK/ WHITE/ PINK				
Date of Submission	Oct. 15, 2024	Test Performance Dates	Oct. 15, 2024				
Testing Status							
Pre-Shipment Lead Test		Test for Protocol	-				
Retest		Previous Report No.: -					



TEST REPORT

Oct. 21, 2024

LAB LOCATION: **REPORT NUMBER:** **VIET NAM** 76124-100883 **ISSUE DATE:**

PAGE: 2 of 9

Sample Photos



76124-100883

For and on behalf of

Eurofins MTS Consumer Product Testing Vietnam Ltd.

HARRY VU

HARDLINES LAB. ASSISTANT MANAGER





LAB LOCATION: VIET NAM ISSUE DATE: Oct. 21, 2024

REPORT NUMBER: 76124-100883 PAGE: 3 of 9

EXECUTIVE SUMMARY:

TESTING RESULT SUMMARY						
Test Property	PASS	FAIL	DATA	COMMENTS		
FN-016-US_CN Bed (For Trundle and Regular Bed)	Х	-	-	-		
SP-014-US CPSIA Requirement	X	-	-	-		
Total Lead Content in Paint or Similar Surface Coating	Х	-	-	-		
Total Lead Content in Accessible Substrate	X	-	-	-		

COMPONENT BREAKDOWN LIST:

Test Item	Component Description
01	Silvery metal (Allen head bolt)
02	Silvery metal (Allen head bolt) (Same item 01)
03	Silvery metal (Allen head bolt) (Same item 01)
04	White color coating on metal
05	Silvery metal
06	White paper with black printing and with glue backing and transparent plastic laminate (Warning label)
07	White paper with yellow/ red printing and with glue backing and transparent plastic laminate (Maximum label)
08	Black color coating on metal
09	Pink color coating on metal

Remark:

- (1) Test result was transferred from report# 76124-010296.
- (2) Test result was transferred from report# 76124-080756.






4 of 9

LAB LOCATION: **REPORT NUMBER:** **VIET NAM** 76124-100883 **ISSUE DATE:** Oct. 21, 2024

PAGE:

EXHIBIT BREAKDOWN:







LAB LOCATION: VIET NAM ISSUE DATE: Oct. 21, 2024

REPORT NUMBER: 76124-100883 **PAGE:** 5 of 9

TEST RESULT(S):

 Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

Took Itom	Total Lead (Pb) (ppm) Test Item				
rest item	Result	Limit	Conclusion		
04 ⁽¹⁾	ND	90	PASS		
08(2)	78	90	PASS		
09 ⁽²⁾	ND	90	PASS		

Note: ND = Not Detected (Lab reporting limit: 10 ppm)

ppm = part per million = mg/kg = milligram per kilogram

2. <u>Total Lead Content in Accessible Substrate – Client's requirement to U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101</u>

Test Method:

1) Metal components: CPSC-CH-E1001-08.3. Analysis was performed by ICP-OES/ ICP-MS.

2) Non-metal materials including plastics, glass and leather material: CPSC-CH-E1002-08.3. Analysis was performed by ICP-OES/ ICP-MS.

Toot Itom	Total Lead	(Pb) (ppm)	Conclusion
Test Item	Result	Limit	Conclusion
01	ND	100	PASS
05 ⁽²⁾	ND	100	PASS
06	ND	100	PASS
07	ND	100	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)

ppm = part per million = mg/kg = milligram per kilogram




TEST REPORT

LAB LOCATION: **REPORT NUMBER:** **VIET NAM** 76124-100883 **ISSUE DATE:** Oct. 21, 2024

PAGE: 6 of 9

EXHIBIT(S):



Eurofins MTS Consumer Product Testing Vietnam Ltd.Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com



TEST REPORT

LAB LOCATION: VIET NAM ISSUE DATE: Oct. 21, 2024

REPORT NUMBER: 76124-100883 **PAGE:** 7 of 9

Exhibit. 7

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY(USA) INC
4388 Shirley Avenue EL Monte, CA 91731
Made in Binh Duong, Vietnam
08/2024

MF305886

PO:

Exhibit. 8

Informations de conformité – Pas le détaillant GIGACLOUD TECHNOLOGY(USA) INC 4388 Shirley Avenue EL Monte, CA 91731 Fabriqué à Binh Duong, Vietnam 08/2024

MF305886

PO:

Exhibit. 9 Exhibit. 10





Exhibit. 11



1



TEST REPORT

LAB LOCATION: **REPORT NUMBER:** **VIET NAM** 76124-100883 **ISSUE DATE:**

Oct. 21, 2024

PAGE: 8 of 9

Corrosion test:



Eurofins MTS Consumer Product Testing Vietnam Ltd.
Lot II-12, Street 19/5A, Tan Binh Industrial Park, TayThanh Ward, Tan Phu District, HCM City, Vietnam
Tel: (+84) 862896363 Fax: (+84) 862896262 Email: info@mtsvietnam.com.vn Website: www.mts-global.com





LAB LOCATION: VIET NAM ISSUE DATE: Oct. 21, 2024

REPORT NUMBER: 76124-100883 PAGE: 9 of 9

NOTE:

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:

Primary Contact: Allen Hsu

Tel: +84-28-6289-6363 Ext: 127

Email: Allen.Hsu@cpt.eurofinsasia.com

Tel: +84-28-6289-6363 Ext: 175

Email: Harry.Vu@cpt.eurofinsasia.com

Concerns About Billing and General Inquiries:

Primary Contact: Vincent Pham Tel: +84-28-6289-6363 Ext: 114 Email: Vincent.Pham@cpt.eurofinsasia.com

Back-up Contact: Wendy Do Tel: +84-28-6289-6363 Ext: 123 Email: Wendy.Do@cpt.eurofinsasia.com

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF' control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

Client Code:	Local	Technician:	William	Report Number:	76124-100883
Start Date:	Oct. 15, 2024	Finish Date:	Oct. 21, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
SUPPLEMEN	ITAL PROTOCOLS				
SP-572-US	* California Proposition 65	Shall be reviewed against the requirements of California proposition 65 to determined if additional testing or labeling is required.	-	-	NA
SP-014-US	* CPSIA Requirements	Shall meet the applicable requirement as specified.	Х		See protocol SP-014-US
TX-990-US	* Law Label	All samples shall be reviewed against the requirements of Law Label Tag supplemental protocol to determine if additional testing or labeling is required.	-	-	NA
SP-301-US	* Flammability for Upholstered Furniture (CPSC / California Bureau Of Household Goods And Services) (For all states of US)	Shall comply with applicable requirements in supplemental protocol.	-	-	NA
SP-300- US/CN	Upholstery Fabrics, Leather, Vinyl (Indoor/Outdoor)	Shall comply with applicable requirements in supplemental protocol.	-	-	NA
and Uniform Laws and	** Labeling - Packaging F.P.&L. Act				
Laws and					
Regular	(16 CFR 500) OR All other Products: NIST Uniform	Distributor's Name & Address (City, State & Zip) (See Minimum Labeling Requirements)	Х		
Regular handbook 130	(16 CFR 500) OR All other	Zip) (See Minimum Labeling Requirements) [US] Product Identification	X		
handbook	(16 CFR 500) OR All other Products: NIST Uniform Laws and Regular Handbook	Zip) (See Minimum Labeling Requirements) [US]			
handbook	(16 CFR 500) OR All other Products: NIST Uniform Laws and Regular Handbook	Zip) (See Minimum Labeling Requirements) [US] Product Identification [US] Net Quantity of Contents Shall Be Expressed In Terms Of Weight Or Mass, Measure, Numeric Count or combination so as to give accurate information to Facilitate consumer	Х		

Latest revision: 15 Mar 2023 Page 1 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT		REQUIREMENT		JLTS	COMMENTS
			Pass	Fail			
Consumer packaging and labeling act R.S., 1985, c. C- 38	** Product Net Quantity	[CN] Declaration must be in English and French, metric units, on PDP, bold, type size based on PDP size Principal Display Panel Minimum Type <32cm² (5in.²) 1.6mm (1/16in.) >32 but < 258cm² 3.2mm (1/8in.) (40in.²) >258 but < 645cm² 6.4mm (1/4in.) (100in.²)	-	-	NA		
		>645 but < 25.8dm ² 9.5mm (3/8in.) (400in. ²) >25.8dm ² (400in. ²) 12.7mm (1/2in.)					
Consumer packaging and labelling act R.S., 1985, c. C- 38	** Manufacturer or distributor's name and place of business - city and zip	[CN] Manufacturer or distributor's name & address (City & Postal Code). Minimum 1.6 mm type size. Placed anywhere except bottom – English or French. Where a prepackaged product is wholly manufactured or produced in a country other than Canada, the marking shall consist of one of the following: -The name and address of a Canadian dealer preceded by the words "imported by" ("importé par") or "imported for" ("importé pour"); or -The statement of geographic origin located immediately adjacent to the name and address of a Canadian dealer; or -The name and address of the dealer outside Canada	•	•	NA		
Canada Customs Tariff, Marking of Imported Goods Regulations, SOR-94-10 / Marking of Imported Goods Memorandu m D11-3-1	** Country of origin marking	[CN] a) Imported goods shall indicate country of origin. b) Must be legible and sufficiently permanent to remain on the goods until it reaches the purchaser. c) For goods from NAFTA countries, the language may be English, French or Spanish. d) For goods from non-NAFTA countries, language may be English or French and marking should appear on individual articles. e) If the packaging conceals the Country of Origin mark, then the packaging must also be marked. f) There is a provision to mark only the container providing that certain conditions are met, such that the ultimate purchaser will see the marked container.	'	,	NA		

Latest revision: 15 Mar 2023 Page 2 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
Consumer Packaging and Labeling Regulations, C.R.C., c. 417 section 6	** Labeling - Packaging	[CN] All mandatory labeling information must be shown in both French and English languages. The type of mandatory labeling that is required includes, but is not limited to, any written statement or warning, product identity, net content and ingredient declarations. The names and address of the manufacturer and country of origin labeling requirements may be presented in either French or English. Other supplemental label information that is considered to be non-mandatory (e.g. directions for use) also does not have to appear in a bilingual manner. However, manufacturers are encouraged to include such information in a bilingual format if plausible.		-	NA
Quebec, R.S.Q., c. C- 11	** Labeling - Charter of French Language Use Labeling	[CN] Every inscription on a product, on its container or on its wrapping, or on a document or object supplied with it, including the directions for use and the warranty certificates, must be drafted in French. The French inscription may be accompanied with a translation or translations, but no inscription in another language may be given greater prominence than that in French. Use / care instructions that are clear and	-	-	NA
m-10004	TOSE LADEIIIIG	understandable shall be provided in language appropriate to destination countries.	Х		
Visual	Verify Label Claims	Must Comply with All Claims	Х		

Latest revision: 15 Mar 2023 Page 3 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	JLTS	COMMENTS
			Pass	Fail	
40 CFR 770	*** EPA TSCA title VI-Composite wood-Declaration form and mill certification	[US] If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, B, and E of the Sample Declaration Form must always be completed. If regulated composite wood is not present in the sample, result is N/A. If regulated composite wood is present in the sample: Section D of the Sample Declaration Form must also be completed Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased All information on the certificate shall be consistent with the Sample Declaration Form Notes: Include a copy of the Sample Declaration Form in the report Regulated composite wood includes: Hardwood plywood (HWPW) Medium-density fiberboard (MDF) Thin medium-density fiberboard (Thin MDF) Particleboard (PB) Mill certificate that denotes compliance with CARB's ATCM for formaldehyde will be accepted in lieu of a certificate denoting compliance with TSCA Title VI until March 22, 2019			NA
	** EPA TSCA title VI- Composite wood-Declaration form and mill certification (Continued)	Rating Schedule: On or before May 31, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as data On or after June 1, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as fail	-	-	NA

Latest revision: 15 Mar 2023 Page 4 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
40 CFR 770.45(c) & (e)	** EPA TSCA Title VI–Composite wood- Finished good labeling	Finished goods containing regulated composite wood shall comply with the labeling requirements found in 40 CFR 770.45(c) unless the finished good qualifies for the de minimis exception found in 40 CFR 770.45(e). • A finished good does not require labeling per 40 CFR 770.45(c) if the finished good does qualify for the de minimis exception in 40 CFR 770.45(e). If the finished good does qualify for the de minimis exception, result is N/A. • A finished good does require labeling per 40 CFR 770.45(c) if the finished good does not qualify for the de minimis exception in 40 CFR 770.45(c) if the finished good does not qualify for the de minimis exeption in 40 CFR 770.45(e). - At a minimum, the label must be on the product OR the packaging - The label may be applied as a stamp, tag, or sticker - The label shall include, at a minimum, in legible English text: 1. Fabricator's name 2. Date the finished good was produced (in month/year format) 3. A statement of compliance to denote that the finished good complies with TSCA Title VI Example: XXX Company MM/YYYY EPA TSCA Title VI compliant for formaldehyde	-	-	NA

Latest revision: 15 Mar 2023 Page 5 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	TESTED PROPERTY REQUIREMENT		ULTS	COMMENTS
			Pass	Fail	
	** EPA TSCA Title VI–Composite wood- Finished good labeling (Continued)	Notes: A de minimis amount of regulated composite wood is defined as regulated composite wood content not exceeding 144 square inches, based on the surface area of the largest face of the finished good. The de minimis exception is not available to finished goods or component parts that are designed to be used in combination or in multiples to create larger surfaces, finished goods, or component parts. When a statement of compliance is necessary, a statement of compliance that denotes the finished good complies with CARB's ATCM for formaldehyde will be accepted in lieu of a TSCA Title VI compliance statement until March 22, 2019. Rating Schedule: On or before May 31, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as data On or after June 1, 2018: Compliant submission shall be rated as pass Non-compliant submission shall be rated as fail	-	-	NA
Title 17, CA Code of Regulations §93120	** CARB-Composite wood- Declaration form and mill certificate	[US] If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form. Sections A, C, and E of the Sample Declaration Form must always be completed. If regulated composite wood is not present in the sample, result is N/A. If regulated composite wood is present in the sample: Section D of the Sample Declaration Form must also be completed. Submitter shall provide a copy of the certificate issued by the Third Party Certifier (TPC) for the mill(s) from which the raw panels were purchased. All information on the certificate shall be consistent with the Sample Declaration Form. Notes: Include a copy of the Sample Declaration Form. Notes: Hardwood plywood (HWPW) Medium-density fiberboard (MDF) Thin medium-density fiberboard (Thin MDF) Particleboard (PB)	-	-	NA

Latest revision: 15 Mar 2023 Page 6 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
Title 17, CA Code of Regulations §93120.7(d)	** CARB-Composite wood- Finished good labeling	[US] Finished goods containing regulated composite wood shall comply with the labeling requirements for fabricators found in §93120.7(d). • A finished good containing regulated composite wood requires the following: - At a minimum, the label must be on the product OR the packaging - The label shall be applied as a stamp, tag, sticker, or bar code - The label shall include, at a minimum: 1. Fabricator's name 2. Date the finished good was produced (in month/year format) 3. A statement of compliance to denote that the finished good complies with the ATCM Example: XXX Company MM/YYYY California 93120 phase 2 compliant for formaldehyde	-	-	NA
ANALYTICA	** CARB–Composite wood- Finished good labeling (Continued)	Notes: If a finished good is labeled with the EPA compliance statement, a separate statement of compliance to the CARB ATCM is not required. It is not required for the label to state the level of emissions (Phase 2, NAF, ULEF). Labels for finished goods should not include the number of the TPC associated with the composite wood products contained in the finished good.	-	-	NA
ANALYTICAL		All acceptible surface and times in the sai			
CPSC-CH- E1003-09.1	* Total lead content in surface coatings	All accessible surface coatings in the as received state on items shall not contain lead or lead components in which the lead content is in excess of 0.009% (90ppm) of the weight of the total content. Report actual results or include data table within report. Component testing is allowed. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72 ppm), based on the lowest weight component, individual colors will be analyzed.	X		See Test Result

Latest revision: 15 Mar 2023 Page 7 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
			Pass	Fail	
Canada Surface Coating Materials Regulations (SOR/2016- 193) section 2 & 6	* Total lead content in sticker, film or other similar material, or surface coating materials Applicable for: (1) Paint & similar material (varnish, lacquer, etc.) sold in containers and purchased at retail; (2) A sticker, film or other similar material that can be removed, or a surface coating material, that is applied to an accessible part of the following products:	[CN] The concentration of total lead present in a surface coating material must not be more than 90 mg/kg. Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit (72 mg/kg), based on the lowest weight component, individual colors will be analyzed. Note: SOR/2016-193) section 2: - Applicable to a paint or other similar material that is in its own container and dries	1 433	Tail	
	(a) Furniture (b) Children's Product (toys, playing/learning devices, furniture, and other articles, etc.) (c) Pencils (d) Art Brushes	to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate. - If lead content exceeds the limit, warning label is allowed for paint or other similar material that: - is used as a touch-up coating on metal surfaces; - is used as material, for use by adult, for the purposes of arts, crafts or hobbies. • SOR/2016-193) section 6: - Applicable to a sticker, film or other similar material that can be removed, or a surface coating material, that is applied to an accessible part of the following products: (a) Furniture (b) Children's Product (toys, playing/learning devices, furniture, and other articles, etc.)	-		NA
Canada Surface Coating Materials Regulations (SOR/2016- 193) section 5	* Total mercury content in surface coating materials	[CN] Surface coating material shall not contain mercury in excess of 10 mg/kg when a dried sample of it is tested. Report actual results or include data table within report. Composite up to 3 colors is allowed. If any color in the composite exceeds 80% of the limit based on the lowest weight component, individual colors will be analyzed. Note: - Applicable to a paint or other similar material that is in its own container and dries to a solid film when a layer of it is applied to a surface. Not applicable to materials that become part of the substrate.	-	-	NA
PHYSICAL C	HARACTERISTICS				
Visual	Design or features	Design and features of the product should not differ from color box pictures, enclosed instructions, or approval sample in a way that is misleading.	х		

Latest revision: 15 Mar 2023 Page 8 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
		•	Pass	Fail	
H-20001	Dimensions (L x W x H) (cm)	Report overall dimensions; shall meet label claims (If applicable) (-0% / +5%).	-	-	No claim Record: 197 x 103 x 146 cm
H-20001	Dimensions of mattress support frame (L x W x H)	Report actual; shall meet label claims (If applicable) (-0% / +5%).	-	-	No claim Record: 190.5 x 99 x 6 cm
H-20001	Weight (kg)	Report overall weight; shall meet label claims (If applicable) (-0% / +5%).	-	-	Data Net Weight: 38.5 lbs
Visual	Accessories	Report all submitted accessories such as carrying bags, carrying straps, pouches, hole covers, end caps, casters, levelers, drawer glides, drawer stops, mounting hardware, hooks, pegs, hardware provided, anchors, screws, etc. Shall comply with any claims.	-	-	No claim Record: Hardware
CONSTRUCT	I FION QUALITIES & WORK	I (Manship			
16 CFR 1500.48 and 1500.49 (Mod.)	Sharp Points/Sharp Edges	Shall have no sharp edges or sharp points on any component other than those required for functional use (Mod. = Expanded scope to other products)	х		
Visual Check	Defects	Shall have no discernible surface degradation, including crazing, shivering, denting, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters.	х		
Visual Check	Workmanship	Shall have no components missing, malformed, and/or fractured.	Х		
PERFORMA	NCE				
Actual Use	Functionality	Shall function as intended as received.	Х		
H-41012	Effects of Extreme temperature	24 Hours at -32° F and 140° F - No failure or visual change (Report piece/section/ whole unit placed in Chamber) <i>Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.</i>	х		
H-41007	Effect of Humidity	No Change after 24 Hours at 95% RH and 100 °F - Also. If pieces/sections were tested, list which piece/section, indicate pass or fail for each piece/section, and include before and after pictures of each piece/section. Note: When pieces/Section were tested, to be sure the tested part should be properly cover/protected in cutting process.	x		

Latest revision: 15 Mar 2023 Page 9 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024
 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
			Pass	Fail	
ASTM B117- 19 modified	Resistance to corrosion	[Applicable to samples / sample components constructed of metal or samples with metallic coatings that can be exposed to the environment] Shall withstand 24 hours in 1% salt spray (fog) with no noticeable oxidation / corrosion changes. Modification = 1% salt spray (fog).	×		
Actual Use	Cycling Test	Shall function as intended after operation for 100 cycles	-	-	NA
Scratching	Surface scratching - wood panel	No scratching of surface (3 cycles of 6" back and forth)	-	-	NA
H-41063	Moisture Content (%) (Wood Only)	Shall be between 8%-12%. Report the actual moisture content.	-	-	NA
ASTM D5034	Cap removal strength - caps on end of tube or cap covers on screw ends	Shall not separate minimum holding force @ 5.0 lbs. Modification = Expanded scope to other products.	-	-	NA
H-41030	Distributed load capacity test	No structural failure or greater than 1/4 inch permanent deformation after loading for 60 minutes Single - 500 lbs Full/Queen/King - 800 lbs Modification = Expanded scope to other products	X		Single 500 lbs
H-43012	Distributed Load Test (For storage units, except magazine, shoe, coat or wine racks)	Apply distributed test loads to all units, elements, and top surface. There shall be no structural failure or permanent deformation greater than 1/4inch. < 8 in. Depth (3 lbs X Shelf / Top Width) 8 - 16 in. Depth (5 lbs X Shelf / Top Width) > 16 in. Depth (7 lbs X Shelf / Top Width) or 1.5 x Claimed Capacity Report load for each element and total load on unit for period of 60 minutes, 24 hours for pegs.	-	-	NA
H-43012	Display Shelf Loading (For light weight or glass shelves intended only for display of small or light items)	Shall withstand distributed loading of 1.5 times claimed capacity or (if no claim made) 1.5 lb per inch of width, with no structural failure or permanent deformation greater than 1/4 inch. Report test load used.	-	-	NA

Latest revision: 15 Mar 2023 Page 10 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

FN - 016 - US / CN

Bed (For Trundle and Regular Beds)

Client Code:	Local	Technician:	William	Report Number:	76124-100883
Start Date:	Oct. 15, 2024	Finish Date:	Oct. 21, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
H-41033	·	No breakage or separation; One end dropped from 10" (Unit fully assembled). Modification = Expanded scope to other products.	Х		

IMPORTANT NOTICE: Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard.

Note: It is the Vendor's responsibility to ensure that the products comply with all local laws, regulations and ordinances of Countries and States where products will be sold. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order terms and conditions.

Key:

*Additional Charge For This Test

**Mandatory Requirement

Latest revision: 15 Mar 2023 Page 11 of 11



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-100883
Start Date:	Oct. 15, 2024	Finish Date:	Oct. 21, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
			Pass	Fail	
	s protocol applies to toys ult furniture, and househ	, children products and child care artiology	cles as de	fined by C	PSIA, all furniture,
LABELING R	REQUIREMENTS				
Consumer Product Safety Improvement Act of 2008	* Tracking labels for children's products	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the Presence and verified the format accuracy. If internal coding is used, de-code system shall also be submitted for verification. Note: Internal coding for manufacturer or private labeler on the tracking label is not accepted.	X		
CPSIA section 104(d) / 16 CFR 1130	* Registration for durable nursery product	Consumer registration requirement: Required to provide consumers with a postage-paid consumer registration form with each such product and to permanently place the manufacturer name and contact information, model name and number, and the date of manufacture on each durable infant or toddler product. Requirements for registration form: The registration form shall (A) include spaces for a consumer to provide the consumer's name, address, telephone number, and e-mail address; (B) include space sufficiently large to permit easy, legible recording of all desired information; (C) Be attached to the surface of each durable infant or toddler product so that, as a practical matter, the consumer must notice and handle the form after purchasing the product; (D) include the manufacturer's name, model name and number for the product, and the date of manufacture; (E) include a message explaining the purpose of the registration designed to encourage consumers to complete the		-	NA



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

 Client Code:
 Local
 Technician:
 William
 Report Number:
 76124-100883

 Start Date:
 Oct. 15, 2024 Finish Date:
 Oct. 21, 2024
 Result Reviewed by:
 HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
CPSIA section 104(d) / 16 CFR 1130	* Registration for durable nursery product (Continued)	(F) include an option for consumers to register through the Internet; and (G) include a statement that information provided by the consumer shall not be used for any purpose other than to facilitate a recall of or safety alert regarding that product. "Durable infant or toddler product" means full-size cribs and nonfull-size cribs, toddler beds, high chairs, booster chairs, hook-on chairs, bath seats, gates and other enclosures for confining a child, play yards, stationary activity centers, infant carriers, strollers, walkers, swings, bassinets and cradles, children's folding chairs, changing tables, bouncers, infant bath tubs, bed rails and infant sling.	-	-	NA
ANALYTICA	<u>L</u>				
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.02(mod)		All accessible surface coatings, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead or lead components in which the lead content is in exceed of 0.009%(90ppm) of the weight of the total content. In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide additional samples for testing. Report actual results or include data table within report. Report actual results or include data table within report Issue a third party test report. Component testing is allowed. Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed.	X		See Test Result



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:LocalTechnician:WilliamReport Number:76124-100883Start Date:Oct. 15, 2024 Finish Date:Oct. 21, 2024Result Reviewed by:HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RES	ULTS	COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1303 / AOAC 974.02(mod)		All accessible surface coatings in the assembled state on adult furniture [exempt factory applied coatings on metal components/parts] and household paint shall not contain lead or lead components in which the lead content is in exceed of 0.009% (90ppm) of the weight of the total content. In case of insufficient coating for testing found on number of samples specified in the protocol, vendor needs to provide dipped parts or components/parts for testing. Report actual results or include data table within report Issue a program audit report Component testing is allowed Based on CPSC SOP, will composite up to 3 colors. If any color in the composite exceeds 80% of the limit (72ppm), based on the lowest weight component, individual colors will be analyzed	-	-	NA
Consumer Product Safety Improvement Act of 2008	* Total lead content in substrates	All accessible substrates, before and after use and abuse testing, on items intended for children ages 12 and under shall not contain lead in excess of 0.01% (100ppm) of the weight of the total content. In case of insufficent material for testing found on number of damples specified in the protocol, vendor needs to provide components/parts for testing. Report actual results or include data table within report. Issue a program audit reprot (until December 2011). Component testing is allowed. Compositing up to 3 like materials is allowed except metal.	X		See Test Result



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:LocalTechnician:WilliamReport Number:76124-100883Start Date:Oct. 15, 2024 Finish Date:Oct. 21, 2024Result Reviewed by:HA

TEST CODE	TESTED PROPERTY	REQUIREMENT	RESULTS		COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008	* CPSIA Total lead in children's metal jewelry	Any accessible metal component of items intended for children ages 12 and under shall not contain lead in excess of 0.03% (300ppm) of the weight of the total content. Note: The lead limit will be reduced, if technologically feasible, to 0.01% (100ppm) on Aug. 14, 2011. Components composed of surgical steel, stainless steel within UNS S13800 – S66286, excluding 303Pb (UNS S30360); gold (at least 10 karat), sterling silver (at least 925/1000), platinum, palladium, rhodium, osmium, iridium, ruthenium, and titanium are exempt. Any non-precious metal components such as solder, base metal in electroplate and fill are not included in these exemptions and must comply. Report actual results or include data table within report lssue a third party test report Compositing is not allowed Component testing is not allowed	,	·	NA



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	Local	Technician:	William	Report Number:	76124-100883
Start Date:	Oct. 15, 2024	Finish Date:	Oct. 21, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	TESTED PROPERTY REQUIREMENT		JLTS	COMMENTS
			Pass	Fail	
Consumer Product Safety Improvement Act of 2008 / 16 CFR 1307 / CPSC- CH-C1001- 09.3 (Mod)	* Phthalates content	Children's toys and childcare articles, before and after use and abuse testing, shall not contain concentrations of more than 0.1% BBP, DBP, DEHP, DINP, DIBP, DPENP, DHEXP or DCHP individually. Actual testing would be conducted on all accessible plastics materials (including natural and synthetic rubber) (excluding materials listed below), plasticizer print, scrapable surface coatings, decals, polymeric coated materials (unscrapable), adhesives and sealants (exclude adhesive for stickers), toy nail polish, reusable packaging, electrical plug and cables. Polypropylene (PP), polyethylene (PE), acrylonitrile butadiene styrene (ABS), general purpose polystyrene (MIPS), high-impact polystyrene (HIPS), and super high-impact polystyrene (SHIPS), and their additives as listed in 16 CFR 1308 are exempt from testing, however, they are not exempt from compliance or certification. If material identification is not provided, phthalate testing will be conducted on all plastic materials. Vendor shall be responsible for the compliance of all other accessible materials, including additives in the exempt plastic materials.	-		NA
	* Phthalates content (Continued)	In case of insufficient material for testing found on number of samples specified in the protocol, vendor needs to provide components/parts for testing. Report actual results or include data table within report. Component testing is allowed. Compositing up to 3 like materials is allowed. Product manufactured and imported as of April 25, 2018 must comply.	-	-	NA

Definitions of CPSC Terminologies for CPSIA Phthalate Test:

^{1. &}quot;Children's Toy" means a consumer product designed or intended by the manufacturer for a child 12 years of age or younger for use by the child when the child plays per CPSC Draft Guidance of CPSIA section 108 refer to the use of ASTM F963.

^{2. &}quot;Child care article" means a consumer product designed or intended by the manufacturer to facilitate sleep, or the feeding of a child 3 years of age or younger or to help such children with sucking or teething. Products used directly in the mouth by the child are primary products and are subject to the regulation. Products that have direct contact with the child, but may or may not have direct mouth contact, would also be considered primary products. Products that are not necessarily in direct physical contact with the child, but are in close proximity to the child may or may not be subject to the regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would be not be subject to regulation per CPSC Draft Guidance of CPSIA section 108. Products that are used by the parent, but have no contact with the child, are considered secondary products and would not be subject to regulation per CPSC Draft Guidance of CPSIA section 108.



EUROFINS MTS TEST PROTOCOL

SUMMARY OF TEST RESULTS FOR

SP - 014 - US

CPSIA Requirement (Supplement)

Client Code:	LocalT	echnician:	William	Report Number:	76124-100883
Start Date:	Oct. 15, 2024 F	inish Date:	Oct. 21, 2024	Result Reviewed by:	HA

TEST CODE	TESTED PROPERTY	PERTY REQUIREMENT RESULTS		ULTS	COMMENTS
			Pass	Fail	

IMPORTANT NOTICE: Please review the Actual Products against the updated Requirements/Regulation. Prior to testing and communicate with clients if additional test required. This protocol is the basic guidelines to follow and does not replace the content of the standard. (For Silverware additional test should be included)

Note: It is the Vendor's responsibility to ensure that the products comply with all United States Federal,

States, and local laws, regulations, and ordinances. A Pass Lab test result does not constitute a certification that a vendor's products meet all legal requirements. It is the vendor's responsibility to manufacture their items to comply with all applicable laws and in conformance with the purchase order Key:

*Additional Charge For This Test

**Mandatory Requirement