



Technical Report: 96250760690
Date Received: MARCH 17, 2025

MARCH 20, 2025
Page 1 Of 15

DAI VIET CO., LTD
NO. 276/19/13 TRAN HUNG DAO STREET, DONG B QUARTER, DONG HOA WARD, DI AN CITY, BINH DUONG
PROVINCE, VIETNAM

Sample Description:	FULL LOFT BED DARAWER AND SHELVES	Sample Size:	/
Vendor:	DAI VIET CO., LTD	VPN:	/
Manufacturer:	DAI VIET CO., LTD	SKN/SKU No.:	WF314593/WF314594/WF314595
Buyer:	GIGACLOUD	PO No.:	V287VDY20241218LE
Agent:	/	Ref #:	/
Labeled Age Grade:	/	Country Of Origin:	VIETNAM
Appropriate Age Grade:	/	Assortment No.:	/
Client Specified Age Grade:	/	Department No.:	/
Grade:	/	Item#:	/
Tested Age Grade:	/	Date Of Production:	/
UPC Code:	/	Model/Style#:	/
Phase Of Production:	/	Country Of	USA
Color:	WHITE/GREY	Destination:	
Program:	/		
Previous No:	96250550627		

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total Lead Content In Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements For Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				

Note(S):

- The Chemical Test Following Reports Listed:

No.	Tested Component:	Chemical Test	Reference Report	Report Issued Date
(1)	White Coating/ Color Panel	Lead	96241420405	June 03, 2024
(2)	Grey Coating/ Wood		96241160334	May 17, 2024

- This Report Includes The Test Result(S) Which Was Conducted & Reviewed By Analytical Department.



DAI VIET CO., LTD
Technical Report: **96250760690**
MARCH 20, 2025
Page 2 of 15

If There Is Any Question Regarding This Report, Please Contact The Following Lab Personnel:

Administrative Inquiries, Please Contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; Email: Elise.Vo@Bureauveritas.Com

Back-Up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; Email: Cynthia.Vuong@Bureauveritas.Com

Technical Inquiries, Please Contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; Email: Terry.Nguyen@Bureauveritas.Com

Back-Up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; Email: Louis.Tran@Bureauveritas.Com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(S)	Sample Description/ Location	Material	Style(S)
I001	No Coating (Slat)	-	-
I002	Black/ White Coating (Tracking Label)	Coating	-
I003	Black/ Red/ Yellow/ White Coating (CA Prop 65 Label)	Coating	-
I004	Yellow/ Red/ White Coating (Maximum Weight Label)	Coating	-
I005	Black/ White Coating (Country Origin Label)	Coating	-
I006	Yellow/ Black Coating (Warning Label)	Coating	-
I007	Brown Coating (Bottom Drawer)	Coating	-
I008	No Coating (Side Drawer)	-	-
I009	No Coating (Steel Bracket)	-	-
I010	No Coating (L Bracket)	-	-
I011	No Coating (Metal On Caster)	-	-
I012	No Coating (Hardware)	-	-
I013	MDF	Wood	-
I014	Plywood	Wood	-
I015	Silver Bolt	Metal	-
I016	Silver Barrel Nut	Metal	-
I017	Yellow Flat Head Screw	Metal	-
I018	Yellow Round Head Screw	Metal	-
I019	Metal On Caster	Metal	-
I020	White Plastic Wheel On Caster	Hard Plastic	-
I021	L Bracket	Metal	-
I022	Steel Bracket	Metal	-



TEST RESULT

Total Lead Content In Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) Of 2008, Section 101(A)(2) / United States Code Of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :		90 Mg/Kg			
-	Unit	Result			
Test Item(S)	-	I002+I003+I004	I005+I006+I007	I001+I008+I009	I010+I011+I012
Parameter	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	-	-
Conclusion	-	PASS	PASS	NA	NA

Note / Key :

ND = Not Detected

NA = Not Applicable

">" = Greater Than

Mg/Kg = Milligram(S) Per Kilogram = Ppm = Part(S) Per Million

Reporting Limit (Mg/Kg) : 10

Remark :

- Component(S) In Test Item(S) May Not Able To Be Tested Individually Due To Overlapping.

TEST RESULT

Total Lead Content In Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(A)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) Or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 Mg/Kg
----------------------------------	------------------

-	Unit	Result			
Test Item(S)	-	I013+I014	I020	I015	I016
Parameter	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(S)	-	I017	I018	I019	I021	I022
Parameter	-	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not Detected NA = Not Applicable ">" = Greater Than
 Mg/Kg = Milligram(S) Per Kilogram = Ppm = Part(S) Per Million 10000 Mg/Kg = 1 % % = Percent
 Reporting Limit (Mg/Kg) : 10

Remark :

- According To Children's Products Containing Lead; Exemptions For Certain Electronic Devices; Final Rule, Exemption Were Granted To Steel Alloy Containing Up To 0.35 % Lead By Weight, Aluminum Containing Up To 0.4 % Lead By Weight And Copper-Based Alloy Containing Up To 4 % Lead By Weight.
- According To Petition Requesting Exception From Lead Content Limits; Notice Granting Exception, Exemption Was Granted To Certain Aluminum Alloy On Certain Ride-On Children'S Products Containing Up To 0.03 % Lead Weight.



TEST RESULT

Total Lead Content: 15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	100 Mg/Kg
----------------------------------	------------------

-	Unit	Result			
Test Item(S)	-	I002+I003+I004	I005+I006+I007	I001+I008+I009	I010+I011+I012
Parameter	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	-	-
Conclusion	-	PASS	PASS	NA	NA

-	Unit	Result			
Test Item(S)	-	I013+I014	I020	I015	I016
Parameter	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(S)	-	I017	I018	I019	I021	I022
Parameter	-	-	-	-	-	-
Total Lead (Pb)	Mg/Kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not Detected NA = Not Applicable ">" = Greater Than
 Mg/Kg = Milligram(S) Per Kilogram = Ppm = Part(S) Per Million 10000 Mg/Kg = 1 % % = Percent
 Reporting Limit (Mg/Kg) : 10

Remark :

- Tested Per Client's Request



RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(A) 1513.3(A)	Guardrails	
1213.3(A)(1) 1513.3(A)(1)	Two Guardrails Required If Bed Is > 30 Inches From Ground	M
1213.3(A)(2) 1513.3(A)(2)	One Guardrail Shall Be Continuous	M
1213.3(A)(3) 1513.3(A)(3)	No Greater Than 15 Inches Between Either End	M
1213.3(A)(4) 1513.3(A)(4)	Bunk Beds With Ladder, Continuous Guardrail On Other Side	M
1213.3(A)(5) 1513.3(A)(5)	Guardrails Attached So They Cannot Be Removed Without Releasing A Device	M
1213.3(A)(6) 1513.3(A)(6)	The Upper Edge Shall Be No Less Than 5 Inches Above Top Surface	M
1213.3(A)(7) 1513.3(A)(7)	No Openings In The Structure Between Lower Edge And Underside	M
1213.3(B) 1513.3(B)	Bed End Structures	
1213.3(B)(1) 1513.3(B)(1)	The Upper Edge Of End Structure Shall Be At Least 5 Inches Above Mattress	M
1213.3(B)(2) 1513.3(B)(2)	No Openings In The Structure Above Foundation Of The Upper Bunk That Permits Passage Of The Wedge Block	M
1213.3(B)(3) 1513.3(B)(3)	Tested In Accordance With Section 1213.4(C)	M
1213.3(B)(4) 1513.3(B)(4)	Neck Entrapment Requirements Of Section 1213.4(C)(3)	M
1213.5 1513.5	Marking And Labeling	
1213.5(A) 1513.5(A)	Permanent Label With Name And Address, Model # And Date Code	M
1213.5(B) 1513.5(B)	Permanent Warning Label Placement	M
1213.6 1513.6	Instructions	
1213.6(A) 1513.6(A)	Size Of Mattress And Foundation	M
1213.6(B) 1513.6(B)	Safety Warning	-
1213.6(B)(1) 1513.6(B)(1)	Do Not Allow Children Under 6 Years Of Age To Use The Upper Bunk	M



DAI VIET CO., LTD
Technical Report: **96250760690**
MARCH 20, 2025
Page 8 of 15

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(B)(2) 1513.6(B)(2)	Use Guardrails On Both Sides Of The Upper Bunk	M
1213.6(B)(3) 1513.6(B)(3)	Prohibit Horseplay On Or Under Beds	M
1213.6(B)(4) 1513.6(B)(4)	Prohibit More Than One Person On Upper Bunk	M
1213.6(B)(5) 1513.6(B)(5)	Use Ladder For Entering Or Leaving Upper Bunk	M
1213.6(B)(6) 1513.6(B)(6)	If The Bed Is Placed Against A Wall, Use Full Length Guardrail Along Wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer To Comment Section

RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical Protrusions Along The Top Inside Surface	M
4.1.2	Cap Used Along The Top Surface Of Upper Bunk	NA
4.2	Fit Of Top Bed To Bottom Bed	NA
4.3	Mattress And Foundation Size And Fit (Top Bed)	M
4.4	Mattress Size And Fit (Lower Foundation)	M
4.5	Upper And Lower Foundation Support Systems	-
4.5.1	Horizontal Position Of The Mattress And The Foundation	M
4.5.2	Utilized Event Cross-Members	M
4.5.3	Release Of Positive Fastening Devices Or Use Of Hand Tools	M
4.5.4	Static Load For The Foundation Support System	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side Rail Attachments	M
4.7	Guardrails	-
4.7.1	Presence Of Guardrails	M
4.7.2	Requirement Of Attachment	M
4.7.3	Requirement Of Height Of The Upper Edge Above The Sleeping Surface	M
4.7.4	Opening Of The Guardrail	M
4.7.5	Opening Between The Either End Of The Guardrail And The Bed End Structure	M
4.8	Bed Structure	-
4.8.1	The Upper Edge Of The Upper Bunk End Structures	M
4.8.2	Openings In The Rigid End Structures Of The Upper Bunk	M
4.8.3	Openings In The End Structures Of The Lower Bunk	M
4.8.4	Neck Entrapment Requirement Of All Portions Of The Boundary Of Any Opening Of The Lower Bunk End Structure	M
4.9	Ladders	-
4.9.1	Presence Of Ladder	M
4.9.2	Dimension Requirement Of Ladder	M
4.9.3	Openings Between Ladder Step And Upper Bunk Boundary	M
4.9.4	Gaps Between Edge Of Mattress And Interior Vertical Stile	M
4.10	Metal Beds: Frame And Fastenings	NA
6	Marking And Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer To Comment Section





GREY COLOR




WHITE COLOR



CARTON




ENGLISH WARNING LABEL



FRENCH WARNING LABEL





SAFETY MAXIMUM
SECURITE MAXIMALE
WEIGHT/POIDS
550LBS

WARNING
This product can expose you to
chemicals including **Wood dust**
which is known to the State of
California to cause Cancer
For more information go to
www.P65Warnings.ca.gov.

Thông tin bổ sung: Xin lưu ý
Sản phẩm này có thể tiếp xúc với bạn với
các chất bao gồm bụi gỗ, chất này
được biết là gây ung thư theo
trạng thái của California.
Để biết thêm thông tin xin truy cập
tại www.P65Warnings.ca.gov
Phản hồi và khiếu nại: Vui lòng
liên hệ với nhà sản xuất.
Số điện thoại: 091 555 5555
Địa chỉ: 123 Đường Nguyễn Huệ,
Thành phố Hồ Chí Minh, Việt Nam

Informações adicionais: Por favor
atenção! Este produto pode expor
você a produtos químicos, incluindo
poeira de madeira, que é conhecido
pelo Estado da Califórnia por causar
câncer. Para mais informações, visite
www.P65Warnings.ca.gov
Para mais informações, visite
www.P65Warnings.ca.gov
Telefone: 091 555 5555
Endereço: 123 Đường Nguyễn Huệ,
Thành phố Hồ Chí Minh, Việt Nam

MADE IN VIETNAM
FABRIQUÉ AU VIETNAM