


(24) Insert the bottom plate(H) to the bottom of the seat frame.




25) Insert the bottom plate(H) to the bottom of the seat frame.







(28) Put the Seat cushion(I)and Small back cushion (K)to the sofa.



 $\widehat{29}$ Put the Armrest pillow(J)and Big back cushion(L)on the sofa .







Assembly Instructions

IF YOU BUY 4 SEATER SOFA please follow below assembly instruction

Parts List D B A Backrest*4 Front panel*4 Armrest*2 Back panel*4 E H F G Upper cover plate*4 Left panel*4 Bottom plate*4 Right panel*4 I J K L TULLY Big back cushion*4 Seat cushion*4 Armrest pillow*2 Small back cushion*4 N Q O M P Bolt*96 Bolt*16 Leg*2 Leg*16 Pillow*4 M8*30mm M8*18mm T U S V R Allen Key*4 Bolt*20 Washer*36 Plastic gasket*2 Butterfly nut*12 M8*50mm

Note: please retain all boxes unti lyou are certain thatyour product isn't damaged and thatyou do notwish to return it. Disposalofboxes may preventour ability to resolve your request.






Screw tightening 30%

Back panel 1


Assemble the Back panel(C) with bolts(P).



Screw tightening 30%

Back panel 2


(3) Assemble the Back panel(C) with bolts(P).



Screw tightening 30%

Back panel 3


(4) Assemble the Back panel(C) with bolts(P).



Screw tightening 30%


Back panel 4

Solution (Assemble the Front panel (D) with bolts (P).




Screw tightening 30% Front panel 1

6 Assemble the Front panel(D) with bolts(P).




Screw tightening 30% Front panel 2




Screw tightening 30% Front panel 3

(8) Assemble the Front panel(D) with bolts(P).




Screw tightening 30% Front panel 4

Assemble the Left panel(E) and Right panel (F) to the




100% tightening


(1) Assemble the Front panel(D) to the frame.




Assemble the Left panel(E) and Right panel (F) to the




(12) Assemble the Front panel(D) to the frame.




(13) Assemble the Left panel(E) and Right panel (F) to the Back panel (C).




Assemble the Front panel(D) to the frame.



Assemble the Left panel(E) and Right panel (F) to the Back panel (C).





Assemble the Front panel(D) to the frame.




STEP 4 (17) Assemble the Legs(N) into the seat frame with bolts (P). **Px16** (19) Assemble the Legs(N) into the seat frame with bolts (P).

(18) Assemble the Legs(N) into the seat frame with bolts (P).







20 Assemble the Legs(N) into the seat frame with bolts (P).



Assemble the Backrest(A) to the seat frame with washer(S) and Bolts(Q).




Assemble the Backrest(A) to the seat frame with washer(S) and Bolts(Q).




Backrest 2


(23) Assemble the Backrest(A) to the seat frame with washer(S) and Bolts(Q).




24) Assemble the Backrest(A) to the seat frame with washer(S) and Bolts(Q).




Assemble the leg(O) to the Armrest(B).




26 Assemble the Armrest(B)to the seat frame with washer(S) and Bolts(R).




Assemble the leg(O) to the Armrest(B).




Assemble the Armrest(B)to the seat frame with washer(S) and Bolts(R).




(29) Insert the bottom plate(H) to the bottom of the seat frame.




(30) Insert the bottom plate(H) to the bottom of the seat frame.




(31) Insert the bottom plate(H) to the bottom of the seat frame.




32 Insert the bottom plate(H) to the bottom of the seat frame.




Insert the bottom plate(H) to the bottom of the seat frame Butterfly nut (V).



34) Put the upper cover plate(G) to the Sofa.



35) Put the Seat cushion(I)and Small back cushion (K)to the sofa.



 $\overbrace{36}$ Put the Armrest pillow(J)and Big back cushion(L)on the sofa .

