



HUAKE TESTING

TEST REPORT

Prepared for:

FOSHAN PENGWANG NEW MATERIAL CO., LTD

**Shop 27, Block 26, Ao yuan junhu tianxia Garden, Luocun street, Shishan town,
Nanhai district, Foshan city, Guangdong province**

Product Name: Multifunctional storage

Model Name: JX-005-WHITE, JX-005-BLACK

Trade Mark: N/A

Date of Test: From May 10, 2024 to May 15, 2024

Date of Report: May 17, 2024

Report Number: HK2405107267-1RR

Prepared by:

Shenzhen HUAKE Testing Technology Co., LTD.

**1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community,
Fuhai Street, Bao'an District, Shenzhen, Guangdong, China**

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 2 of 21

Applicant: FOSHAN PENGWANDE NEW MATERIAL CO., LTD
Address: Shop 27, Block 26, Ao yuan junhu tianxia Garden, Luocun street, Shishan town, Nanhai district, Foshan city, Guangdong province
Manufacturer: FOSHAN PENGWANDE NEW MATERIAL CO., LTD
Address: Shop 27, Block 26, Ao yuan junhu tianxia Garden, Luocun street, Shishan town, Nanhai district, Foshan city, Guangdong province

The following sample was submitted and identified by/on behalf of the client as:

Sample Name: Multifunctional storage
Model No.: JX-005-WHITE, JX-005-BLACK
Trade Mark: N/A
Tested Age Grade: 14+ years old
Labeled Age Grading: 14+ years old
Appropriate Age Grade: 14+ years old
Sample Receiving Date: May 10, 2024
Testing Period: From May 10, 2024 to May 15, 2024
Results: Please refer to next page(s).

Signed for and on behalf of HUAKE

Approved by: _____

Lab Manager



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 3 of 21

Information of the Test Laboratory

Shenzhen HUAKE Testing Technology Co., Ltd.

Add.: 1-2/F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

Testing Laboratory Authorization:

A2LA Accreditation Code is 4781.01.

FCC Designation Number is CN1229.

Canada IC CAB identifier is CN0045.

CNAS Registration Number is L9589.

CPSC Certification Number is 1710



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 4 of 21

Summary of Test Results:

TEST REQUEST

CONCLUSION

A	As specified in title 16, code of federal regulations, chapter II- consumer products safety commission of U.S.A	
	1. 16CFR 1500.50.51.52.53 Simulating use and abuse of toys	PASS
	2. 16CFR 1501 Small Objects	NA
	3. 16CFR 1500.48 Sharp point	NA
	4. 16CFR 1500.49 Sharp edge	NA
B	ASTM F2057-23 Standard Safety Specification for Clothing Storage Units	PASS
C	- USA 16 CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead- Containing Paint	PASS
D	- USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule	PASS
	- CPSIA section 101(a)(2)-Lead in accessible substrate materials and 15 U.S.C. § 1278a Lead in Children's products	
E	- USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates	PASS
	- USA 16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	
F	- USA 40 CFR PART 770 - FORMALDEHYDE STANDARDS FOR COMPOSITE WOOD PRODUCTS	PASS
G	- CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))	PASS



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 5 of 21

Results:

A. As specified in title 16, code of federal regulations, chapter II- consumer products Safety commission of U.S.A

Applicable Section	Description	Result
16CFR 1500.50.51.52.53	Normal use testing	Pass
	Abuse testing	
	Impact test	Pass
	Bite test	Pass
	Flexure test	Pass
	Torque test (53e)	Pass
	Tension test (53f)	Pass
	Compression test(53g)	Pass
16CFR 1501	Identifying toys and other articles intended for use by Children under 3 years of age which present choking, aspiration, or ingestion hazards because of small parts.	NA
16CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	NA
16CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	NA

--NA= Not Applicable



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 6 of 21

B. ASTM F2057-23 Standard Safety Specification for Clothing Storage Units

Applicable Section	Description	Result
1.	<p>Scope</p> <p>1.1 This safety specification is intended to reduce injuries and deaths of children from hazards associated with tipover of free-standing clothing storage units, including but not limited to chests, chests of drawers, drawer chests, armoires, chifferobes, bureaus, door chests, and dressers, which are 27 in. (686 mm) or greater in height, 30 lb (13.6 kg) or greater in mass, and contain 3.2 ft³ (90.6 dm³) or greater of enclosed storage volume.</p> <p>1.2 This safety specification does not cover shelving units, such as bookcases or entertainment furniture, office furniture, dining room furniture, jewelry armoires, underbed drawer storage units, occasional/accent furniture not intended for bedroom use, laundry storage/sorting units, or built-in units intended to be permanently attached to the building, nor does it cover "Clothing Storage Chests" as defined in Consumer Safety Specification F2598.</p> <p>1.3 This safety specification is intended to cover children up to 72 months. See Note 1.</p> <p>1.4 The values stated in inch-pound units are to be regarded as standard. The values given in parentheses are mathematical conversions to SI units that are provided for information only and are not considered standard.</p> <p>1.5 The following safety hazards caveat pertains only to the test procedure portion, Section 9, of this safety specification: This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health, and environmental practices and determine the applicability of regulatory limitations prior to use.</p> <p>1.6 This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.</p>	
2.	Referenced Documents	
3.	Terminology	
4.	Performance Requirements	
4.1	With the unit set up in accordance with 8.1, and without the anti-tip device, test the unit in accordance with 9.2.1, 9.2.2, and 9.2.3.	Pass
4.2	During the test, the unit shall not tip over or be supported by any component unless that component was specifically designed for that purpose.	Pass
4.3	If a failed component prohibits the completion of the test, then the failed component(s) shall be repaired or replaced to the original specifications, or the component replaced and the test repeated with the failed component secured as to not affect the test results but to prevent the component from failing.	Pass
4.4	An anti-tip device shall be included with each item of furniture covered under the scope of this safety specification for attachment by the consumer	Pass
4.5	The anti-tip device provided shall meet the requirement of Specification F3096.	Pass
4.6	Interlock Requirements:	Pass
4.6.1	Interlocks shall not require additional consumer action to engage during normal operation of the extendible element, for example, opening and closing the drawer to access the interior volume.	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 7 of 21

Applicable Section	Description	Result
4.6.1.1	Consumer action to reengage the interlock system after disengaging to allow removal of one or more extendible elements is allowed, for example, to install an anti-tip device or retrieve a lost sock.	Pass
4.6.1.2	An interlocked extendible element removed for such one-time action shall not require removal of components such as back panels and dust bottom to access the interlocking mechanism during reengagement. Reengagement shall not require tools unless those tools are also required for disengagement.	Pass
4.6.1.3	An interlocked extendible element removed for such one-time action shall either:	Pass
(1)	Not be fully functional when reinstalled until the interlock is reengaged. (For example, it will not fully close or ride on tracks if interlock is not reengaged—which can be an automatic action when reinstalled in case.); or	Pass
(2)	Include a separate warning or warnings as described in 10.2.3.10.	Pass
4.6.2	Interlocks shall not require consumer assembly and/or installation if the unit is shipped assembled, except as allowed in 4.6.1.1.	Pass
4.6.3	Consumer assembly and/or installation of interlock components as part of the normal consumer assembly process is allowed for items shipped/sold unassembled.	Pass
4.6.4	When tested to 9.1, the extendible element shall be considered interlocked to the open extendible element if either:	Pass
4.6.4.1	It remains closed during the test and is functional after tested extendible element is closed; or	Pass
4.6.4.2	Its opening acts to close the extendible element originally open.	Pass
5.	Measurements	
5.1	Measurements shall be taken on the test surface as defined in 8.2.1 to the nearest 1/8 in. (3 mm) after following any assembly and leveling procedures from 8.1.2.	Pass
5.2	Extendible Element Measurement:	Pass
5.3	Non-Extendible Enclosed Storage Measurement	Pass
5.4	Volume Calculations:	Pass
6.	Scope	Pass
6.1	This test method is designed to test free-standing clothing storage unit stability	Pass
7.	Significance and Use	
7.1	The test methods in this safety specification are intended to simulate the reaction of a clothing storage unit on carpet, loaded drawers, multiple open drawers, and a dynamic force from possible interaction of a child up to 72 months.	Pass
8.	Test Setup	Pass
8.1	Unit Setup:	Pass
8.2	Test Equipment	Pass
8.3	Load Calculations and Distribution:	Pass
9.	Test Procedure	Pass

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 8 of 21

Applicable Section	Description	Result
9.1	Test to Evaluate Interlock System	Pass
9.2	Stability Test Methods	Pass
9.3	Permanency of Labels and Warnings Testing	Pass
10.	Marking and Labeling	Pass
10.1	Warnings on Product	Pass
10.2	Warnings Format and Content:	Pass
11.	Precision and Bias	Pass
12	Keywords	Pass

--NA= Not Applicable



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 9 of 21

Tested part(s):

Seq. no	Part(s) name	Sample description
1	Black coating (yellow wood) ^(R)	cabinet
2	Light copper metal ^(R)	Cabinet handle
3	Black coating (Silver metal) ^(R)	screw

^(R)=Re-submitted sample**C. USA 16CFR Part 1303 Ban of Lead Containing Paint and Certain Consumer Products Bearing Lead-Containing Paint**

Test method: With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Item	Unit	MDL	Results	Limit(Each)
			3	
Lead Content (Pb)	mg/kg	5	N.D.	90
Conclusion	/	/	Pass	/

D. USA Consumer Product Safety Improvement Act (CPSIA) Sec.101 Children's products containing Lead; Lead paint rule**(1) Substrate Materials**

Test method: With reference to CPSC-CH-E1001-08.3; CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES).

Item	Unit	MDL	Results	Limit(Each)
			2+3	
Lead Content (Pb)	mg/kg	5	N.D.	100
Conclusion	/	/	Pass	/

(2) Paint and similar surface coating material

Test method: With reference to CPSC-CH-E1003-09.1, sample was digested with acid mixture and analyzed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Item	Unit	MDL	Results	Limit(Each)
			3	
Lead Content (Pb)	mg/kg	5	N.D.	90
Conclusion	/	/	Pass	/



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 10 of 21

E. USA Consumer Product Safety Improvement Act (CPSIA) Sec.108 Prohibition on sale of certain products containing specified phthalates**USA 16CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates**

Test method: With reference to CPSC-CH-C1001-09.4, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

Item	Unit	MDL	Results	Limit(Each)
			1	
Dibutyl Phthalate (DBP)	mg/kg	30	N.D.	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	N.D.	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	N.D.	1000
Diisononyl Phthalate (DINP)	mg/kg	100	N.D.	1000
Di-isobutyl Phthalate (DIBP)	mg/kg	100	N.D.	1000
Dicyclohexyl Phthalate (DCHP)	mg/kg	100	N.D.	1000
Di-n-hexyl Phthalate (DHEXP)	mg/kg	100	N.D.	1000
Di-n-pentyl Phthalates (DPENP)	mg/kg	100	N.D.	1000
Conclusion	/	/	Pass	/

F. USA 40 CFR PART 770 – FORMALDEHYDE STANDARDS FOR COMPOSITE WOOD PRODUCTS

Test method: According to the ASTM E1333-14, Chamber formaldehyde concentration in air at test conditions, chamber formaldehyde concentration in air corrected to 25°C (77°F), 50 % relative humidity.

Element	MDL	Unit	Results ^(R)	Limit (Each)
Formaldehyde Emissions	0.01	ppm	N.D.	See the next remarks(a)
Conclusion	/	/	Pass	/



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 11 of 21

Remarks:

Item	Limit (ppm)
(a) for hardwood plywood	0.05 ppm
(b) for particleboard	0.09 ppm
© for medium-density fibreboard	0.11 ppm
(d) for thin medium-density fibreboard	0.13 ppm
(e) for a laminated product	0.05 ppm

Exemption — laminated products

(4) A manufacturer of laminated products is not required to have the selection, testing and verification referred to in subsection (1) performed for a product type if

(a) in the case of a product type whose core or platform is a composite wood panel, formaldehyde emissions from the core or platform, prior to incorporation into the laminated product, do not exceed the applicable limit set out in subsection 6(1) or the correlated limit referred to in subsection 6(2); and

(b) the veneer is glued to the core or platform using a phenol-formaldehyde resin or a no-added-formaldehyde resin.

Note:

- N.D. =Not Detected or less than MDL.
- MDL=Method Detection Limit.
- NA= Not Applicable
- %=Percentage by weight.
- 0.1%=1000mg/kg, mg/kg=ppm.

"+"=The test result is obtained from composite testing on materials linked with "+" mark, it is possible that individual test result can be higher if materials are tested separately. This had been taken in account in the conclusion of this report.



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 12 of 21

G. CPSA Section 14(a) (5) Tracking Labels for Children's Products (15 USC §2063(a)(5) (CPSA))

Applicable Section	Description	Result
(a)(5) (A)	Effective 1 year after the date of enactment of the Consumer Product Safety Improvement Act of 2008, the manufacturer of a children's product shall place permanent, distinguishing marks on the product and its packaging, to the extent practicable, that will enable—	Pass
(i)	the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks; and	Pass
(ii)	the ultimate purchaser to ascertain the manufacturer or private labeler, location and date of production of the product, and cohort information (including the batch, run number, or other identifying characteristic).	Pass
(B)	The Commission may, by regulation, exclude a specific product or class of products from the requirements in subparagraph (A) if the Commission determines that it is not practicable for such product or class of products to bear the marks required by such subparagraph. The Commission may establish alternative requirements for any product or class of products excluded under the preceding sentence consistent with the purposes described in clauses (i) and (ii) of subparagraph (A).	NA
(b)	The Commission may by rule prescribe reasonable testing programs for any product which is subject to a consumer product safety rule under this Act, or a similar rule, regulation, standard, or ban under any other Act enforced by the Commission, and for which a certificate is required under subsection (a). Any test or testing program on the basis of which a certificate is issued under subsection (a) may, at the option of the person required to certify the product, be conducted by an independent third party qualified to perform such tests, unless the Commission, by rule, requires testing by an independent third party for a particular rule, regulation, standard, or ban, or for a particular class of products.	Pass
(c)	The Commission may by rule require the use and prescribe the form and content of labels which contain the following information (or that portion of it specified in the rule) —	Pass
(1)	The date and place of manufacture of any consumer product.	Pass
(2)	The cohort information (including the batch, run number, or other identifying characteristic) of the product.	Pass
(3)	A suitable identification of the manufacturer of the consumer product, unless the product bears a private label in which case it shall identify the private labeler and shall also contain a code mark which will permit the seller of such product to identify the manufacturer thereof to the purchaser upon his request.	Pass
(4)	In the case of a consumer product subject to a consumer product safety rule, a certification that the product meets all applicable consumer product safety standards and a specification of the standards which are applicable. Such labels, where practicable, may be required by the Commission to be permanently marked on or affixed to any such consumer product. The Commission may, in appropriate cases, permit information required under paragraphs (1) and (2) of this subsection to be coded.	Pass



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 13 of 21

Applicable Section	Description	Result
(d)	REQUIREMENT FOR ADVERTISEMENTS.—No advertisement for a consumer product or label or packaging of such product may contain a reference to a consumer product safety rule or a voluntary consumer product safety standard unless such product conforms with the applicable safety requirements of such rule or standard.	Pass
(e)	WITHDRAWAL OF ACCREDITATION-	Pass
(f)	DEFINITIONS.—In this section	Pass
(g)	REQUIREMENTS FOR CERTIFICATES.-- (1) IDENTIFICATION OF ISSUER AND CONFORMITY ASSESSMENT BODY.- -Every certificate required under this section shall identify the manufacturer or private labeler issuing the certificate and any third party conformity assessment body on whose testing the certificate depends. The certificate shall include, at a minimum, the date and place of manufacture, the date and place where the product was tested, each party's name, full mailing address, telephone number, and contact information for the individual responsible for maintaining records of test results.	Pass
(h)	RULE OF CONSTRUCTION.	Pass
(i)	ADDITIONAL REGULATIONS FOR THIRD PARTY TESTING	Pass

** Modified History **

Revision	Description	Issued Data	Remark
Revision 1.0	Initial Test Report Release	2024/05/17	Jason Zhou



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 14 of 21

Photograph of Sample



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 15 of 21



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 16 of 21



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China




TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 17 of 21



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 18 of 21



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 19 of 21



The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by HUAKE, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at <http://www.cer-mark.com>.

TEL : +86-755 2302 9901 FAX : +86-755 2302 9901 E-mail : service@cer-mark.com

Add: 1-2F., Building B2, Junfeng Zhongcheng Zhizao Innovation Park, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 20 of 21



Product name: Multifunctional storage

Model No.: JX-005-WHITE、JX-005-BLACK

Brand name: N/A

Manufacturer: FOSHAN PENGWANDE NEW MATERIAL CO., LTD

Manufacturer Address: Shop 27, Block 26, Ao yuan junhu tianxia Garden, Luocun street, Shishan town, Nanhai district, Foshan city, Guangdong province

Importer: TRANS-PAC CHINA LLC

Importer Address: 3715 S 182nd Street, C120 Seatac, WA 98188-9993 US

Age Range: 14+ years old

Batch number: W2275-20240411-001

Production Date: 2024/05/09

Made in China



TEST REPORT

Report No.: HK2405107267-1RR

Date: May 17, 2024

Page 21 of 21



HUAK authenticate the photo on original report only

*** End of Report ***

Remark: This report is considered invalidated without the Special Seal for Inspection of the HUAK. This report shall not be altered, increased or deleted. The results shown on this test report refer only to the sample(s) tested unless otherwise stated, under the conditions agreed upon. Anyone who uses this report should understand all of the details of the engagement. Without written approval of HUAK, this test report shall not be copied except in full and published as advertisement.