



Technical Report: 96241840281
Date Received: JULY 02, 2024

JULY 22, 2024
Page 1 of 25

ZHIAO VIET NAM COMPANY LIMITED
PLOT NO. 713, MAP SHEET NO. 45, GROUP 5, KHANH TAN QUARTER, KHANH BINH WARD, TAN UYEN CITY,
BINH DUONG PROVINCE, VIETNAM (POSTT CODE: 75412)

Sample Description:	LOFT BED	Sample Size:	/
Vendor:	ZHIAO VIET NAM COMPANY LIMITED	VPN:	/
Manufacturer:	ZHIAO	SKN/SKU No.:	N737P199645B& N737P199646B N737P199645K& N737P199646K
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC		
Agent:	/		/
Labeled Age Grade:	/	PO No.:	/
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	/
Color:	BLACK WHITE	Date of Production:	/
Program:	/	Model/Style#:	2303-US-LE-174-TWIN
Previous No:	N/A	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds		X			See below
16 CFR 1500.48/16 CFR 1500.49 (Modify), Sharp points and Sharp edges	X				

Failure reason(s):

- ASTM F1427-21e1 Section 4.9.2: The openings between the ladder step and the edge of desk surface was allowed complete passage of the wedge block, but was not permitted the free passage of the 9 in. (229 mm) diameter rigid sphere. (Please see exhibit 1-3).



Note(s):

- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
(1)	White Coating/ Metal Frame & Tube	Lead	96233550407	January 08, 2024
(2)	Black Coating/ Metal Frame & Tube			

- This report includes the test result(s) which was conducted & reviewed by Analytical department.

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Black/ Yellow Coating/ Warning Label	Coating	-
I002	Red/ Yellow Coating/ Maximum Weight Label	Coating	-
I003	Black/ White Coating/ Tracking Label	Coating	-
I004	Multicolor Coating/ CA Prop.65 Label	Coating	-
I005	Red Coating/ Country Of Origin Label	Coating	-
I006	No Coating/ Black Hardware	-	-
I007	No Coating/ Shelf Sheet	-	-
I008	Particle Board	Wood	-
I009	Black Bolt	Metal	-
I010	Black Flat Head Screw	Metal	-
I011	Black Round Head Screw	Metal	-
I012	Plastic Edge Banding	Soft Plastic	-
I013	Weld	Metal	-
I014	Black Frame	Metal	-
I015	Black Mesh	Metal	-
I016	Black Round Tube	Metal	-
I017	Black Shelf Support	Metal	-
I018	Grey Fabric	Textile	-
I019	Black Fabric/ Zipper Tape Set	Textile	-
I020	Black Plastic/ Zipper Teeth Set	Hard Plastic	-
I021	Black Coating/ Zipper Head Set	Coating	-
I022	Silver Metal/ Zipper Head Set	Metal	-
I023	White Plastic/ Box Of Led Light Set	Hard Plastic	-
I024	White Plastic With Blue Print/ Cover Wire Of Led Light Set	Soft Plastic	-
I025	White Plastic/ Cover Cord Of Led Light Set	Soft Plastic	-
I026	Black Plastic/ Cover Wire Of Led Light Set	Soft Plastic	-
I027	Red Plastic/ Cover Wire Of Led Light Set	Soft Plastic	-
I028	Blue Plastic/ Cover Wire Of Led Light Set	Soft Plastic	-
I029	Green Plastic/ Cover Wire Of Led Light Set	Soft Plastic	-
I030	Black Plastic/ Cover Cord Of Led Light Set	Soft Plastic	-
I031	Black Plastic/ Ac/ Dc Box Adapter Set	Hard Plastic	-
I032	Black Plastic/ Cord Of Adapter Set	Soft Plastic	-
I033	Black Plastic/ Plug Of Adapter Set	Soft Plastic	-
I034	Shiny Black Plastic/ Socket Of Power Socket With USB Charger	Hard Plastic	-
I035	Black Plastic/ Cord Of Power Socket With USB Charger	Soft Plastic	-
I036	Black Plastic/ Plug Of Power Socket With USB Charger	Soft Plastic	-
I037	Black Plastic/ Cap Under Power Socket With USB Charger	Hard Plastic	-
I038	Silver Plastic/ Info Label Of Power Socket With USB Charger	Soft Plastic	-
I039	Black Plastic/ Body Remote	Hard Plastic	-
I040	Transparent Plastic/ Led Remote	Hard Plastic	-
I041	White Plastic With Transparent Plastic With Multicolor Coating And Glue/ Screen Remote	Soft Plastic	-
I042	Black Coating/ Law Label	Coating	-



TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	90 mg/kg
----------------------------------	-----------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I005	I006	I007	I021	I042
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	-	ND	ND
Conclusion	-	PASS	NA	NA	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result					
Test Item(s)	-	I008	I012	I020	I023	I024	I025
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	20	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I026	I027	I028	I029	I030	I031
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I032	I033	I034	I035	I036	I037
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	19	56	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I038	I018	I019	I009	I010	I011
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	-	ND	ND	ND
Conclusion	-	PASS	NA	NA	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I013	I014	I015	I016	I017	I022
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	16
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result		
Test Item(s)	-	I039	I040	I041
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	16
Conclusion	-	PASS	PASS	PASS



Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
 - According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.
-

TEST RESULT

Total Lead Content: 15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result			
Test Item(s)	-	I001	I002	I003	I004
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS

-	Unit	Result			
Test Item(s)	-	I005	I006	I007	I021
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	-	ND
Conclusion	-	PASS	NA	NA	PASS

-	Unit	Result					
Test Item(s)	-	I008	I012	I020	I023	I024	I025
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	20	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I026	I027	I028	I029	I030	I031
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I032	I033	I034	I035	I036	I037
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	19	56	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I038	I018	I019	I009	I010	I011
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	-	-	ND	ND	ND
Conclusion	-	PASS	NA	NA	PASS	PASS	PASS

-	Unit	Result					
Test Item(s)	-	I013	I014	I015	I016	I017	I022
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	16
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS



-	Unit	Result		
Test Item(s)	-	I039	I040	I041
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	16
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client's request
-



RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	NA
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	NA
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M



ZHIAO VIET NAM COMPANY LIMITED
Technical Report: **96241840281**
JULY 22, 2024
Page 10 of 25

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	NM
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	M
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section



ZHIAO VIET NAM COMPANY LIMITED
Technical Report: **96241840281**
JULY 22, 2024
Page 12 of 25

Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp points and sharp edges	16 CFR 1500.48/ 16 CFR 1500.49 (Modify)	Shall not have accessible, potentially hazardous sharp point and/ or sharp edge before or after use and abuse testing. Modify: Expends scope to all children products.	M	PASS


M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section



WHITE COLOR



CARTON LAYOUT





ZHIAO VIET NAM COMPANY LIMITED
Technical Report: **96241840281**
JULY 22, 2024
Page 16 of 25

N737P199645B

COLOR/COULEUR:BLACK/NOIRE

QTY/QTE : 1 PC

N.W/P.NET : 64.9 LBS

G.W/P.BRUT: 70.4 LBS

MEAS/MESURE : 77 * 13.1 * 5.5 INCH



P.O.NO./P.O.NUMÉRO:

MADE IN VIETNAM / FABRIQUÉ EN VIETNAM

Important/Importante

Please open carefully/Veuillez ouvrir soigneusement
Returns will only be accepted in original package
Les retours ne seront acceptés que dans l'emballage
d'origine

110



ITEM/ARTICLE :LOFT BED-BLACK
/LIT MEZZANINE-NOIRE

N737P199652B

BOX: 1 OF 2/ BOÎTE 1 SUR 2

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble.

Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assemblage.


Sets often ship in multiple boxes and may arrive a day or two apart.


Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.

▲ WARNING	▲ AVERTISSEMENT
<p>TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS:</p> <ul style="list-style-type: none"> - NEVER ALLOW A CHILD UNDER 6 YEARS ON UPPER BUNK. - USE ONLY MATTRESS WHICH IS 74"-79" LONG AND 38.5" WIDE ON UPPER BUNK. - ENSURE THICKNESS OF MATTRESS DOES NOT EXCEED 6" AND THAT MATTRESS SURFACE IS AT LEAST 5" BELOW UPPER EDGE OF GUARDRAILS. - USE GUARDRAILS ON BOTH SIDES OF THE UPPER BUNK. - PROHIBIT HORSEPLAY ON OR UNDER BED(S). - PROHIBIT MORE THAN ONE PERSON ON UPPER BUNK. - USE THE LADDER FOR ENTERING AND LEAVING THE UPPER BUNK. <p>STRANGULATION HAZARD-NEVER ATTACH OR HANG ITEMS TO ANY PART OF THE BUNK BED THAT ARE NOT DESIGNED FOR USE WITH THE BED, FOR EXAMPLE, BUT NOT LIMITED TO HOOKS, BELTS, AND JUMP ROPES.</p> <p>-DO NOT REMOVE THIS LABEL-</p>	<p>POUR AIDER À PRÉVENIR LES BLESSURES GRAVES, VOIRE MORTELLES, DUES AU COINCÈMENT OU AUX CHUTES:</p> <ul style="list-style-type: none"> - NE LAISSEZ JAMAIS UN ENFANT DE MOINS DE 6 ANS SUR LA COUCHE SUPÉRIEURE. - UTILISEZ UNIQUEMENT UN MATELAS D'UNE LONGUEUR DE 74"-79" ET D'UNE LARGEUR DE 38.5" SUR LA COUCHE SUPÉRIEURE. - ASSUREZ-VOUS QUE L'ÉPAISSEUR DU MATELAS NE DÉPASSE PAS 6" ET QUE LA SURFACE DU MATELAS SOIT AU MOINS À 5" SOUS LE BORD SUPÉRIEUR DES BARRIÈRES DE PROTECTION. - UTILISEZ DES BARRIÈRES DE PROTECTION DES DEUX CÔTÉS DU LIT SUPERPOSÉ SUPÉRIEUR. - INTERDIRE LES JEUX BRUYANTS SUR OU SOUS LE(S) LIT(S). - INTERDIRE PLUS D'UNE PERSONNE SUR LA COUCHE SUPÉRIEURE. - UTILISEZ L'ÉCHELLE POUR MONTER ET DESCENDRE DU LIT SUPERPOSÉ. <p>RISQUE D'ÉTRANGLEMENT-N'ATTACHEZ OU NE SUSPENDEZ JAMAIS D'OBJETS À UNE PARTIE DU LIT SUPERPOSÉ QUI NE SONT PAS CONÇUS POUR ÊTRE UTILISÉS AVEC LE LIT, PAR EXEMPLE, MAIS SANS SY LIMITER, DES CROCHETS, DES CEINTURES ET DES CORDES À SAUTER.</p> <p>-NE PAS ENLEVER CETTE ÉTIQUETTE-</p>



DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ





You must read and understand the assembly instruction sheet packed in the carton before you start to assemble.

Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assemblage.

Sets often ship in multiple boxes and may arrive a day or two apart.

Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.

**ITEM/ARTICLE :LOFT BED-BLACK
/LIT MEZZANINE-NOIRE**

N737P199646B

BOX: 2 OF 2/ BOÎTE 2 SUR 2



N737P199646B

COLOR/COULEUR:BLACK/NOIRE

QTY/QTE : 1 PC

N.W/P.NET : 50.6 LBS

G.W/P.BRUT: 55 LBS

MEAS/MESURE : 43 * 16.8 * 6.9 INCH

P.O.NO./P.O.NUMÉRO:

MADE IN VIETNAM / FABRIQUÉ EN VIETNAM



**DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ**




▲ WARNING	▲ AVERTISSEMENT
<p>TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS:</p> <ul style="list-style-type: none"> -NEVER ALLOW A CHILD UNDER 6 YEARS ON UPPER BUNK. -USE ONLY MATTRESS WHICH IS 74"-75" LONG AND 53.5" WIDE ON UPPER BUNK. -ENSURE THICKNESS OF MATTRESS DOES NOT EXCEED 6" AND THAT MATTRESS SURFACE IS AT LEAST 5" BELOW UPPER EDGE OF GUARDRAILS. -USE GUARDRAILS ON BOTH SIDES OF THE UPPER BUNK. -PROHIBIT HORSEPLAY ON OR UNDER BED(S). -PROHIBIT MORE THAN ONE PERSON ON UPPER BUNK. -USE THE LADDER FOR ENTERING AND LEAVING THE UPPER BUNK. <p>STRANGULATION HAZARD-NEVER ATTACH OR HANG ITEMS TO ANY PART OF THE BUNK BED THAT ARE NOT DESIGNED FOR USE WITH THE BED;FOR EXAMPLE,BUT NOT LIMITED TO HOOKS,BELTS, AND JUMP ROPES.</p> <p>-DO NOT REMOVE THIS LABEL-</p>	<p>POUR AIDER À PRÉVENIR LES BLESURE GRAVES, VOIRE MORTELLES, DUES AU COINCÈMENT OU AUX CHUTES:</p> <ul style="list-style-type: none"> -NE LAISSEZ JAMAIS UN ENFANT DE MOINS DE 6 ANS SUR LA COUCHE SUPÉRIEURE. -UTILISEZ UNIQUEMENT UN MATELAS D'UNE LONGUEUR DE 74"-75" ET D'UNE LARGEUR DE 53.5" SUR LA COUCHE SUPÉRIEURE. -ASSUREZ-VOUS QUE L'ÉPAISSEUR DU MATELAS NE DÉPASSE PAS 6" ET QUE LA SURFACE DU MATELAS SOIT AU MOINS À 5" SOUS LE BORD SUPÉRIEUR DES BARRIÈRES DE PROTECTION. -UTILISEZ DES BARRIÈRES DE PROTECTION DES DEUX CÔTÉS DU LIT SUPERPOSÉ SUPÉRIEUR. -INTERDIRE LES JEUX BRUYANTS SUR OU SOUS LE(S) LIT(S). -INTERDIRE PLUS D'UNE PERSONNE SUR LA COUCHE SUPÉRIEURE. -UTILISEZ L'ÉCHELLE POUR MONTER ET DESCENDRE DU LIT SUPERPOSÉ. <p>RISQUE D'ÉTRANGLEMENT-N'ATTACHEZ OU NE SUSPENDEZ JAMAIS D'OBJETS À UNE PARTIE DU LIT SUPERPOSÉ QUI NE SONT PAS CONCUS POUR ÊTRE UTILISÉS AVEC LE LIT,PAR EXEMPLE, MAIS SANS SY LIMITER, DES CROCHETS, DES CEINTURES ET DES CORDES À SAUTER.</p> <p>-NE PAS ENLEVER CETTE ÉTIQUETTE-</p>




▲ WARNING	▲ AVERTISSEMENT
<p>TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS:</p> <ul style="list-style-type: none"> -NEVER ALLOW A CHILD UNDER 6 YEARS ON UPPER BUNK. -USE ONLY MATTRESS WHICH IS 74"-75" LONG AND 38.5" WIDE ON UPPER BUNK. -ENSURE THICKNESS OF MATTRESS DOES NOT EXCEED 6" AND THAT MATTRESS SURFACE IS AT LEAST 5" BELOW UPPER EDGE OF GUARDRAILS. -USE GUARDRAILS ON BOTH SIDES OF THE UPPER BUNK. -PROHIBIT HORSEPLAY ON OR UNDER BED(S). -PROHIBIT MORE THAN ONE PERSON ON UPPER BUNK. -USE THE LADDER FOR ENTERING AND LEAVING THE UPPER BUNK. <p>STRANGULATION HAZARD-NEVER ATTACH OR HANG ITEMS TO ANY PART OF THE BUNK BED THAT ARE NOT DESIGNED FOR USE WITH THE BED;FOR EXAMPLE,BUT NOT LIMITED TO HOOKS,BELTS, AND JUMP ROPES.</p> <p>-DO NOT REMOVE THIS LABEL-</p>	<p>POUR AIDER À PRÉVENIR LES BLESURE GRAVES, VOIRE MORTELLES, DUES AU COINCÈMENT OU AUX CHUTES:</p> <ul style="list-style-type: none"> -NE LAISSEZ JAMAIS UN ENFANT DE MOINS DE 6 ANS SUR LA COUCHE SUPÉRIEURE. -UTILISEZ UNIQUEMENT UN MATELAS D'UNE LONGUEUR DE 74"-75" ET D'UNE LARGEUR DE 38.5" SUR LA COUCHE SUPÉRIEURE. -ASSUREZ-VOUS QUE L'ÉPAISSEUR DU MATELAS NE DÉPASSE PAS 6" ET QUE LA SURFACE DU MATELAS SOIT AU MOINS À 5" SOUS LE BORD SUPÉRIEUR DES BARRIÈRES DE PROTECTION. -UTILISEZ DES BARRIÈRES DE PROTECTION DES DEUX CÔTÉS DU LIT SUPERPOSÉ SUPÉRIEUR. -INTERDIRE LES JEUX BRUYANTS SUR OU SOUS LE(S) LIT(S). -INTERDIRE PLUS D'UNE PERSONNE SUR LA COUCHE SUPÉRIEURE. -UTILISEZ L'ÉCHELLE POUR MONTER ET DESCENDRE DU LIT SUPERPOSÉ. <p>RISQUE D'ÉTRANGLEMENT-N'ATTACHEZ OU NE SUSPENDEZ JAMAIS D'OBJETS À UNE PARTIE DU LIT SUPERPOSÉ QUI NE SONT PAS CONCUS POUR ÊTRE UTILISÉS AVEC LE LIT,PAR EXEMPLE, MAIS SANS SY LIMITER, DES CROCHETS, DES CEINTURES ET DES CORDES À SAUTER.</p> <p>-NE PAS ENLEVER CETTE ÉTIQUETTE-</p>

Important/Importante

Please open carefully/Veuillez ouvrir soigneusement
 Returns will only be accepted in original package
 Les retours ne seront acceptés que dans l'emballage
 d'origine

WARNING LABEL







CA PROP.65 LABEL



LABEL ON POWER SOCKET - USB CHARGER



LAW LABEL & TB117 LABEL



MAXIMUM WEIGHT LABEL & COUNTRY OF ORIGIN LABEL



TRACKING LABEL



FAILURE PHOTO



EXHIBIT 1




EXHIBIT 2



EXHIBIT 3



EXHIBIT 4