



Test Report No :DST20240802170EN Date:Aug.17, 2024 Page 1 of 16

Applicant : MEITING FURNITURE CO.,LTD

Address UNIT 1507B, 15/F., EASTCORE,398 KWUN TONG ROAD, KWUN TONG, KLN, HONG

KONC

Manufacturer : DONGGUAN MINFENG SMART HOME CO.

Address : 6# WEICHANG ROAD, CHASHAN TOWN DONGGUAN 523380 CHINA(MATNLAND)

The following sample(s) was /were submitted and identified on behalf of the clients as:

Sample Name : SOFA

Sample Description : SOFA

Model No. : M2190,M2186,M2189

Labeled Age Grading : Over 3 years old

Test Age Grading : Over 3 years old

Manufacture Date : Jul.10, 2024

Sample Received Date : Aug.14, 2024

Testing Period : Aug.14, 2024 To Aug.17, 2024

Test Requested : Test samples according to customer requirements

Test Method : Please refer to next page(s).

Test Result : Please refer to next page(s).

CPSC Lab ID : 1779



Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd.

Tel:+86-0769-81226036

E-mail: dst@dst-test.com

http://www.dst-test.com





Date:Aug.17, 2024

Page 2 of 16

RESULT SUMMARY:

	Test Requested	Conclusion
Α	As specified in title 16, code of federal regulations, chapter II- consumer products safety commission of U.S.A	25T DS
1	16 CFR 1500.48 Sharp Point	PASS
2	16 CFR 1500.49 Sharp Edge	PASS
3	16 CFR 1501 Small part rule	PASS
4	16 CFR 1500.50.51.52.53 Simulating use and abuse of toys	PASS
5	16 CFR 1640 Standard For The Flammability Of Upholstered Furniture	PASS
6	The Flame Resistance Test	PASS
В	16 CFR Part 1303 Lead Paint Regulation	NA
С	Consumer Product Safety Improvement Act of 2008 (CPSIA)	261
1	CPSIA Sec.101.(a) Lead in Total Lead Content in Substrate Children's Products CPSIA Sec.101.(f) Lead content for coating	PASS
2	CPSIA Sec.108 Determination of Phthalates	PASS
3	CPSIA Sec. 103 Tracking Labels for Children's Products	PASS
D	16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates	PASS
E	Total Lead(Pb)-US California Proposition 65	PASS
F	Total Cadmium(Cd)-US California Proposition 65	PASS
G	Phthalates(8P) -US California Proposition 65	PASS
Н	40 CFR Part 770- Formaldehyde emission	PASS





Date:Aug.17, 2024

Page 3 of 16

Sample Description:

No.	Description	
DST 1. DST T	SOFA (Finished product)	5
2.	Fabric	2
3.	Wood	0





Date:Aug.17, 2024

Page 4 of 16

A.CPSC 16 CFR 1500.48,16 CFR 1500.49,16 CFR 1500.50 and CPSC 16 CFR 1501- Small Part

NO	Toot Hom(s)	Deguirements of Standard	Result	
NO. Test Item(s)		Requirements of Standard	1 0	
105	16 CFR 1500.48	Technical requirements for determining a sharp point in toys and other articles intended for use by children under 8 years of age.	PASS	
2	16 CFR 1500.49	Technical requirements for determining a sharp metal or glass edge in toys and other articles intended for use by children under 8 years of age.	PASS	
3	CPSC 16 CFR 1501-Small part	Toys and other article intended for use by children under 3 years of age shall not have small parts since it presents a choking, aspiration, or ingestion hazard. Toys and other article are subject to this requirement before or after use and abuse testing.	NA NA	
I Di	CPSC 16 CFR 1500.50	Normal use testing	PASS	
57	CPSC 16 CFR 1500.53b	Impact test	PASS	
051	CPSC 16 CFR 1500.53c	Bite test	NA	
4	CPSC 16 CFR 1500.53d	Flexure test	NA	
T DS	CPSC 16 CFR 1500.53e	Torque test	PASS	
	CPSC 16 CFR 1500.53f	Tension test	PASS	
	CPSC 16 CFR 1500.53 g	Compression test	NA	

Note:NA. = Not Applicable





Date:Aug.17, 2024

Page 5 of 16

5.CPSC 16 CFR 1640 Standard For The Flammability Of Upholstered Furniture

Test Item(s)	Requirements of Standard	Assessment
16 CFR 1640.5	Requirements	
	(a) Testing and certification. A fabric, related material, or product	
	to which the California standard applies shall not be subject to	
	section 14(a) of the Consumer Product Safety Act (15 U.S.C.	
	2063(a)) with respect to that standard.	
	(b) Certification label. Each manufacturer of a product that is	PASS
	subject to the California standard shall include the statement "Complies with U.S. CPSC requirements for upholstered furniture	(see the test result)
	flammability" on a permanent label located on the product, which	
	shall be considered to be a certification that the product complies	
	with that standard.	
16 CFR 1640.4	Requirements of Standard	
	(a) Testing and certification. A fabric, related material, or	
	product to which the California standard applies shall not be	
	subject to section 14(a) of the Consumer Product Safety Act	
	(15 U.S.C. 2063(a)) with respect to that standard.	
	(b) Certification label. Each manufacturer of a product that is	PASS
	subject to the California standard shall include the statement	(see the test result)
	"Complies with U.S. CPSC requirements for upholstered	
	furniture flammability" on a permanent label located on the	
	product, which shall be considered to be a certification that	
	the product complies with that standard.	

NOTE:NA. = Not Applicable





Page 6 of

6.The Flame Resistance Test

Refer to: TECHNICAL BULLETIN 117-2013. Requirements, Test Procedure and Apparatus for Testing the

Smolder Resistance of Materials Used in Upholstered Furniture

Sample Description			Sofa					
Test en	vironment	Tempera	Temperature:24.8℃ Relative humidity :61%					
Pur	pose	Cover fabric test						
Test ı	method	DST - ST	Section 1. Cover fabric test	nst bet t				
051	Sample	Duration of smouldering (45min:sec)	Vertical Char length (inches)	Open Flaming (Yes/No)				
Test	1	No smoke	0.7	No				
result	2	No smoke	0.8	No				
	3	No smoke	0.8	No				
standard requirement		No smoke	≤1.8	No				
Conclusion		T OST DS	Pass	SET DE				

Remark:

A material is considered to pass or fail based on the following criteria:

- 1. A single mock-up test specimen fails to meet the requirements of this test procedure if any of the following criteria occurs:
 - The mock-up test specimen continues to smolder after the 45 minute test duration;
 - b) A char develops more than 1.8 inches (45 mm) in any direction from the cigarette on the cover fabric measured from its nearest point.
 - c) The mock-up test specimen transitions to open flaming.
- 2. The cover fabric passes the test if three initial mock-up specimens pass the test, i.e., the cigarettes burn their full length and the mock-ups are no longer smoldering.
- 3. If more than one initial specimen fails, the cover fabric fails the test.
- 4. If any one of the three initial specimens fails, repeat the test on additional three specimens.
- 5. If all three additional specimens pass the test, the cover fabric passes the test. If any one of the additional three specimens fails, the cover fabric fails the test.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd.

Tel:+86-0769-81226036

E-mail: dst@dst-test.com

http:www.dst-test.com





Date:Aug.17, 2024

Page 7 of 16

B.16 CFR Part 1303 Lead Paint Regulation (CPSC-CH-E1003-09.1)

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by Inductively Coupled Plasma

Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result		757	MDL	Limit
rest item	OIII D	- De	-05	1 2-	MIDL	DS
Lead (Pb)	mg/kg	NA	51 -	at Da	10	90
Conclusion	05,	NA	75T- V	_T-D5	-051	

Note: 1.mg/kg=milligram per kilogram

2..NA= Not Applicable





Page 8 of 16

- C.Test Result(s) of Consumer Product Safety Improvement Act of 2008 (CPSIA)
- 1.1. Consumer Product Safety Improvement Act of 2008 (CPSIA)
- -CPSIA Sec.101.(a) Lead in Non-Metal Children's Products (CPSC-CH-E1002-08.3)
- -CPSIA Sec.101.(a) Lead in Metal Children's Products (CPSC-CH-E1001-08.3)

Test Method: With reference to CPSC-CH-E1002-08.3, analysis was performed by Inductively Coupled Plasma

Optical Emission Spectrometer (ICP-OES).

Test Item	Unit	Result	Result	T -	MDL	Limit
rest item	OSOIII	2	3	D =	NIDE	
Lead (Pb)	mg/kg	N.D.	N.D.	12, - U	10	100
Conclusion	-51	PASS	PASS	057	151-	

Note:

- 1. mg/kg=milligram per kilogram
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.





Page 9 of

1.2. Consumer Product Safety Improvement Act of 2008 (CPSIA)

-CPSIA Sec.101.(f) Lead content for coating (CPSC-CH-E1003-09.1)

Test Method: With reference to CPSC-CH-E1003-09.1, analysis was performed by Inductively Coupled Plasma

Optical Emission Spectrometer (ICP-OES).

To ad Ham	511-14	Result	· -05	-51	MDI	Limit
Test Item	Unit	02,- 0	57 - 0	5T D-	MDL	Limit
Lead (Pb)	mg/kg	NA	n5T-	6T-D2	10	90
Conclusion	05	NA	-6-1	- D	- 05	1

Note:

- 1. mg/kg=milligram per kilogram.
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.





Page 10 of 16

2. Consumer Product Safety Improvement Act of 2008 (CPSIA)

-CPSIA Sec.108 Determination of Phthalates (CPSC-CH-C1001:09.4)

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

DS1 DST -T	De	02,	Result	U-		
Test Item	CAS No.	Unit	2+3	MDL	Limit	
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	0.005	0.1	
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	0.005	0.1	
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	0.005	0.1	
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	0.010	0.1	
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	0.010	0.1	
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	0.005	0.1	
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	0.005	0.1	
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	0.005	0.1	
Conclusion	9 - 75	T	PASS	<u>51</u>	4	

Note:

- 1. % = percentage by weight, 0.0001% = 1 mg/kg, mg/kg=milligram per kilogram.
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.





Date:Aug.17, 2024

Page 11 of 16

3.As specified in Consumer Product Safety Act (CPSA) of Section 14(a)(5) Tracking Label for children's products.

Description	Result
Description	1
a) Is the product intended for children under 12 years? If no, the section is not applicable.	N
b) Is the product under the exemption of marking on children's product?	Υ
Product is too small to be marked.	N
2. Products stay with or be contained in their original packaging.	N S
Product is sold through a bulk vending matching.	N
4 . Physical mark would weaken or damage the product or impair its utility.	N
Product surface would be impossible to mark permanently.	N
6. Aesthetics of the product would be ruined by a mark.	D ^S N
c) Is the product and packaging or only packaging (for product exempted from the marking) marked below information?	P
1) Name of the manufacturer or the name of the private labeler.	Υ
2) Manufacturer or private labeler location, including the name of the country, and the name or other means of coding of city and state.	5 Y
3) Date of production of the product, in a form of MM/YY or any other coding system.	35 Y
4) Cohort information (including the batch, run number, or another identifying characteristic).	Y
d) Is the label permanent after below permanency testing?	Р

Remark: P = Pass, F = Fail, Y = Yes , N= Not

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant.

There was no verification on the validity of such information.

Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd.

Tel:+86-0769-81226036

E-mail: dst@dst-test.com

http:www.dst-test.com





Date:Aug.17, 2024

Page 12 of

D.16 CFR Part 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates


Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by Gas Chromatograph-Mass Spectrometer (GC-MS).

7 051	5000 N	T. U	Result	257		
Test Item	CAS No.	Unit	2+3	MDL	Limit	
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	%	N.D.	0.005	0.1	
Di-butyl phthalate (DBP)	84-74-2	%	N.D.	0.005	0.1	
Butyl benzyl phthalate (BBP)	85-68-7	%	N.D.	0.005	0.1	
Di-isononyl phthalate (DINP)	28553- 12-0 68515-48-0	%	N.D.	0.010	0.1	
Di-n-pentyl phthalate(DPENP)	131- 18-0	%	N.D.	0.010	0.1	
Di-n-hexyl phthalate(DHEXP)	84-75-3	%	N.D.	0.005	0.1	
Di-isobutyl phthalate(DIBP)	84-69-5	%	N.D.	0.005	0.1	
Dicyclohexyl phthalate(DCHP)	84-61-7	%	N.D.	0.005	0.1	
Di-n-octyl phthalate(DNOP)	117-84-0	%	N.D.	0.005	0.1	
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	%	N.D.	0.010	0.1	
Conclusion	1	DE.	PASS	51-		

Note:

- 1.% = percentage by weight, 0.0001% = 1 mg/kg, mg/kg=milligram per kilogram
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.
- 3. NA = Not Applicable







Page 13 of 16

E.Total Lead(Pb)-US California Proposition 65.

Test Method: With reference to CPSC-CH-E1001-08.3 (metal), CPSC-CH-E1002-08.3 (nonmetal),

CPSC-CH-E1003-09.1(coating) analysis was performed by ICP-OES

Report No :DST20240802170EN

Toot Itom	Item Unit Result	Result	Result Result		MDL	De l'antie T
rest item		3	-51	MDL	Limit	
Lead (Pb)	mg/kg	N.D.	N.D.	T 05T	10	100(Substrate) 90(Coating)
Conclusion	057	PASS	PASS	T-05	- n	51 6

Note:

- 1. mg/kg=milligrams per kilogram;
- 2. N.D.=No Detection(<MDL);
- 3. MDL =Method Detection Limit.

F.Total Cadmium(Cd)-US California Proposition 65.

Test Method: With reference to EPA 3050B:1996(metal), EPA 3052:1996 (nonmetal), analysis was performed by

ICP-OES

r D3' D5	10051	Result	Result	05,- "	51	L Da.
Test Item(s)	Unit	2	3	D5 ^T	MDL	Limit
Total cadmium (Cd)	mg/kg	N.D.	N.D.	551	10	100
Conclusion	D.	PASS	PASS	1 -61	05)5\ <u>-</u> _

Note:

- 1. mg/kg=milligrams per kilogram;
- 2. N.D.=No Detection(<MDL);
- 3. MDL =Method Detection Limit.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd.

Tel:+86-0769-81226036

E-mail: dst@dst-test.com

http:www.dst-test.com



Date:Aug.17, 2024



Page 14 of 16

G.Phthalates(8P) -US California Proposition 65.

Test Method: With reference to CPSC-CH-C1001-09.4, analysis was performed by GC-MS

Report No :DST20240802170EN

)51 -151, 1 -1	02.	Result)
Test Item(s)	Unit	2+3	MDL	Limit
Dibutyl Phthalate(DBP)	%	N.D.	0.005	0.1
Benzylbutyl Phthalate (BBP)	%	N.D.	0.005	0.1
Di-(2-ethylhexyl) Phthalate(DEHP)	%	N.D.	0.005	0.1
Di-n-octyl phthalate(DNOP)	%	N.D.	0.005	0.1
Diisononyl phthalate(DINP)	%	N.D.	0.010	0.1
Diisodecyl phthalate (DIDP)	%	N.D.	0.010	0.1
Dihexyl phthalate (DHP/DnHP)	%	N.D.	0.005	0.1
Diisobutyl phthalate(DIBP)	%	N.D.	0.005	0.1
Conclusion	· D>	PASS	57 - 51	0-

Note:

- 1. % = percentage by weight, 0.0001% = 1 mg/kg, mg/kg=milligram per kilogram.
- 2. N.D.=No Detection(<MDL);MDL =Method Detection Limit.
- 3. NA = Not Applicable







Page 15 of 16

H.40 CFR Part 770- Formaldehyde emission

Test Method: Refer to in house method, was analyzed by UV-Vis.

Report No :DST20240802170EN

Test Result:

Test Item	Unit	MDL	Result	Limit
Formaldehyde emission	mg/L	0.05	N.D.	Hardwood plywood: 0.05 Particle board: 0.09 Medium density fiberboard: 0.11 Low density fiberboard: 0.13

Note: 1.MDL = Method Detection Limit

2.N.D.=Not Detection(<MDL)

3. NA = Not Applicable




Date:Aug.17, 2024



Page 16 of 16

Sample and packaging pictures:



Report No :DST20240802170EN





	Product Label	- V (1)
Product Name	SOFA	
Age grade	Over 3 years old	7 551 7
Product Model	M2190,M2186,M2189	7 0 551
Manufacturer	DONGGUAN MINFENG SMART HOME CO.	
Manufacture Address	6# WEICHANG ROAD, CHASHAN TOWN DONGGUAN 523380 CHINA(MATNLAND)	7" 551
Manufacture Date	Jul.10, 2024	
	Made in China	
COMPLI REQUIRI UPHOLS FLAMM	ES WITH U.S. CPSC EMENTS FOR TERED FURNITURE	DST DST DS

*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 30 days after the report's sending out, it will not be accepted after this date.

Dongguan DST Testing Co., Ltd.

Tel:+86-0769-81226036

E-mail: dst@dst-test.com

http:www.dst-test.com