



Technical Report: 96243320205
Date Received: NOVEMBER 27, 2024

DECEMBER 17, 2024
Page 1 of 21

GIGACLOUD TECHNOLOGY(USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731

Sample Description:	TWIN SIZE BUNK BED WITH SLIDE		
Vendor:	GIGACLOUD TECHNOLOGY(USA) INC.	Sample Size:	/
Manufacturer:	GIGACLOUD TECHNOLOGY(USA) INC.	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC.	SKN/SKU No.:	/
Agent:	/		/
Labeled Age Grade:	/	PO No.:	ALL PO
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	WF312473/ WF312474/ WF312475
Color:	/	Date of Production:	/
Program:	/	Model/Style#:	/
Previous No:	/	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				
ASTM F1148-21 Home Playground Equipment	X				
16 CFR 1500.48, 16 CFR 1500.49, Sharp Points And Sharp Edges	X				
15 U.S.C. § 2063(a)(5), Tracking label for children's products	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.



If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:

Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com

Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:

Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com

Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION



SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Grey Coating/ Wooden Frame	Coating	-
I002	Black/ Yellow Overlapping Coating/ Warning Label (Bunk Bed), Tracking Label, CA Prop 65 Warning Label	Coating	-
I003	Yellow/ Red Overlapping Coating/ Safety Weight Label	Coating	-
I004	Orange/ Black Coating/ Warning Label (Slide)	Coating	-
I005	MDF	Wood	-
I006	Plywood	Wood	-
I007	White Plastic/ Caster	Hard Plastic	-
I008	Off White Plastic/ Door Catch	Hard Plastic	-
I009	Silver Metal/ Bolt	Metal	-
I010	Silver Metal/ Barrel Nut	Metal	-
I011	Silver Metal/ Flat Head Screw	Metal	-
I012	Silver Metal/ Round Head Screw	Metal	-
I013	Silver Metal/ Big Screw	Metal	-
I014	Silver Metal/ Door Catch	Metal	-
I015	Silver Metal/ Strike Plate	Metal	-
I016	Silver Metal/ Frame Of Caster	Metal	-
I017	Silver Metal/ Rivet Of Frame Of Caster	Metal	-
I018	Silver Cap Nut	Metal	-



TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :		90 mg/kg	
-	Unit	Result	
Test Item(s)	-	I001	I002+I003+I004
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Detection Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.
-



TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result				
Test Item(s)	-	I005+I006	I007+I008	I009	I010	I011
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result						
Test Item(s)	-	I012	I013	I014	I015	I016	I017	I018
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- According to Children's Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children's products containing up to 0.03 % lead weight.



TEST RESULT

**Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead**

Maximum Allowable Limit :	100 mg/kg
----------------------------------	------------------

-	Unit	Result	
Test Item(s)	-	I001	I002+I003+I004
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I005+I006	I007+I008	I009	I010	I011
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result						
Test Item(s)	-	I012	I013	I014	I015	I016	I017	I018
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable ">" = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client's request



RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	M
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	M
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M



REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section



RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	M
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	M
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	M
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section



RESULTS:

Standard Consumer Safety Performance Specification for Home Playground Equipment (ASTM F1148-21)

Section	Requirements	Result
4	Materials and Manufacture	-
4.1	General	NT
4.1.1	Metal, wood, plastic	NT
4.1.2	Ingestion, inhalation, or absorb of substance	NT
4.1.3	Lead in Paint	M
5	General Requirements	-
5.1	Applicable to All Home Playground Equipment	NA
5.1.1&5.1.2	Statement of conformance	NA
5.2	Small Parts	NA
6	Performance Requirements	-
6.1	Head and Neck Entrapment	-
6.1.1	Accessible Openings	NA
6.1.2	Completely bounded openings	NA
6.1.3	Nonrigid Completely Bounded Openings	NA
6.2	Acute Angles	NA
6.3	Protrusions	NA
6.4	Edges, Points, and Surfaces	M
6.5	Open Tubing	NA
6.6	Crush and Shear Points	NA
6.7	Holes and Slots	M
6.8	Hardware	M
6.9	Hooks	NA
6.10	Hand Support: Hand Gripping/Grasping Components	NA
7	Requirements for Access	-
7.1	Rung Ladders, Stepladders, and Stairways	NA
7.2	Handrails	NA
7.3	Guardrails and Protective Barriers	NA
8	Equipment	-
8.1	Swings	NA
8.2	Slides	M
8.3	Merry-Go-Rounds	NA
8.4	Ropes	NA
9	Equipment Layout	-
9.1	Play Structure Use Zone	NA
10	Installation	M
10.1	Installation Instructions and Information	M



Standard Consumer Safety Performance Specification for Home Playground Equipment (ASTM F1148-21)

Section	Requirements	Result
11	Structural Integrity	M
11.1	General	NA
11.1.1	Handholds, Footholds, and Horizontal Supporting Members	NA
11.1.2	Top Support Bar	NA
11.1.3	Individual Suspended Units	NA
11.1.4	Slides	M
11.1.5	Rockers	NA
11.1.6	Merry-Go-Rounds	NA
11.1.7	Climbing Towers/Jungle Gyms	NA
11.1.8	Platforms	NA
11.1.9	Climbing Components	NA
12	Maintenance Instructions	M
13	Labeling and Signage	M
14	Information	M

M = Meet NM = Not Meet NA = Not Applicable NR = Not Required R = Refer to Comment Section



RESULT(S):

Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp points and sharp edges	16 CFR 1500.48 16 CFR 1500.49	Items intended for children under 8 years of age shall not have accessible, potentially hazardous sharp points, sharp edge before or after use and abuse testing	M	PASS
Tracking Label For Children's Product	15 U.S.C. § 2063(a)(5)	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the presence only. The accuracy of tracking label will not be verified. Note: Manufacturer or Private Labeler name can not be coded.	M	PASS

Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded





CARTON LAYOUT

	<p>WF312473AAE ITEM: TWIN BUNK BED WITH SLATS - GREY ARTICLE: LIT SUPERÉTAGÉ DOUBLE À ARCS TONNAGEAN - GRIS BOX: 1 OF 3 ENCLOSURE: 1 DE 3</p> <p>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble. Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.</p> <p>State often ship in multiple boxes and may arrive a day or two apart. Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.</p> <p>N.W.: 85.00 LBS G.W.: 82.00 LBS BLDG'S MEASURE: 82.28 X 15.35 X 6.56 INCH MADE IN VIETNAM / FABRIQUÉ EN VIETNAM</p> <p>DO NOT OPEN WITH SHARP KNIFE / TOUL NE PAS OUVRIRE AVEC UN COUTEAU/TOUL. BATA ASSURÉ</p>	1
WF312473AAE	<p>WF312473AAE ITEM: TWIN BUNK BED WITH SLATS - GREY ARTICLE: LIT SUPERÉTAGÉ DOUBLE À ARCS TONNAGEAN - GRIS BOX: 1 OF 3 ENCLOSURE: 1 DE 3</p> <p>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble. Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.</p> <p>State often ship in multiple boxes and may arrive a day or two apart. Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.</p> <p>N.W.: 85.00 LBS G.W.: 82.00 LBS BLDG'S MEASURE: 82.28 X 15.35 X 6.56 INCH MADE IN VIETNAM / FABRIQUÉ EN VIETNAM</p> <p>DO NOT OPEN WITH SHARP KNIFE / TOUL NE PAS OUVRIRE AVEC UN COUTEAU/TOUL. BATA ASSURÉ</p>	3
WF312473AAE	<p>WF312473AAE ITEM: TWIN BUNK BED WITH SLATS - GREY ARTICLE: LIT SUPERÉTAGÉ DOUBLE À ARCS TONNAGEAN - GRIS BOX: 1 OF 3 ENCLOSURE: 1 DE 3</p> <p>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble. Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.</p> <p>State often ship in multiple boxes and may arrive a day or two apart. Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.</p> <p>N.W.: 85.00 LBS G.W.: 82.00 LBS BLDG'S MEASURE: 82.28 X 15.35 X 6.56 INCH MADE IN VIETNAM / FABRIQUÉ EN VIETNAM</p> <p>DO NOT OPEN WITH SHARP KNIFE / TOUL NE PAS OUVRIRE AVEC UN COUTEAU/TOUL. BATA ASSURÉ</p>	1





	<p>WF312475AAE</p> <p>ITEM : TWIN SIZE BUNK BED WITH SLIDE - GREY ARTICLE : LIT SUPERPOSÉ DOUBLE AVEC TOBOGGAN - GRIS</p> <p>BOX : 3 OF 3 ENCADRÉ : 3 DE 3</p> <p>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble. Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.</p> <p>Parts often ship in multiple boxes and may arrive a day or two apart. Les assemblages sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.</p>	
	<p>WF312475AAE</p> <p>ITEM : TWIN SIZE BUNK BED WITH SLIDE - GREY ARTICLE : LIT SUPERPOSÉ DOUBLE AVEC TOBOGGAN - GRIS</p> <p>BOX : 3 OF 3 ENCADRÉ : 3 DE 3</p> <p>You must read and understand the assembly instruction sheet packed in the carton before you start to assemble. Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.</p> <p>Parts often ship in multiple boxes and may arrive a day or two apart. Les assemblages sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.</p>	



GIGACLOUD TECHNOLOGY(USA) INC.
Technical Report: **96243320205**
DECEMBER 17, 2024
Page 17 of 21

CA PROP 65 LABEL




SAFETY MAXIMUM WEIGHT LABEL







TRACKING LABEL



WARNING LABEL - SLIDE

 WARNING	 AVERTISSEMENT
<ul style="list-style-type: none">- Risk of serious head injury or death due to falls from equipment placed over hard surface.- Risk of using helmets and other items that can wrap around a child's neck, become entangled or entrapped by the equipment and lead to strangulation or death <p>THIS PRODUCT IS INTENDED FOR USE BY CHILDREN FROM AGES 6 TO 12</p>	<ul style="list-style-type: none">- Risque de blessures graves ou de décès dus à des défaillances équipement placé sur une surface dure.- Risque d'utilisation de casques et d'autres objets pouvant se déplacer le cou d'un enfant, s'emmêler dans l'équipement. Et conduire à l'étranglement pouvant entraîner la mort <p>CE PRODUIT EST DESTINÉ À ÊTRE UTILISÉ PAR ENFANTS DE 6 À 12 ANS</p>



WARNING LABEL – BUNK BED

350.00 mm	
<div>50.00 mm</div> <div><p>WARNING</p><p>TO HELP PREVENT serious or fatal injuries from entrapment or falls:</p><ul style="list-style-type: none">• Use guardrails on both sides of upper bunk.• Prohibit horseplay on or under bed(s).• Prohibit more than one person on upper bunk.• Use ladder for entering and leaving upper bunk.<p>Strangulation Hazard - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes.</p><p>Made in Viet Nam</p></div>	<div><p>AVERTISSEMENT</p><p>POUR AIDER À PRÉVENIR les blessures graves ou mortelles causées par le piégeage</p><ul style="list-style-type: none">• Utiliser des garde-corps des deux côtés du lit supérieur.• Interdire les chahuts sur ou sous le(s) lit(s).• Interdire plus d'une personne sur la couchette supérieure.• Utilisez une échelle pour entrer et sortir du lit supérieur.<p>Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps.</p><p>Risque d'étranglement - N'attachez ou ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.</p><p>Fabriqué au Vietnam</p></div>
DO NOT REMOVE THIS LABEL	
NE PAS ENLEVER CETTE ÉTIQUETTE	