

Xavier Boucher

519-897-3769

# Softlines & Hardlines

## TEST REPORT

1 of 11

LAB LOCATION: REPORT NUMBER:

**Applicant:** 

Address:

Contact:

TEL:

E-mail:

Copy To:

**VIET NAM** 

GIGACLOUD TECHNOLOGY (USA) INC

minhhanh.wood@yahoo.com.vn mh-purchase1@minhhanhvn.com

nhaphuong@gigacloudtech.com

ls@gigacloudtech.com

4388 SHIRLEY AVE, EL MONTE, CA 91731

EFFN25051117-CG-01

FAX:

**ISSUE DATE:** May 29, 2025

F

PAGE:

	OVERALL RATING	
PASS		X
FAIL		-
DATA		

Sample Information			
Sample Description	Queen Murphy Bed		
Style Number	-		
SKU	N708P300338/N708P300339/ N708P300340/ N708P300341		
Vendor Name	GIGACLOUD TECHNOLOGY(USA) INC.		
Vendor style number	YMX		
Quantity	-	PO Number	-
Buyer's Name	GIGACLOUD TECHNOLOGY(USA) INC.	Manufacturer	GIGACLOUD TECHNOLOGY(USA) INC.
Country of Origin	VIET NAM	Country of Destination	USA
Code Number	-	Date of production	-
Reference item/ style number	-	Color	WHITE
Date of Submission	May 22, 2025	<b>Test Performance Dates</b>	May 22, 2025
Testing Status			
<b>Pre-Shipment Lead Test</b>		Test for Protocol	-
Retest		Previous Report No.: -	·



### **TEST REPORT**

LAB LOCATION: REPORT NUMBER:

**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

**PAGE**: 2 of 11

#### Sample Photo



EFFN25051117-CG-01

For and on behalf of

**Eurofins MTS Consumer Product Testing Vietnam Ltd.** 

HARRY VU

HARDLINES LAB. ASSISTANT MANAGER



## TEST REPORT

LAB LOCATION: REPORT NUMBER:

**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

PAGE:

3 of 11

#### **EXECUTIVE SUMMARY:**

TESTING RESULT SUMMARY				
Test Property	PASS	FAIL	DATA	COMMENTS
Total Lead Content in Paint or Similar Surface Coating	Х	-	-	-
ASTM F3096-23 Standard Performance Specification for Tipover Restraint(s)	X	-	-	-
Distributed load capacity test	X	-	-	-


#### **COMPONENT BREAKDOWN LIST:**

Test Item	Component Description	
01	White coating on wood (Color panel)	
02	Black coating on metal (Metal plate)	
03	Black coating on metal (Metal tube)	
04	Black coating on metal (Handle/Support handle)	

#### Remark:

- (1) Test result was transferred from report# EFFN25020464-CG-01.
- (2) Test result was transferred from report# EFFN25030044-CG-01.

#### **EXHIBIT BREAKDOWN:**



**Eurofins MTS Consumer Product Testing Vietnam Ltd.** 



## TEST REPORT

LAB LOCATION: VIET NAM ISSUE DATE: May 29, 2025

REPORT NUMBER: EFFN25051117-CG-01 PAGE: 4 of 11

#### **TEST RESULT(S):**

#### Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

To at Itama	Total Lead (Pb) (ppm)		Conclusion
Test Item	Result	Limit	Conclusion
01 <sup>(1)</sup>	ND	90	PASS
02(2)	11	90	PASS
03(2)	15	90	PASS
04	15	90	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)

ppm = part per million = mg/kg = milligram per kilogram

#### 2. ASTM F3096-23 Standard Performance Specification for Tipover Restraint(s)

TEST ITEM	TEST METHOD	TEST REQUIREMENT	RESULT
		Installation instructions shall be included with the tipover restraints and include at a minimum the following:	
		Illustration showing installation method.	
Tipover restraints instruction	ASTM F3096-23 Sec. 5	Detailed written instructions with step by step instructions on how to properly attach the tipover restraint.	Pass See exhibit photos
		Parts list including illustrations. Clear and complete installation instructions for the tipover restraint shall be included	
		The following information shall be provided with each tipover restraint:	
Tipover restraints labeling	ASTM F3096-23 Sec. 6	Manufacturer's name and address. Date of manufacture (capable of identifying at a	Pass See exhibit photos
		minimum the month and year of manufacture).	
Tip-over restraints test	ASTM F3096-23 Sec. 4	The tipover restraint provided shall withstand a 60 lb static load when tested in accordance with F3096-23 Section 4.	Pass Test load: 60lbs See exhibit photos





LAB LOCATION: VIET NAM ISSUE DATE: May 29, 2025

REPORT NUMBER: EFFN25051117-CG-01 PAGE: 5 of 11

#### 3. <u>Distributed load capacity</u>

TEST CODE	TESTED PROPERTY	TEST REQUIREMENT	RESULT
H-41030	Distributed load capacity test	"No structural failure or greater than 1/4 inch permanent deformation after loading for 60 minutes  Single - 500 lbs Full/Queen/King - 800 lbs Modification = Expanded scope to other products "	Pass Queen bed Test load: 800 lbs



### **TEST REPORT**

LAB LOCATION: REPORT NUMBER:

VIET NAM

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

**PAGE**: 6 of 11

#### **EXHIBIT(S):**





Exhibit. 3



Exhibit. 4



Exhibit. 5



Exhibit. 6



**Eurofins MTS Consumer Product Testing Vietnam Ltd.** 

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: <a href="mailto:vncs@cpt.eurofinsasia.com">vncs@cpt.eurofinsasia.com</a> Website: www.mts-global.com



### **TEST REPORT**


LAB LOCATION: REPORT NUMBER:

**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

**PAGE**: 7 of 11



Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY(USA) INC.
4388 SHIRLEY AVENUE EL MONTE,
CA 91731
Made in Righ Durger, Vietnam

Made in Binh Dương, Vietnam 05/2025

#### V280YMX20250424KV

N708P300338/N708P300339/N708P300340/N708P300341
Compliance Level: California 93120 Phase 2 and 40 CFR 770 TSCA Title VI Compliant for Formaldehyde

Informations de conformité – Pas le détaillant GIGACLOUD TECHNOLOGY(USA) INC. 4388 SHIRLEY AVENUE EL MONTE, CA 91731

> Fabriqué à Binh Dương, Vietnam 05/2025

#### V280YMX20250424KV

N708P300338/N708P300339/N708P300340/N708P300341
Niveau de conformité : Californie 93120 Phase 2 et
Conforme à la norme 40 CFR 770 TSCA Titre VI
formaldéhyde

Exhibit. 11



1

**Eurofins MTS Consumer Product Testing Vietnam Ltd.** 

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: <a href="mailto:vncs@cpt.eurofinsasia.com">vncs@cpt.eurofinsasia.com</a> Website: <a href="mailto:www.mts-global.com">www.mts-global.com</a>



## **TEST REPORT**

LAB LOCATION: REPORT NUMBER:


**VIET NAM** 


EFFN25051117-CG-01


**ISSUE DATE:** May 29, 2025


**PAGE**: 8 of 11


#### **ANTI-TIP-KIT**














#### **Eurofins MTS Consumer Product Testing Vietnam Ltd.**

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: <a href="mailto:vncs@cpt.eurofinsasia.com">vncs@cpt.eurofinsasia.com</a> Website: www.mts-global.com



### **TEST REPORT**


LAB LOCATION: REPORT NUMBER:


**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

**PAGE:** 9 of 11





Wall attached item only:

A guide to wall mounting and fixings

Warner

Warner

Warner

Warner

Warner

Warner

Warner

Fine center you can be control and included, since different wall materials require different types of surveys fixings. Prince center you can be certain to see of fixings in part types of warners of fixings in the requestability of the installar.


Important Warner

Fine center you can be correct screen? (fixings in for requestability of the installar.


Important Warner

Types of wash.


Controlly control blocks should not be used to support heavy bash, see a specific wash of the fallening in the case. Frol with also, greated - purpose will play go an expectation fixing in the case. Frol with also, greated - purpose will play an expectation fixing in the case. Frol with also, greated - purpose will play for an expectation of the control wash of the fallening in the case. Frol with also, greated - purpose will play for an expectation of the fallening in the case. Frol with also, greated - purpose will play for an expectation of the fallening in the case of the purpose will play for an expectation of the fallening in the case of the purpose will play for an expectation of the fallening in the case of the purpose will play for an expectation of the fallening in the case of the purpose will play for an expectation of



#### 3- Mark the points drill holes according to actual products 3- Marquez les points de perçage en fonction des produits réels.



Exhibit, 22



#### **Eurofins MTS Consumer Product Testing Vietnam Ltd.**

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: <a href="mailto:vncs@cpt.eurofinsasia.com">vncs@cpt.eurofinsasia.com</a> Website: www.mts-global.com



### **TEST REPORT**


LAB LOCATION: REPORT NUMBER:

**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

PAGE: 10 of 11



**Eurofins MTS Consumer Product Testing Vietnam Ltd.** 

Lot II-12, Street 19/5A, Tan Binh Industrial Park, Tay Thanh Ward, Tan Phu District, HCM City, Vietnam Tel: (+84) 862896363 Fax: (+84) 862896262 Email: <a href="mailto:vncs@cpt.eurofinsasia.com">vncs@cpt.eurofinsasia.com</a> Website: www.mts-global.com





LAB LOCATION:
REPORT NUMBER:

**VIET NAM** 

EFFN25051117-CG-01

**ISSUE DATE:** May 29, 2025

PAGE: 11 of 11

#### **NOTE:**

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

**Technical questions:** 

Primary Contact: Allen Hsu

Tel: +84-28-6289-6363 Ext: 127

Back-up Contact: Harry Vu

Tel: +84-28-6289-6363 Ext: 175

Email: Allen.Hsu@cpt.eurofinsasia.com

Tel: +84-28-6289-6363 Ext: 175

Email: Harry.Vu@cpt.eurofinsasia.com

**Concerns About Billing and General Inquiries:** 

Primary Contact: Vincent Pham

Tel: +84-28-6289-6363 Ext: 114

Email: Vincent.Pham@cpt.eurofinsasia.com

Tel: +84-28-6289-6363 Ext: 123

Email: Wendy.Do@cpt.eurofinsasia.com

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF' control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.