

LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
1 of 12

Applicant:	GIGACLOUD TECHNOLOGY (USA) INC		
Address:	4388 SHIRLEY AVE, EL MONTE, CA 91731		
Contact:	XAVIER BOUCHER		
TEL:	519-897-3769	FAX:	-
E-mail:	minhhanh.wood@yahoo.com.vn mh-purchase1@minhhanhvn.com nhaphuong@gigacloudtech.com ls@gigacloudtech.com		
Copy To:	-		

OVERALL RATING

PASS	X
FAIL	-
DATA	-

Sample Information

Sample Description	QUEEN MURPHY BED		
Style Number	-		
SKU	N708P299574/ N708P299575/ N708P299576/ N708P299577		
Vendor Name	GIGACLOUD TECHNOLOGY(USA) INC		
Vendor style number	YMX		
Quantity	-	PO Number	-
Buyer's Name	GIGACLOUD TECHNOLOGY(USA) INC	Manufacturer	GIGACLOUD TECHNOLOGY(USA) INC
Country of Origin	VIET NAM	Country of Destination	USA
Code Number	-	Date of production	-
Reference item/ style number	-	Color	WHITE/ GRAY
Date of Submission	May 07, 2025	Test Performance Dates	May 07, 2025


Testing Status

Pre-Shipment Lead Test	<input type="checkbox"/>	Test for Protocol	-
Retest	<input type="checkbox"/>	Previous Report No.:	-

LAB LOCATION:
REPORT NUMBER:
VIET NAM
EFFN25050318-CG-01
ISSUE DATE:
PAGE:
May 14, 2025
2 of 12
Sample Photo

EFFN25050318-CG-01

For and on behalf of
Eurofins MTS Consumer Product Testing Vietnam Ltd.



HARRY VU
HARDLINES LAB. ASSISTANT MANAGER

LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
3 of 12

EXECUTIVE SUMMARY:

TESTING RESULT SUMMARY

Test Property	PASS	FAIL	DATA	COMMENTS
Total Lead Content in Paint or Similar Surface Coating	X	-	-	-
ASTM F3096-23 Standard Performance Specification for Tipover Restraint(s)	X	-	-	-
Distributed load capacity test	X	-	-	-


COMPONENT BREAKDOWN LIST:

Test Item	Component Description
01	White coating on wood (Color panel)
02	Black coating on metal (Metal plate)
03	Black coating on metal (Metal tube)
04	Grey coating on wood (Color panel)

Remark:

- (1) Test result was transferred from report# EFFN25020464-CG-01.
- (2) Test result was transferred from report# EFFN25020466-CG-01.
- (3) Test result was transferred from report# EFFN25030044-CG-01.

EXHIBIT BREAKDOWN:



LAB LOCATION:
REPORT NUMBER:VIET NAM
EFFN25050318-CG-01ISSUE DATE: May 14, 2025
PAGE: 4 of 12**TEST RESULT(S):****1. Total Lead Content in Paint or Similar Surface Coating – U.S. CPSC 16 CFR 1303 and U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA), Title I, Section 101**

Test Method: CPSC-CH-E1003-09.1. Analysis was performed by ICP-OES/ ICP-MS.

Test Item	Total Lead (Pb) (ppm)		Conclusion
	Result	Limit	
01 ⁽¹⁾	ND	90	PASS
02 ⁽³⁾	11	90	PASS
03 ⁽³⁾	15	90	PASS
04 ⁽²⁾	48	90	PASS

Note: ND = Not Detected (Lab reporting limit: 10 ppm)
ppm = part per million = mg/kg = milligram per kilogram

LAB LOCATION:
REPORT NUMBER:
VIET NAM
EFFN25050318-CG-01
ISSUE DATE:
PAGE:
May 14, 2025
5 of 12

2. ASTM F3096-23 Standard Performance Specification for Tipover Restraint(s)

TEST ITEM	TEST METHOD	TEST REQUIREMENT	RESULT
Tipover restraints instruction	ASTM F3096-23 Sec. 5	<p>Installation instructions shall be included with the tipover restraints and include at a minimum the following:</p> <p>Illustration showing installation method.</p> <p>Detailed written instructions with step by step instructions on how to properly attach the tipover restraint.</p> <p>Parts list including illustrations.</p> <p>Clear and complete installation instructions for the tipover restraint shall be included</p>	<p>Pass</p> <p>(See exhibit photos)</p>
Tipover restraints labeling	ASTM F3096-23 Sec. 6	<p>The following information shall be provided with each tipover restraint:</p> <p>Manufacturer's name and address.</p> <p>Date of manufacture (capable of identifying at a minimum the month and year of manufacture).</p>	<p>Pass</p> <p>(See exhibit photos)</p>
Tip-over restraints test	ASTM F3096-23 Sec. 4	The tipover restraint provided shall withstand a 60 lb static load when tested in accordance with F3096-23 Section 4.	<p>Pass</p> <p>Test load: 60lbs</p> <p>(See exhibit photos)</p>

3. Distributed load capacity test

TEST CODE	TESTED PROPERTY	TEST REQUIREMENT	RESULT
H-41030	Distributed load capacity test	<p>"No structural failure or greater than 1/4 inch permanent deformation after loading for 60 minutes</p> <p>Single - 500 lbs</p> <p>Full/Queen/King - 800 lbs</p> <p>Modification = Expanded scope to other products "</p>	<p>Pass</p> <p>Queen bed</p> <p>Test load: 800 lbs</p>

LAB LOCATION:
REPORT NUMBER:
VIET NAM
EFFN25050318-CG-01
ISSUE DATE: May 14, 2025
PAGE: 6 of 12

EXHIBIT(S):

<p align="center">Exhibit. 1</p> 	<p align="center">Exhibit. 2</p> 
<p align="center">Exhibit. 3</p> 	<p align="center">Exhibit. 4</p> 
<p align="center">Exhibit. 5</p> 	<p align="center">Exhibit. 6</p> 

LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
7 of 12

Exhibit. 7



Exhibit. 8



Exhibit. 9



Exhibit. 10




Exhibit. 11











Exhibit. 12



LAB LOCATION:
REPORT NUMBER:
VIET NAM
EFFN25050318-CG-01
ISSUE DATE: May 14, 2025
PAGE: 8 of 12

Exhibit. 13

Exhibit. 14

Exhibit. 15

Exhibit. 16

Exhibit. 17

Exhibit. 18


LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
9 of 12

ANTI-TIP-KIT

Exhibit. 19

- 1- Determine the position of the bed in the room.
1- Déterminez la position du lit dans la pièce




Exhibit. 20

- 2- Put the bed back in its place. Please keep it vertical and horizontal.
2- Remettez le lit à sa place. Veuillez le garder vertical et horizontal.




Exhibit. 21

OPTION 1:




Exhibit. 22

OPTION 1:




Exhibit. 23





Exhibit. 24



LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
10 of 12


Exhibit. 25

1- Determine the position of the bed in the room.

1- Déterminez la position du lit dans la pièce

Your house wall is concrete, you should choose this option 2

Le mur de votre maison est en béton, vous devriez choisir cette option 2




OPTION 2:

Exhibit. 26

2- Put the bed back in its place. Please keep it vertical and horizontal.

2- Remettez le lit à sa place. Veuillez le garder vertical et horizontal.



OPTION 2:

Exhibit. 27


Wall attached item only:

A guide to wall mounting and fixings

Warning:
Wall fixing screws are not included, since different wall materials require different types of screws / fixings. Please ensure you use the correct screws / fixings for your type of wall and seek professional advice if you are not sure.

Failure of the product due to incorrect fixings is the responsibility of the installer.

Important: When drilling into the walls always check that there are no hidden wires or pipes etc.



MINH HANH CO., LTD
LOT B2 - 36, ROAD NO. 2, TAN DONG HIEP B INDUSTRIAL ZONE,
DI AN CITY, BINH DUONG PROVINCE, VIETNAM
Tel: (+84) 0274 3741 226 Fax: (+84) 0274 3741 227
Date of manufacture / Date de Fabrication: 04/2025
Meets ASTM F3096-23


Article à fixer au mur uniquement :

Guide de montage mural et de fixation

Attention:
Les vis de fixation murale ne sont pas incluses, car différents matériaux de mur nécessitent différents types de vis / fixations. Veuillez vous assurer d'utiliser les vis / fixations correctes pour votre type de mur et demander conseil à un professionnel si vous n'êtes pas sûr.

L'échec du produit en raison de fixations incorrectes est de la responsabilité de l'installateur.

Important : Lorsque vous percez dans les murs, vérifiez toujours s'il n'y a pas de fils électriques ou de tuyaux cachés, etc.




MINH HANH CO., LTD
LOT B2 - 36, ROAD NO. 2, TAN DONG HIEP B INDUSTRIAL ZONE,
DI AN CITY, BINH DUONG PROVINCE, VIETNAM
Tel: (+84) 0274 3741 226 Fax: (+84) 0274 3741 227
Date of manufacture / Date de Fabrication: 04/2025
Meets ASTM F3096-23

Exhibit. 29


3- Mark the points drill holes according to actual products

3- Marquez les points de perçage en fonction des produits réels.


Exhibit. 30

4- Drill the positions marked in STEP 3 and secure the plug.

4- Percez les positions marquées à l'ÉTAPE 3 et fixez la cheville.



LAB LOCATION:
REPORT NUMBER:

VIET NAM
EFFN25050318-CG-01

ISSUE DATE:
PAGE:

May 14, 2025
11 of 12

Exhibit. 31

OPTION 2:




Exhibit. 32

OPTION 2:




Exhibit. 33




Exhibit. 34




Exhibit. 35



Exhibit. 36



LAB LOCATION:
REPORT NUMBER:VIET NAM
EFFN25050318-CG-01ISSUE DATE:
PAGE:May 14, 2025
12 of 12**NOTE:**

The test results are considered as conform to specification based on the general consideration simple acceptance as stated in ISO/IEC GUIDE 98-4:2012.

If there is question or concern regarding the above results, please contact the appropriate lab person below:

Technical questions:Primary Contact: Allen Hsu
Back-up Contact: Harry VuTel: +84-28-6289-6363 Ext: 127
Tel: +84-28-6289-6363 Ext: 175Email: Allen.Hsu@cpt.eurofinsasia.com
Email: Harry.Vu@cpt.eurofinsasia.com**Concerns About Billing and General Inquiries:**Primary Contact: Vincent Pham
Back-up Contact: Wendy DoTel: +84-28-6289-6363 Ext: 114
Tel: +84-28-6289-6363 Ext: 123Email: Vincent.Pham@cpt.eurofinsasia.com
Email: Wendy.Do@cpt.eurofinsasia.com

This test report is governed by the Terms and Conditions, available on request or attached to the end of this test report. Attention is especially drawn to the limitations of liability, indemnification and jurisdictional provisions defined therein. This report is issued strictly based on the testing of the samples submitted by you. The test results in this report refer only to the sample(s) actually tested and do not refer or be deemed to refer to any bulk production from which such sample(s) may be said to have been obtained. In the event that Eurofins MTS Consumer Product Testing (Vietnam) Co. Ltd ("ERF") was requested to survey and test any bulk production quantity of samples, ERF, in the absence of any contrary written instructions, performed random sampling of bulk production for testing purposes. Variations in the conditions under which samples are stored, transported, etc., may lead to variations in the test results. ERF cannot anticipate and shall not be held responsible for variations in test results that may be due to factors beyond ERF's control, such as, sample cross-contamination, evaporation of volatile substances due to storage temperature, humidity, etc. This report does not constitute a recommendation, actual or implied, for any specific course of action. Other than the expressed warranties made in the Terms and Conditions of the ERF Test Request Form, ERF makes no warranties or representations either express or implied with respect to this report. In no circumstances whatsoever shall ERF be liable for any consequential, special or incidental damages arising out of, or in connection with, this report.