

### Test Report: (1223)067-0002 RECOS INDUSTRIES SDN BHD

Received Date: March 08, 2023 Report Date: March 21, 2023

## **PASS**

#### **SUBMITTER**

Recos Industries Sdn Bhd

No. 7, Jalan Perahu, Kawasan Perindustrian Tongkang Pecah, 83000 Batu Pahat, Johor, Malaysia



STYLE NUMBER

EXECUTIVE

**SUMMARY** 

The submitted sample(s) MEET all the tested requirement(s).

PRODUCT DESCRIPTION

POLYURETHANE FOAM (NORMALI FOAM)

**REMARKS** 

As per client requested, only California Technical Bulletin CA TB117: 2013 Section III – Flammability of Resilient Filling Material Test was tested.

TECHNICAL QUESTIONS Muhammad Akmalhakim (607) 510 2086 akmalhakim.mohdfauzi@bureauveritas.com

GENERAL INFORMATION

Noor Najwa Laili (607) 510 2086

noor.najwa@bureauveritas.com

**SIGNATURES** 

**BUREAU VERITAS CPS SDN BHD** 

and a second

Muhammad Akmalhakim AUTHORIZED REPORT APPROVER – HARDLINE



# Test Report: (1223)067-0002 RECOS INDUSTRIES SDN BHD Received Date: March 08, 2023 Report Date: March 21, 2023

VERITAS	
FORM#	1188
FAIL RETEST	NO
RETEST SAMPLE NUMBER	1
VENDOR NAME	RECOS INDUSTRIES SDN BHD
VENDOR ID / NUMBER	1
AGENT ID / NUMBER	1
FACTORY NAME	
AGENT NAME	
FACTORY ID / NUMBER	
NUMBER OF CARTONS/SAMPLES	6 PIECES 2" X 8" X 8" 6 PIECES 2" X 5" X 8"
UPC CODE	1
COLOR	WHITE
ITEM NUMBER	1
ASSORTMENT NUMBER	1
MODEL NUMBER	1
SKU/SKN NUMBER	1
PURCHASE ORDER NUMBER	1
PRODUCT END USE	1
CLIENT REFERENCE NUMBER	1
COUNTRY OF ORIGIN	1
LOT NUMBER	
COUNTRY OF DESTINATION	
NEW PRODUCT	N/A
ADDITIONAL PO #s	1
CLIENT GROUP	
MULTI-COUNTRY MASTER	1
RETURN POLICY	NO RETURNS
ONLINE TRF #	1



### Test Report: (1223)067-0002 RECOS INDUSTRIES SDN BHD

Received Date: March 08, 2023 Report Date: March 21, 2023

INTERNAL EXPRESS	N
COMPLIMENTARY RUSH	0
BUYER NAME	1
SUBMITTER CONTACT	TAN YAN LIN
PROTOCOL NUMBER	1
PROTOCOL STAR LEVEL	1
REPORT EXPIRATION DATE	March 21, 2024
REVISION	1
REVISION DATE	1
TESTING DATE	March 09, 2023 – March 20, 2023



## Test Report: (1223)067-0002 RECOS INDUSTRIES SDN BHD

Received Date: March 08, 2023 Report Date: March 21, 2023

### TEST RESULTS FOR POLYURETHANE FOAM (NORMALI FOAM)

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING		
Flammability of resilient filing materials (CA TB 117 Section 3)					
Char Length	Shall be less than or equal to 1.5in.	Meet Specimen 1: 0.5 inches Specimen 2: 0.6 inches Specimen 3: 0.5 inches	PASS		
Open flaming	Shall not transition to open flaming	Meet Specimen 1: No Specimen 2: No Specimen 3: No			
Smoldering after 45 mins	Shall not smolder after 45 mins.	Meet Specimen 1: No Specimen 2: No Specimen 3: No			

END OF REPORT