

UL VS SHANGHAI LIMITED

FLOOR 1 & 2 & 3, BUILDING 1; ROOM 103, BUILDING 3, CAOHEJING HI TECH PARK, JU XIN PARK NO. 188, PING FU ROAD, XU HUI DISTRICT, SHANGHAI - 200231, CHINA PHONE: (86) 21-2422-8200 • FAX: (86) 21-6855-6812 • WEBSITE: ul.com

Evaluation of Test Results

Lab Report No: SHHL0023895

Issue Date: January 22, 2024

Item Description: Canopy Bed, Twin



Rating: Pass		
CLIENT: Dorel Home Products	 COUNTRY OF ORIGIN: China	
SUPPLIER NAME: Dorel Home Products		
STYLE NUMBER: 3265098, 4020229, 4020759, 4020959		
REASON FOR TESTING: Overall Quality Evaluation		

*** Please see the following pages for additional item information ***

FACTORY NAME:

Keeptop

ADDITIONAL INFORMATION

- 1. Documentation for the following CPSC requirements was provided by the supplier.
- 2. The sample complies with 16 CFR Part 1501, Small Parts Regulation.
- 3. The sample complies with the requirements of 16 CFR 1500.48 Technical Requirements for Determining a Sharp Point in Toys and other Articles Intended for use by Children under 8 years of age.
- 4. The sample complies with the requirements of 16 CFR 1500.49 Technical Requirements for Determining a Sharp Metal or Glass Edge in Toys and Other Articles Intended for use by Children under 8 years of age, and does not exhibit sharp edges.
- 5. DISCLAIMER OF WARRANTIES: The supplier has submitted documents for one or more of the required tests as set forth in the Technical Worksheet(s). UL does not warrant the adequacy of such testing or accuracy of the information provided.

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

Lab Report: SHHL0023895

ADDITIONAL SAMPLE INFORMATION

SIZE(S)	COLOR(S)			
Not Applicable	Not Applicable			
PO NUMBER(S)				
Not Applicable				
UPC CODE(S)				
02998632651, 02998640202, 02998640207, 02998640209				
ITEM NUMBER(S)				
Not Applicable				

UL VS SHANGHAI LIMITED

Justin Zhou

CONSUMER ENGINEERING MANAGER

This letter / report / certificate shall not be reproduced (except in full version) without the written approval of the UL Company. ("UL")

LETTERS / REPORTS / CERTIFICATES: Letters / Reports / Certificates of UL are issued for the exclusive use of the Customer to whom they are addressed. No quotation from reports / certificates or use of the UL's name is permitted except by UL's express written authorization. Letters / reports / certificates apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. Reports / Certificates of UL do not relieve sellers / suppliers from their contractual responsibilities with regard to the quality / quantity of the goods in delivery nor do they prejudice the Customer's right to claim against sellers / suppliers for compensation for any apparent and/or hidden defects not detected during UL's random inspection or testing or audit. The liability of UL to the Customer in contract, tort (including negligence or breach of statutory duty) or howsoever, and whatever the cause thereof, (a) for any loss of profit, business, contracts, revenues, or anticipating savings; or (b) for any special indirect or consequential damage of any nature whatsoever, shall be limited to the amount of the fee paid in respect of the specific Work(s) which give rise to such claim.

For Reports / Certificates, refer to the UL VS Terms and Conditions.

SHHL0023895 LABORATORY REPORT No.














Distributed by/Distribuido por/Distribué par: Dorel Home Products: 12345 Albert-Hudon Suite 100, Montreal, Quebec, Canada H1G 3L1 Consumer Relations/Relaciones del Consumidor Service à la clientèle:

1-800-267-1739 / cs@dhpfurniture.com

Monday-Friday: 9am to 9pm EST Lunes-Viernes: 9:00 - 21:00 hrs EST Lundi-Vendredi: 9h00 - 21h00 HNE Saturday: 10am to 6:30pm EST Sábado:10:00 - 18:30 hrs EST Samedi: 10h00 - 18h30 HNE Sunday: 11am to 7pm EST Domingo:11:00 - 19:00 hrs EST Dimanche: 11h00 - 19h00 HNE

Distributed by / Distribué par

Dorel Home Products

410 East First Street, South, Wright City, MO, USA 63390

Tel: 1-800-267-1739

Model / Modèle: 4020229

Factory / Usine: 10125-M

Date of / de Production: 2023/12

IM / Prototype #: B34402095906

Color / Couleur: Gold/Or

Outer Covering /Tissu Extérieur:N/A

Made in China/Fabriqué en Chine





AWARNING: FOR YOUR SAFETY, DO NOT CLIMB OR HANG ON THE UPPER METAL RAILS!

A MAXIMUM WEIGHT: 15lbs/6.8kps

A PESO MÁXIMO: 15/bs/6.8kgs


ADVERTENCIA: POR SU SEGURIDAD, NO SUBIRSE NI COLGARSE DE LOS RIELES METÁLICOS SUPERIORES! AVERTISSEMENT: POUR VOTRE SÉCURITÉ, NE PAS GRIMPER OU SE SUSPENDRE AUX RAILS MÉTALLIQUES SUPÉRIEURS! A POIDS MAXIMUM: 15/05/6.8/g/s




Distributed by / Distribué par Dorel Home Products 410 East First Street, South, Wright City, MO, USA 63390 Tel: 1-800-267-1739 Model / Modèle: Factory / Usine: 10125-M Date of / de Production: 2023/12 IM / Prototype #: B34402095906 Color / Couleur: Gold/Or Outer Covering /Tissu Extérieur:N/A Made in China/Fabriqué en Chine












LABORATORY REPORT No. SHHL0023895


ID lable, Do NOT tear and test!!

Color: White (H02)

For Metal Bed

Model#: 3265098







ID lable, Do NOT tear and test!!

Color: Gray (07)

For Metal Bed

Model#: 4020959



BED / BED FRAME

SAMPLE Canopy Bed,Twin

I. IDENTIFICATION and INSPECTION				
			RATING	COMMENTS
	PACKAGING / LABELING			
Good package qua	lity and labelin	ng	Pass	
INSTRUCTIONS				
Instructions clear a		d include	_	
diagrams or illustra			Pass	
Instructions or pack		a complete list of		
tools required for as	ssembly.		Pass	
All hardware require	ed for proper a	assembly is		
included			Pass	
Products law label i	•	uirements of the		
law label suppleme	nt 1-7IC			N/A - Not upholstered item
FINISH / WORKMANS				
Free of nicks, burrs	•	•		
defects which may appearance of the f		•	Pass	
appearance or the i	iiiisiiea pioaa	lot	rass	
Wood is well sande	ed and free fro	m splits, shade,		
worm holes, discolo	oration, saw a	nd machine marks		N/A - No wood
Nail holes filled and	Loopdod			N/A - No nail holes
				N/A - No hall holes
Good overall appea	arance with go	ood alignment of	_	
components			Pass	
DIMENSIONS				
Mattress foundation	Mattress foundation size (twin, full, queen, king)			
	_	<u>Twin</u>		
Headboard:	Labeled	Actual		
Length Width		0.63 in 41 in		N/A - Not labeled N/A - Not labeled
Height		41 in 17.1 in		N/A - Not labeled N/A - Not labeled
Weight		lb		N/A - Not labeled

LABORATORY REPORT No. SHHL0023895

				RATING	COMMENTS
Footboard:	Labeled	Actual			
Length		0.63	in		N/A - Not labeled
Width		41	in		N/A - Not labeled
Height		17.1	in		N/A - Not labeled
Weight			lb		N/A - Not labeled
Frame:	Labeled	Actual			
Length		72.3	in		N/A - Not labeled
Width		40.5	in		N/A - Not labeled
Height		2	in		N/A - Not labeled
Weight			lb		N/A - Not labeled
Material thickness	3	0.0	08 in		
Number of legs	•		6		
Caster diameter	•	-	in		N/A - No caster
Caster width	•	-	in		
Caster hardness		_	Rb		
Foundation / suppo	rt structure he	ight from th	e floor		
		•	1 in	Pass	N/A - less than 30"
product has to meet AS Total weight MATERIAL Headboard Footboard Frame	metal, plastic	48.72	enτs. lb 		
CONSTRUCTION If a Canada or US someone, the stuffing visually matches the	stuffing label (l	the product			N/A - Not upholstered item
Filling / stuffing material(s) visually match any other material identification labeling on the packaging or product (for both US and Canadian Products)			N/A - Not upholstered item		
Wood moisture content (12% or less)%			N/A - No wood		
Sample exhibits god	Sample exhibits good rigidity and stability		Pass		
All components or parts of the bed, with which the user may come into contact during normal use, shall not have burrs and / or sharp edges, nor shall there be open-ended tubes		Pass			

l I	RATING	COMMENTS
Headboard to frame method of attachment (bolted, cleat, etc)		
<u>bolted</u>		
Bed / Bed Frame fits intended bed size (Twin, Twin XL, Full, Full XL, Queen, King, Cal King)		
Twin	Pass	
All metal surfaces are plated, coated or equivalent to inhibit corrosion	Pass	
Adjustable / Folding Products Provides smooth and easy adjustment or folding		
and unfolding		N/A - No adjustable/ folding products
No pinching, laceration, or personal injury hazard is present during adjustment or folding or		N/A - No adjustable/ folding products
Easily adjusts or folds and unfolds without binding of the mechanism		N/A - No adjustable/ folding products
II. PERFORMANCE TESTING		
	RATING	COMMENTS
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer serviceability		
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer	Pass	Upper rail: 15lb
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer serviceability	Pass	Upper rail: 15lb N/A - rated load applied
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer serviceability Rated load (if applicable) 300 lb per person load		
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer serviceability Rated load (if applicable) 300 lb per person load (if not rated) lb		
Assembled sample withstands a load uniformly distributed on a surface supported by the frame for 24 hours without collapse or noticeable deformation of any component and with no loss in consumer serviceability Rated load (if applicable) 300 lb per person load (if not rated) Assembled sample withstands two loads of 300 pounds (600lb total) simultaneously for 1 minute, 12 inches from each side of the center of one side frame member, and 8 inches inboard from the side	LOAD)	N/A - rated load applied Intertek testing services shenzhen Ltd. Report: SZHH01826491, Date: Jul.25,2023;

	RATING	COMMENTS
FLAMMABILITY / FLAME RETARDANTS		
U.S. products that meet all of the following:		
Note 1: Applicable to U.S. products marketed for indoor use		
Note 2: Applicable to U.S. upholstered products		
Note 3: Applicable to U.S. products with a seating or reclining surface		
Applicable to all products that meet the following:		
Note 1: Applicable to all products (U.S., Canada, etc.) with TB117 / SB 1019 labeling		
Meets the requirements of supplemental worksheet		
11-343-IC TB 117 / SB 1019 / LABELING AND		
FLAME RETARDANT / FLAMMABILITY TESTING		
REQUIREMENTS		N/A - not upholstered item
III. CONCLUCIONE		

III. CONCLUSIONS

OVERALL RATING PASS

MECHANICAL HAZARDS

Small Parts - PASS

Product meets requirements of 16CFR 1501 Method for Identifying Toys & Other Articles Intended for Use by Children Under 3 Years of Age Which Represent Choking, Aspiration, or Ingestion Hazards Because of Small Parts

Sharp Points - PASS

Note: Evaluation for sharp points is done before and after abuse tests for ages under 8, and as received only for ages 8 - 12

Product meets the requirements of 16 CFR 1500.48 Technical Requirements for Determining a Sharp Point in Toys and Other

Articles Intended for use by Children Under 8 Years of Age

Sharp Edges - PASS

Note: Evaluation for sharp edges is done before & after abuse tests for ages under 8, and as received only for ages 8-12 Product meets the requirements of 16 CFR 1500.49 Technical Requirements for Determining a Sharp Edges in Toys and Other Articles Intended for use by Children Under 8 Years of Age

Latest Change:

Added requirement for foundation / support structure height from the floor measurement

08/09/19

This technical worksheet represents testing methods and procedures generally used for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.

ALL PRODUCTS - US MARKETS

TECHNICAL WORKSHEET

SAMPLE Canopy Bed,Twin

_:	. PACKAGING AND LABELING				
		RATING	COMMENTS		
	PACKAGING	_			
	Good package quality and labeling	Pass			
	Date code				
	Lot code				
I	NSTRUCTION LANGUAGE				
	Based on various state laws				
	Use, care, assembly, maintenance, and safety instructions and/or information are clear and understandable, without errors or spelling mistakes, and provided in English. (other information such as, but not limited to, recipes, project plans, exercise programs will not be evaluated)	Pass			
	REAL FUR / FAUX FUR - Based on 16 CFR 301 & NY State Gen. Bus. Law 399-aaa and 16 CFR Part 301 and 16 CFR 303				
	If applicable, product must be marked in a way to indicate to the ultimate purchaser whether the product is real fur or faux fur. The information may be on a permanent or a temporary label affixed in a conspicuous location.		N/A - Does not include real or faux fur		
I	FAIR PACKAGING & LABELING ACT - 16 CFR 500 Note: Required for products regulated by the FPLA Meets the requirements of the Fair Packaging and Labeling Act supplemental worksheet number 1-2 (attached) if applicable		N/A - Product is not regulated by the FPLA		

Form 1-5IC Rev. 12/16/21

13 of 37

		RATING	COMMENTS
LABELED CLAIM VERIFICATION			
Federal Trade Commission (FTC) &vari	ious state laws		
Environmental Claims			
Note: Do not use this section for "Chence claims". See next section for "Free of" of			
Product meets all objective labeled of			
environment. Environmental claims			
in-house testing, OR In lieu of testing	<u> </u>		
report <i>(dated within 1 year)</i> may be su			
manufacturer	,		
Note: For environmental claims that do	not cite an industry		
standard the supplier may submit a Lett			
within 1 year) that is signed by a compa	any representative.		
ENVIRONMENTAL LABELED CLAIM	VERIFICATION METHOD	RATING	COMMENTS
	No claims		
			N/A - No claims
	No claims		ALIA Ale eleine
			N/A - No claims
	No claims		
	NO Claims		N/A - No claims
			N/A - No claims
	No claims		
			N/A - No claims
	No claims		
			N/A - No claims
Chemical / Substance Free Clain	ns		
Labeled claims which claim a produc			
not contain or use, a substance mus	= -		
in-house testing, OR In lieu of testin	•		
report (dated within 1 year) may be	• •		
manufacturer	-		

	RATING	COMMENTS
Note 1: A test report is not required for substantiation of "Free of" claims related to FHSA acute hazards (e.g. "no petroleum distillates, "solvent free" etc.) when such claims appear on household chemical products. A letter of Guarantee is acceptable to substantiate these claims. An FHSA acute hazard "free of" claim is any claim that would indicate to the consumer that the absence of a substance makes the product less hazardous (a hazardous substance is one that it is toxic, corrosive, an irritant, a strong sensitizer, flammable, or generates pressure.)		
Note 2: FHSA regulated household chemicals products with "Free of" Claims that are not related to FHSA acute hazards must be substantiated with a test report, for example "phosphate free" on a detergent - related to environmental hazards, or "formaldehyde free" - related to chronic toxicity.		
"FREE-OF" LABELED CLAIM VERIFICATION METHOD	RATING	COMMENTS
No claims		N/A - No claims
No claims		N/A - No claims
No claims		N/A - No claims
Made in the USA Claim (excluding California) Effective 3/1/17 - All US Products must meet FTC requirements for Made in the USA label claims		

For products making express or implied "Made in the USA" or "American Quality" type claims, the supplier must provide records of competent and reliable evidence in order to substantiate the claim, including that: All or virtually all content originates from U.S. sources, Significant processes of production occurred within the U.S., and Final assembly occurred within the U.S. If parts or processes are sourced from outside the U.S. to a significant degree, only a "qualified" claim may be made (e.g., "From parts made in [Country]" or " Designed in the USA - Made in [Country]").

Along with those records, supplier must submit a Letter of Guarantee that a product with such claims meets the FTC requirements. Letters of Guarantee must be on company letterhead and signed by an officer of the company to be valid

 N/A - Imported product

COMMENTS

Made in the USA Claim (California)

Effective 3/1/17 - All products intended for California markets meet California requirements for Made in the USA label claims

For products making express or implied "Made in the USA" or "American Quality" type claims, the supplier must provide records of competent and reliable evidence in order to substantiate the claim, including that: All or virtually all content originates from U.S. sources, Significant processes of production occurred within the U.S., and Final assembly occurred within the U.S. If parts or processes are sourced from outside the U.S. to a significant degree, only a "qualified" claim may be made (e.g., "From parts made in [Country]" or " Designed in the USA - Made in [Country]").

RATING

Along with those records, Supplier must submit a Letter of Guarantee that a product with such claims meets the California requirements, with specific reference to what percentages non-U.S. components are of the final wholesale value, where applicable. Letters of Guarantee must be on company letterhead and signed by an officer of the company to be valid.

Other Label Claims - Sterilization / License / Material / Septic / Non-toxic / Safety

Labeled claims which not covered in the sections above must be substantiated by in-house testing, *OR* In lieu of testing a passing test report (dated within 1 year) may be submitted by the manufacturer

Note 1: Sterilization claims - Any product with a sterilization claim must meet the requirements of USP 71

License Claims - All licensed products must have documentation from licensor showing approval for licensing.

Flushability or Septic Safe Claims - For non-woven paper and/or non-woven textile products labeled as flushable and / or safe for sewer and septic systems the supplier must submit a test report to indicate the product has been tested and passed all seven test methods listed in the International Non-Woven Products Association's (Guidance for Assessing the Flushability of Nonwoven Consumer Products). Does not apply to liquids labeled "septic safe / flushable".

Non-Toxic Claims - Toxicological Risk Assessment shall be conducted for products bearing a "Non-Toxic" claim *(Dated within 5 years)

Claims of impact on the structure or function of the body - a claim substantiation study from a reputable source (e.g., academic study, peer reviewed journal, product study, etc.) must be provided. Examples of claims of impact on the structure or function of the body include (but are not limited to): "Relieves [disease, condition]," "Treats [disease, condition]," "Prevents [disease, condition]

		RATING	COMMENTS
Note 2: Material claims - For claims su plastic only visual identification is used	ch as metal / wood /		
For claims such as stainless steel / poly be FTIR / XRF verified	vester the material is to		
If the claim states a specific wood speci of guarantee from the supplier	ies then request a letter		
LABELED CLAIM	VERIFICATION METHOD	RATING	COMMENTS
Metal	Visual	Pass	
	No additional claims		N/A - No additional claims
	N/A - No additional claims		N/A - No additional claims
OXICS IN PACKAGING - Toxics in I	XICS IN PACKAGING - Toxics in Packaging Act Product meets one of the following:		
Product meets the requirements of t Packaging Act	he Toxics in		
-	Y/N		
OR A Certificate of Compliance, or test rethe supplier (dated within 1 year)	report is provided by		
	Yes Y/N		Date: Dec.29,2023
OUNTRY OF ORIGIN MARKING - (Applicable to imported products only) Product is marked in a way to indica purchaser the English name of the coproduct.	te to the ultimate	Pass	
Country of origin: Made in	n China	Pass	
Country of origin is marked in a conslegibly, indelibly, and permanently as	-		
product (or container) will permit		Pass	

	RATING	COMMENTS
DECLARATION OF IDENTITY, RESPONSIBILITY &		
QUANTITY Based on various state laws and UPLR		
Note 1: Required for products not regulated by the FPLA		
Note 2: If a product is clearly recognizable, a declaration of identity is not required (i.e. dinnerware)		
Declaration of Identity		
Note 1: If a product is clearly recognizable, a declaration of identity is not required (i.e. dinnerware)		
Note 2: Brand names/ logos may appear on product as part of the identity.		
The identity of the product shall appear on the package principle display panel and shall not be misleading or deceptive	Pass	
The identity shall be one of the following:	Pass	
The name specified in, or required by, any federal or state regulation		
Y/N		
OR The second se		
The common or usual name Yes Y/N OR		
The generic name or other appropriate description, including a statement of function		
Y/N		
Declaration of Responsibility		
Note: Name and location does not have to appear on the principal display panel but must be conspicuous to the consumer		
The name and location (city, state) of the manufacturer, packer, or distributor shall appear on the package if that package is sold, kept, offered, or exposed for sale at a location other than the place where it was packed	Page	
Declaration of Quantity	Pass	
<u>Declaration of Quantity</u> Declaration of Quantity is located on the principle display panel	Pass	
Declaration of quantity meets one of the following:	Pass	
Product is sold by count, the count is one (1) and count is implied to be singular per product	1 400	
description.		

RATING

COMMENTS

Example: For a product to	hat is a single shonge the S	tatement		
labeled as "One Sponge"	", so product does not need			
	Yes	Y/N		
OR		_		
Declaration of quantit package	y is accurate and on the	•		
L		Y/N		
OR		_		
Product is typically so and the individual unit	ld by count, count is 6 c ts are fully visible	r less		
		Y/N		
OR		_		
Declaration of quantit	y is an established gene	eral		
usage / trade custom established general usage the terms used in express	(Note: Where there is a firm e and trade custom with resping a declaration of quantity y be expressed in traditional	ly ect to such		
		Y/N		
	s should include US custom	ary units		
Note: Quantity statement and SI metric units when a		,		
and SI metric units when a FORMALDEHYDE LABE	applicable ELING - TSCA Title VI			
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com	applicable ELING - TSCA Title VI covered composite wood man oted except on products exe aggregate. The sum of the ponent part or finished good	terials mai mpt from area of ea shall not	TSCA Title ach regulate exceed 144	
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles with	applicable ELING - TSCA Title VI covered composite wood man oted except on products exe aggregate. The sum of the ponent part or finished good	erials ma mpt from area of ea shall not naterials i	TSCA Title ach regulate exceed 144 manufactur	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles wit EITHER TSCA Title VI lab	applicable ELING - TSCA Title VI covered composite wood management of the sum of the ponent part or finished good the covered composite wood received composite wood management of the poeling OR California CARB / covered composite wood management of the poeling OR California CARB / covered composite wood management of the poeling OR California CARB / covered composite wood management of the poeling OR California CARB / covered composite wood management of the poeling of the poelin	erials mai mpt from area of ea shall not naterials i ATCM lab	TSCA Title ach regulate exceed 144 manufactur	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles with EITHER TSCA Title VI lab Finished articles with co	applicable ELING - TSCA Title VI covered composite wood managed except on products exe aggregate. The sum of the ponent part or finished good the covered composite wood reling OR California CARB / overed composite wood managed.	erials mai mpt from area of ea shall not naterials i ATCM lab	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer accel Area is to be calculated in face contained in the com Note: Finished articles wit EITHER TSCA Title VI lab Finished articles with co	applicable ELING - TSCA Title VI covered composite wood managed except on products exe aggregate. The sum of the ponent part or finished good the covered composite wood reling OR California CARB / overed composite wood managed.	erials mai mpt from area of ea shall not naterials i ATCM lab	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer accel Area is to be calculated in face contained in the com Note: Finished articles wit EITHER TSCA Title VI lab Finished articles with co	applicable ELING - TSCA Title VI covered composite wood managed except on products exe aggregate. The sum of the ponent part or finished good the covered composite wood reling OR California CARB / overed composite wood managed.	derials mai mpt from area of ea shall not materials r ATCM lab aterials	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles with EITHER TSCA Title VI lab Finished articles with co includes one of the follo TSCA Title VI labeling OR Product is exempt from	applicable ELING - TSCA Title VI covered composite wood managed except on products exe aggregate. The sum of the ponent part or finished good the covered composite wood reling OR California CARB / overed composite wood managed.	terials man mpt from area of ea shall not materials n ATCM lab aterials	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles with EITHER TSCA Title VI lab Finished articles with co includes one of the follo TSCA Title VI labeling OR Product is exempt from	ELING - TSCA Title VI covered composite wood managed by the solution of the sum of the aggregate. The sum of the ponent part or finished good the covered composite wood managed by the sum of the poling OR California CARB / solution of the sum	terials man mpt from area of ea shall not materials n ATCM lab aterials	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com Note: Finished articles with EITHER TSCA Title VI lab Finished articles with co includes one of the follo TSCA Title VI labeling OR Product is exempt from minimis rule AND incl	ELING - TSCA Title VI covered composite wood managered except on products exe aggregate. The sum of the ponent part or finished good the covered composite wood re peling OR California CARB / overed composite wood managered wing: Title VI labeling under the udes 17 CCR 93120 label	terials man mpt from area of ea shall not materials n ATCM lab aterials	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials N/A - No composite wood materials
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com, Note: Finished articles wit EITHER TSCA Title VI lab Finished articles with co includes one of the follo TSCA Title VI labeling OR Product is exempt fro minimis rule AND incl	ELING - TSCA Title VI covered composite wood main of the except on products exert aggregate. The sum of the ponent part or finished good the covered composite wood main of the poling OR California CARB / covered composite wood main of the except composite wood main of the excep	terials man mpt from area of ea shall not materials n ATCM lab aterials	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials N/A - No composite wood materials
and SI metric units when a FORMALDEHYDE LABE For finished articles with a labeling is no longer acce, Area is to be calculated in face contained in the com Note: Finished articles with EITHER TSCA Title VI lab Finished articles with co includes one of the follo TSCA Title VI labeling OR Product is exempt from minimis rule AND incl FORMALDEHYDE LABE Label Placement Product label meets one Label is visible on the	ELING - TSCA Title VI covered composite wood main of the except on products exert aggregate. The sum of the ponent part or finished good the covered composite wood main of the poling OR California CARB / covered composite wood main of the except composite wood main of the excep	terials man mpt from area of ea shall not materials i ATCM lab aterials Y/N me de ing Y/N le VI	TSCA Title ach regulate exceed 144 manufacture peling.	VI labeling under the de minimis rule. i.e.: ed composite wood product's largest surface 4 square inches ed in USA before 3/22/19 must comply with N/A - No composite wood materials N/A - No composite wood materials N/A - No composite wood materials

			RATING	COMMENTS
Label is on both the product ar	nd packaging			
		Y/N		N/A - No composite wood materials
OR				
Label is only on the product or The supplier must provide a le why it is not practicable to have	tter to the lab ju			
		Y/N		N/A - No composite wood materials
Provided label includes the following	ng information:			N/A - No composite wood materials
Fabricator's name or Importer or Distributor's name (40 CFR				
770.45(c)(4))		Y/N		N/A - No composite wood materials
		_		N/A - No composite wood materials
AND				
Production date in the following yyyy/mm or mm/dd/yyyy	g format: mm/y	yyy or		
		Y/N		N/A - No composite wood materials
		_		N/A - No composite wood materials
AND				
A statement of TSCA VI comp	liance			
		Y/N		N/A - No composite wood materials
		-		·
FORMALDEHYDE LABELING - Pa from TSCA under De Minimis Rule California ARB labeling requirements are s exempt from TSCA Title VI labeling under labeling is not present Labels may be stickers, stamped, or printe	satisfied by US E the de minimis	EPA TSCA rule must	A Title VI lab still meet Ca	eling. However, composite wood products alifornia requirements for labeling if TSCA
location that is easily accessible. The requ	-	-	•	
<u>Label Placement</u>				
Product label meets one of the followir	ıg:			N/A - No composite wood materials
Label is visible on the product at poin point of sale satisfies both product & package	•	risible at		
	ing label requireme			N/A - No composite wood materials
OR	ing label requireme	ent) _Y/N		N/A - No composite wood materials
OR Label is on both the product and pac		_Y/N		
Label is on both the product and pac				N/A - No composite wood materials N/A - No composite wood materials
Label is on both the product and pac	kaging n the packagin	_Y/N _Y/N g. The		
OR Label is only on the product or only o supplier must provide a letter to the l	kaging n the packagin	_Y/N _Y/N g. The		

	RATING	COMMENTS
Label Content		
Provided label includes the following information:		N/A - No composite wood materials
This product contains composite wood that complies with		
phase 2 of the ATCM or the product is made with		
NAF/ULEF based resins ("Phase 1" is no longer acceptable)		N/A - No composite wood materials
Y/N		N/A - No composite wood materials
AND		
Fabricator's or Importer's or		
Distributor's name Y/N		N/A - No composite wood materials
		N/A - No composite wood materials
AND		-
Fabrication date in the following format: mm/yyyy or		
yyyy/mm or mm/dd/yyyy		
Y/N		N/A - No composite wood materials
1/N		N/A - No composite wood materials
AND		Total No composite wood materials
Fabrication date is not a date after the sample has been		
·		
received for testing		N/A - No composite wood materials
Y/N		TVA - NO COmposite wood materials
LEATHER & IMITATION LEATHER IDENTIFICATION		
15 USC & 16 CFR 24		
In the form of stamping on the product, a tag, label or		
card attached to the product:		
'		
The leather/imitation leather identification is visible at		
the point of sale, conspicuous to the prospective		N/A - Not made of leather or imitation
purchaser upon casual inspection of the product		leather
Imitation or simulated leather is marked to identify non -		
leather material (e.g. Imitation Leather, Simulated Leather,		N/A Natural of lasticas as institution
Vinyl, Vinyl Coated Fabric etc.)		N/A - Not made of leather or imitation
viriyi, viriyi Godica'i abila cic.j		leather
Includes the percentages of leather fibers and the		
percentage of non - leather substances contained in the		
material if the term ground leather, pulverized leather,		
shredded leather, reconstituted leather or bonded		N/A - Not made of leather or imitation
leather are used		leather
		- roduloi
Embossed or Processed Leather includes the name of		
the type of leather that is embossed or processed to		
simulate the appearance of a different kind or type of		N/A - Not made of leather or imitation
leather (e.g. crocodile embossed cow hide)		leather
Includes the name of the material used as backing, if	-	
present and is not easily identifiable (e.g. pig skin backed		N/A - Not made of leather or imitation
with vinyl)		leather
		1000101

	RATING	COMMENTS
TEXTILE FIBER AND WOOL PRODUCTS IDENTIFICATION - 16 CFR 300, 16CFR 303 (Coated product definition 16CFR 303.1 (o)		
Fiber content label includes the following information (required for certain textile products only, not required for certain coated products unless any representations as to the fiber content is made on any label)		N/A - No textile materials
Fiber Content		N/A - No textile materials
Dealer ID/RN#		
Country of Origin		N/A - No textile materials N/A - No textile materials
Fiber content label is visible at the point of sale Note: If label is not visible through packaging, fiber content must be repeated on packaging		N/A - No textile materials
The generic fiber names are used on the label		N/A - No textile materials
The contents of the label are spelled correctly		N/A - No textile materials
The fibers are listed in descending order of predominance		N/A - No textile materials
Actual percentage of fiber content matches physical characteristics section for Fiber Content AATCC 20/20A/ASTM D629 (Blends maximum 3% tolerance; Single Fiber maximum 0% tolerance)		N/A - No textile materials
"ORGANIC" CERTIFICATION		
7 CFR 205.100 - National Organic Program		
Agricultural Products (commodity or product derived from crops or livestock) labeled, or represented as: "100 percent Organic", "Organic", or "Made with Organic" must be USDA organic certified (Example: Organic Cotton), meaning it has met the requirements of the USDA National Organic Program (NOP) standards		N/A - Not labeled or represented as Organic

PLASTIC BAGS WARNING STATEMENT based on various state laws Note: Warning suffocation hazard label is required to be placed on bags which are less than 1 mil in thickness and have a 5 inch diameter or greater opening. Bag warning must be visible from each the side of the bag. Bags exhibit the following, or equivalent warning statement: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy." Bags whose total length and width when added together is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size ✓ 25 inches ≥ 14 points (0.140°) ≥ 25 & < 40 inches ≥ 14 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 24 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 18 points (0.140°) ≥ 25 & < 40 inches ≥ 1		RATING	COMMENTS
Note: Warning suffocation hazard label is required to be placed on bags which are less than 1 mli in thickness and have a 5 inch diameter or greater opening. Bag warning must be visible from each the side of the bag. Bags exhibit the following, or equivalent warning statement: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy." Bags whose total length and width when added together is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 20 & < 40 inches ≥ 18 points (0.100") ≥ 21 & < 40 inches ≥ 18 points (0.100") ≥ 40 & < 60 inches ≥ 18 points (0.100") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	PLASTIC BAGS WARNING STATEMENT		
on bags which are less than 1 mil in thickness and have a 5 inch diameter or greater opening. Bag warning must be visible from each the side of the bag. Bags exhibit the following, or equivalent warning statement: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy." Bags whose total length and width when added together is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 18 points (0.140") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	based on various state laws		
statement: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy." Bags whose total length and width when added together is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.180") ≥ 40 & < 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	on bags which are less than 1 mil in thickness and have a inch diameter or greater opening. Bag warning must be vi	5	
plastic bag away from bables and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy." Bags whose total length and width when added together is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 18 points (0.180") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	· · · · · · · · · · · · · · · · · · ·		
is ≥ 40 inches exhibit the above, or equivalent statement, repeated at 20 inch intervals The required warning is printed in English The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100")	plastic bag away from babies and children. Do not this bag in cribs, beds, carriages or playpens. This	use bag	N/A - No plastic bags requiring warning
The required warning is visible from each side of the bag Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 18 points (0.180") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	is ≥ 40 inches exhibit the above, or equivalent staten	nent,	N/A - No plastic bags requiring warning
Font size of the warning meets one of the following requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 18 points (0.180") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	The required warning is printed in English		N/A - No plastic bags requiring warning
requirements: Note: bag size is total length and width of bag added together Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 18 points (0.180") ≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	The required warning is visible from each side of the		N/A - No plastic bags requiring warning
Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches ≥ 10 points (0.100") ≥ 25 & < 40 inches ≥ 14 points (0.140") ≥ 40 & < 60 inches ≥ 24 points (0.240") ≥ 24 points (0.240") ≥ 60 inches ≥ 24 points (0.240") ≥ 60 inches ≥ 24 points (0.240")			
≥ 60 inches ≥ 24 points (0.240") Label locations PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	Note: 1 point of font = 0.010 in Sum of Length & Width Font Size < 25 inches)") ")"	N/A - No plastic bags requiring warning
PROPOSITION 65 LABEL FORMAT For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	,		
For products intended for California markets only Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-			
Title 27, California Code of Regulations Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	PROPOSITION 65 LABEL FORMAT		
Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	For products intended for California markets only		
Products that include a Proposition 65 label meet the appropriate labeling format requirements of worksheet 1-	•		
9 N/A - Does not include Prop 65 label	Products that include a Proposition 65 label meet the appropriate labeling format requirements of workshe		
I I	9		N/A - Does not include Prop 65 label

	RATING	COMMENTS
CALIFORNIA AND MARYLAND: BIODEGRADABLE, D		BLE, OR DECOMPOSABLE
CLAIMS FOR PLASTIC ARTICLES AND COMPONENT	S	1
For products intended for California and Maryland markets only		
California Pub. Res. Code Chapter 5.7 (42355 - 42358.5); Ann. Code of Maryland Chapter 374 Subtitle 21 (9-2102(a)		
Labeling for any consumer product or any kind of packaging for a consumer product that contains or is made of plastic shall not use any of the terms biodegradable, degradable, decomposable, or any form of those terms or imply in any way that the item will break down, fragment, biodegrade, or		
decompose in a landfill or other environment.		N/A - No applicable articles or components
MARYLAND: COMPOSTABLE PLASTIC BAGS For products intended for Maryland markets only Ann. Code of Maryland Chapter 374 Subtitle 21 (9-2103) For bags identified as compostable the ASTM D6400 certification logo shall be present and a test report shall be provided stating compliance to the specification		N/A - Does not include applicable bag
Plastic bags identified as compostable must meet the following:		N/A - Does not include applicable bag
Made from a color of green and labeled with the word "compostable" on one side of the bag, and the label shall be at least one inch in height OR Labeled with the word "compostable" on both		N/A - Does not include applicable bag
Labeled with the word "compostable" on both sides of the bag and the label shall be one of the following:		
Green color lettering at least one inch in heightY/N		N/A - Does not include applicable bag

	RATING	COMMENTS
OR		
Within a contrasting green color band of at least		
one inch in height with color contrasting lettering of		
at least one-half inch in height. If the bag is smaller		
than 14 inches by 14 inches, the lettering and stripe shall be in proportion to the size of the bag		
in proportion to the size of the bag		N/A - Does not include applicable bag
		- Does not include applicable bag
A compostable plastic bag sold or distributed in the		
state shall not display a chasing arrow resin identification code or recycling type of symbol in any		
form		
IOIIII		N/A - Does not include applicable bag
CALIFORNIA AND MARYLAND: COMPOSTABLE, HO		•
DEGRADABLE CLAIMS FOR PLASTIC ARTICLES AN		DNENTS
For products intended for California and Maryland markets		
only		
Ann. Code of Maryland Chapter 374 Subtitle 21 (9-2102(b)	l , .	
Note: "Plastic product" means a product made of plastic, whethe paperboard. Plastic product includes:	er alone or in	combination with other materials including
• A packaging or a packaging component,		
• A bag, sack, wrap, or other thin plastic sheet film product.		
 A food or beverage container or a container component, include 	ling, but not	limited to, a tray, clamshell, straw, lid, or
utensil; and		
 Any other plastic product or part of a plastic product. "Personal care products" are excluded from the regulations. 		
For plastic consumer products or any kind of plastic		
packaging for a consumer product labeled as		
compostable, home compostable, or marine		
degradable a test report stating the product or		
packaging meets the applicable specification shall		
be provided:		
Compostable Plastics		
ASTM D6400 standard		N/A - No applicable articles
Biodegradable Plastics Used as Coatings on Paper a	nd Other (
ASTM D6868 standard		-
AO HVI DOODO Stalidald		N/A - No applicable articles

	RATING	COMMENTS
Home Compostable Plastics		
European Norm 13432 standard adapted to low		
temperature composting in accordance with the		
Vincotte OK Compost Home certification		N/A - No applicable articles
Non-Floating Biodegradable Plastics in the Marine E	nvironmor	ot (CA ONLY)
ASTM D7081 standard	IIVIIOIIIIEI	
ASTWID/001 Standard		N/A - No applicable articles
Soil Degradable AG Mulch Film or Biodegradable Mu	<u>lch Film P</u>	lastics (MD ONLY)
(i) Either the Vincotte OK Biodegradable Soil		
certification standard, or at ambient temperatures and		
in soil have at least 90% biodegradation absolute or		
relative to microcrystalline cellulose in less than 2		
years' time, tested according to ISO 17556 standard or		
ASTM D5988 standard; AND		
(ii) Fulfills ASTM D6400 standard for plant growth and		
regulated metals requirements		N/A - No applicable articles
II. RESTRICTED SUBSTANCES		
	RATING	COMMENTS
MERCURY	RATING	COMMENTS
MERCURY based on various state laws	RATING	COMMENTS
MERCURY based on various state laws Products that contain a silvery liquid with similar	RATING	
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally	RATING	N/A - No silvery liquids with properties
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm)	RATING	
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR	RATING	N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year)	RATING	N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date	RATING	N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year)		N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date	RATING	N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date III. PHYSICAL & MECHANICAL REQUIREMENTS NATURAL PRODUCTS - SEEDS		N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date		N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date		N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties similar to mercury
MERCURY based on various state laws Products that contain a silvery liquid with similar properties to mercury shall contain no intentionally added mercury (detection limit 5 ppm) OR A passing test report is provided (dated within 1 year) Report Date		N/A - No silvery liquids with properties similar to mercury N/A - No silvery liquids with properties similar to mercury

RATING COMMENTS SOLIDS FLAMMABILITY - 16 CFR 1500.3 / 1500.44 The following does not apply to products requiring any of the following worksheets: 1-4 Federal Hazardous Substance Act & PPPA 2-5 Cosmetics 3-77 or 26-38 Art Material Supplements 16-48 Charcoal Or any worksheet which addresses solid flammability testing. Note: This requirement does not apply to the following: Common matches, including book matches, wooden matches, and so-called "safety" matches, paper items such as newspapers, wrapping papers, toilet and cleansing tissues, and paper writing supplies, thread, string, twine, rope, cord, and similar materials (Exemptions per 16 CFR 1500.83) Note: This requirement does not apply to the following: Porcelain, plated metal, bare / uncoated metal, ceramic, and glass, and similar materials Products shall not exceed the minimum allowable limit of N/A - Does not include an ignition source. no greater than 0.1 inches per second (unless and is not to be used near an ignition appropriately labeled) source RHODE ISLAND FLAME RETARDANT CONTENT - R.I. Gen. Laws §§ 23-26-3.1 and 23-75-3 Beginning on January 1, 2020, residential upholstered bedding or furniture must not contain 1000 ppm or greater of any non-polymeric organohalogen flame retardant chemical. This class includes any chemical containing the element bromine or chlorine bonded to carbon that is added to a plastic, foam, fabric, or textile. Note: "Bedding" includes upholstered furniture and filling material or its container (as herein defined) and any mattress, pillow, cushion, quilt, bedpad, comforter, upholstered spring bed, box spring, davenport or day bed, bed spring, metal couch, metal folding bed, metal cot, metal cradle, metal bassinet, and any glider, hammock, or other substantially similar article which is wholly or partly upholstered, when used or intended for use for sleeping or reclining purposes. "Upholstered furniture" means any article of household furniture wholly or partly stuffed or filled with soft material, and which is used or intended for use for sitting, reading, or reclining purposes Test report is submitted stating the product does not contain 1000ppm or greater of any organohalogen flame retardant chemical N/A - Not an applicable product

RATING COMMENTS

CALIFORNIA FLAME RETARDANT CONTENT - CA Bus & Prof Code § 19100 (2018)

Juvenile products, mattresses, or upholstered furniture must not contain levels above 1000 ppm of any covered flame retardant chemical.

"Juvenile product" means a product subject to this chapter and designed for residential use by infants and children under 12 years of age, including, but not limited to, a bassinet, booster seat, changing pad, floor playmat, highchair, highchair pad, infant bouncer, infant carrier, infant seat, infant swing, infant walker, nursing pad, nursing pillow, playpen side pad, playard, portable hook-on chair, stroller, and children's nap mat.

"Covered flame retardant chemical" means any chemical that meets both of the following criteria:

- (A) A functional use for the chemical is to resist or inhibit the spread of fire or as a synergist to chemicals that resist or inhibit the spread of fire, including, but not limited to, any chemical for which the term "flame retardant" appears on the Occupational Safety and Health Administration substance safety data sheet pursuant to subdivision (g) of Section 19100.1200 of Title 29 of the Code of Federal Regulations as it read on January 1, 2019.
- (B) The chemical is one of the following:
- (i) A halogenated, organophosphorus, organonitrogen, or nanoscale chemical.
- (ii) A chemical defined as a "designated chemical" in Section 105440 of the Health and Safety Code.
- (iii) A chemical listed on the Washington State Department of Ecology's list of Chemicals of High Concern to Children in Section 173-334-130 of Title 173 of the Washington Administrative Code as of January 1, 2019, and identified as a flame retardant or as a synergist to flame retardants in the rationale for inclusion in the list.

Test report is submitted stating the product does not contain 1000ppm or greater of any covered flame retardant chemical

N/A - Not an applicable product

	RATING	COMMENTS
CALIFORNIA ENERGY COMMISSION - CEC 400		
For products intended for California markets only		

Applicable for the following products:

- (a) Refrigerators, refrigerator-freezers, & freezers that can be operated by alternating current electricity, including but not limited to refrigerated bottled or canned beverage vending machines, automatic commercial ice makers, refrigerators with or without doors, freezers with or without doors, walk-in coolers, walk-in freezers, & water dispensers, but excluding the following types: (Note: Not applicable to products without conventional compressors, such as thermo-electric / Peltier effect coolers)
- (1) consumer products with total refrigerated volume exceeding 39 ft3;
- (2) blast chillers; and
- (3) automatic commercial ice makers with a harvest rate less than 50 lbs./24 hours and automatic commercial ice makers with a harvest rate greater than 4000 lbs./24 hours.
- (b) Room air conditioners, room air-conditioning heat pumps, packaged terminal air conditioners, & packaged terminal heat pumps.
- (c) Central air conditioners, which are electrically-powered unitary air conditioners & electrically-powered unitary heat pumps, except those designed to operate without a fan; & gas-fired air conditioners & gas-fired heat pumps, air filters for residential buildings for use in forced-air heating or forced-air cooling equipment, & heat pump water-chilling packages.
- (d) Spot air conditioners, evaporative coolers, residential furnace fans, ceiling fans, ceiling fan light kits, whole house fans, residential exhaust fans, & dehumidifiers.
- (e) Vented gas space heaters and vented oil space heaters, vented & unvented infrared gas heaters, electric residential boilers, & gas-fired combination space-heating & water-heating appliances. NOTE: See Health and Safety Code Section 19881 for restrictions on the sale of unvented gas space heaters and unvented oil space heaters.
- (f) Water heaters, including but not limited to hot water supply boilers.
- (g) Gas pool heaters, oil pool heaters, electric resistance pool heaters, heat pump pool heaters, residential pool pump & motor combinations, replacement residential pool pump motors, & portable electric spas.
- (h) Plumbing fittings, which are showerheads, lavatory faucets, kitchen faucets that are consumer products, metering faucets, replacement aerators, wash fountains, tub spout diverters, public lavatory faucets, & commercial pre-rinse spray valves.
- (i) Plumbing fixtures, which are water closets and urinals.
- (j) Fluorescent Lamp Ballasts and deep-dimming fluorescent lamp ballasts that are designed to:
- (1) operate at nominal input voltages of 120 or 277 volts,
- (2) operate with an input current frequency of 60 Hertz, &
- (3) be used with T5, T8, or T12 lamps; and mercury vapor lamp ballasts.

RATING	COMMENTS

- (k) Lamps, which are federally-regulated general service fluorescent lamps, federally-regulated incandescent reflector lamps, state-regulated general service incandescent lamps, general service lamps, state-regulated small-diameter directional lamps, and includes GU-24 base lamps. LED LAMPS LED lamps with lumen output of 150 lumens or greater for candelabra bases, or 200 lumens or greater for other bases manufactured on or after Jan 1 2018 will be required to meet CEC requirements and will be required to be listed in the CEC database.
- (I) Emergency lighting, which is illuminated exit signs, and self-contained lighting controls.
- (m) Traffic signal modules and traffic signal lamps.
- (n) Luminaires, which are torchieres, metal halide luminaires, portable luminaires, under-cabinet luminaires, portable wall mount adjustable luminaires, art work luminaires and includes luminaires with GU-24 socket and base configurations and GU-24 adaptors.
- (o) Dishwashers that are federally-regulated consumer products.
- (p) Clothes washers that are federally-regulated consumer products; and commercial clothes washers.
- (g) Clothes dryers that are federally-regulated consumer products.
- (r) Cooking products that are federally-regulated consumer products; and food service equipment.
- (s) Electric motors, excluding definite purpose motors, special purpose motors, and motors exempted by the U.S. Department of Energy under 42 U.S.C. Section 6313(b).
- (t) Low voltage dry-type distribution transformers that are designed to operate at a frequency of 60 Hertz, and that have a rated power output of not less than 15 kVa.
- (u) Power supplies, which are single voltage external AC to DC and AC to AC power supplies included with other retail products, and single voltage external AC to DC or AC to AC power supplies sold separately excluding power supplies that are classified as devices for human use under the Federal Food, Drug, and Cosmetic Act and require U.S. Food and Drug Administration listing and approval as a medical device. Note: External power supplies are subject to DOE efficiency testing and certification. CEC certification is not required for products that are subject to and certified as complying with DOE energy efficiency standards.
- (v) Televisions, and consumer audio and video equipment, which are compact audio products, digital versatile disc players, and digital versatile disc recorders.
- (w) Battery charger systems, except those:
- (1) used to charge a motor vehicle that is powered by an electric motor drawing current from rechargeable storage batteries, fuel cells, or other portable sources of electrical current, and which may include a nonelectrical source of power designed to charge batteries and components thereof. This exception does not apply to forklifts and autoettes, electric personal assistive mobility devices, golf carts, or low speed vehicles, as those vehicles are defined in Division 1 of the California Vehicle Code;
- (2) that are classified as Class II or Class III devices for human use under the Federal Food, Drug, and Cosmetic Act and require U.S. Food and Drug Administration listing and approval as a medical device;
- (3) used to charge a battery or batteries in an illuminated exit sign, as defined in Section 1602(I);
- (4) with input that is three phase of line-to-line 300 volts root mean square or more and is designed for a stationary power application;
- (5) that are battery analyzers; or
- (6) that are voltage independent or voltage and frequency independent uninterruptible power supplies as defined by IEC 62040-3 ed.2.0 (March 2011).

All battery chargers manufactured or imported on or after June 13, 2018 for the U.S. market are subject to DOE energy efficiency testing and certification. CEC certification is not required for products that are subject to and certified as complying with DOE energy efficiency standards.

Product is marked with the following:	
Manufacturer's name or brand name or trademark	 N/A - Product is not a covered product
Model number	 N/A - Product is not a covered product
Date of manufacture with year and month (date	
code or similar is acceptable)	 N/A - Product is not a covered product

	RATING	COMMENTS
For state regulated small battery charger products		
a "BC" inside a circle must appear either on the		
product nameplate OR on both the retail		
packaging and on the cover page of the		
instructions (if instructions are included). Note: Does not		
apply to battery chargers subject to federal DOE appliance		
efficiency requirements		N/A - Product is not a covered product
Product meets one of the following:		N/A - Product is not a covered product
Test Report is provided indicating compliance with		
applicable CEC requirements		
Y/N		N/A - Product is not a covered product
OR		
Product is listed on the CEC website database		
Y/N		N/A - Product is not a covered product
California Energy Commission - CEC 400 Requireme	nt for Port	table Luminaires
Portable luminaires equipped with an E12		
(candelabra), E17 (intermediate), or E26 (Edison)		
screw-based socket must be prepackaged and		
sold together with one screw based CFL or LED		
bulb for each socket		N/A - Product is not a covered product
OREGON: APPLIANCE EFFICIENCY REGULATIONS	OAR 330	0-092-005 through -0055
For products intended for Oregon markets only		
Only the following products are covered for Oregon appliance e	l fficiency per	I OAR 330-092-0015 and ORS 469: Battery
charger systems, Bottle-type water dispensers, Commercial hot		
freezers, Compact audio products, DVD players and recorders,	High light οι	utput double-ended quartzhalogen lamps,
Portable electric spas, Televisions, Automatic commercial ice co		
prerinse spray valves, Commercial refrigerators or freezers, Illur power supplies, State-regulated incandescent reflector lamps, 7		
	orchieres, r	Tamic Signal modules
Product is marked with the following: Manufacturer's name or brand name or trademark		N/A - Product is not a covered product
Model number		N/A - Product is not a covered product N/A - Product is not a covered product
		TVA - Froduct is not a covered product
Date of manufacture with year and month (date code or similar is acceptable)		N/A - Product is not a covered product
Efficiency Rating		N/A - Product is not a covered product
Test Report is provided indicating compliance with		
applicable Oregon: Appliance Efficiency		
Regulation requirements		N/A Draduatia not a several resoluct
1 togalation 10 quil official		N/A - Product is not a covered product

RATING COMMENTS U.S. DEPARTMENT OF ENERGY Note: For products covered by U.S. Department of Energy Energy Conservation Program, test report must be submitted to substantiate and certify compliance with applicable DOE standard. Covered products include the following as defined in the regulations: Fluorescent lamp ballasts, medium base compact fluorescent lamps, incandescent reflector lamps, general service fluorescent lamps, general service incandescent lamps, intermediate base incandescent lamps, candelabra base incandescent lamps, residential ceiling fans residential ceiling fan light kits, residential showerheads, residential kitchen and lavatory faucets, residential water closets, and residential urinals. Note: For luminaires equipped with a covered bulb, the bulb shall also be subject to certification as compliant Residential water heater, Residential furnaces, Residential boilers, Residential pool heaters, Commercial water heaters, Commercial hot water supply boilers, Commercial unfired hot water storage tanks, Commercial packaged boilers, Commercial warm air furnaces, Commercial unit heaters and Residential furnace fans Residential dishwashers, Commercial prerinse spray valves, Illuminated exit signs, Traffic signal modules, Pedestrian modules, and Distribution transformers All battery chargers manufactured or imported on or after June 13, 2018 for the U.S. market are subject to DOE energy efficiency testing and certification. Battery Charger – means a device that charges batteries for consumer products, including battery chargers embedded in other consumer products. Exemption - A battery charger that requires Federal Food and Drug Administration (FDA) listing and approval as a life-sustaining or life-supporting device in accordance with section 513 of the Federal Food, Drug, and Cosmetic Act (21 U.S.C. 360(c)) does not require testing and certification under U.S. DOE. A power supply that charges the battery of a primarily motor operated device is excluded for testing as power supply for DOE Room air conditioners, Residential central air conditioners, Residential central heat pumps, Small duct high velocity system, Space constrained products, Commercial package air-conditioning and heating equipment, Packaged terminal air

Walk-in coolers, and Walk-in freezers (Note: Not applicable to products without conventional compressors, such as thermoelectric / Peltier effect coolers)

Residential refrigerators, Residential refrigerators-freezers, Residential freezers, Commercial refrigerator, freezer, and refrigerator freezer, Automatic commercial automatic ice makers, Refrigerated bottled or canned beverage vending machine,

Torchieres, Residential dehumidifiers, Metal halide lamp fixtures, External power supplies, and Pumps

conditioners, Packaged terminal heat pumps, and Single package vertical units

Residential clothes washers, Residential clothes dryers, Residential direct heating equipment, Residential cooking products, and Commercial clothes washers

Product meet one of the following	ng:	 N/A - Product is not a covered product
Certification report is provided in to 10 CFR 430 requirements	ndicating compliance	
OR	Y/N	N/A - Product is not a covered product

	RATING	COMMENTS
	.camito	33
Product is listed on the Department of Energy		
Compliance Certification database		
ORY/N		N/A - Product is not a covered product
Documentation is provided to prove submission of model		
certification to CCMS		N/A - Product is not a covered product
Y/N		N/A - Product is not a covered product
IV ADDENDUM PROTOCOLS		
IV. ADDENDUM PROTOCOLS	RATING	COMMENTS
PRODUCT SPECIFIC REQUIREMENTS		
Product specific worksheets (which include performance and		
quality evaluations) are necessary for all products.		
Search for product description in the worksheet index for applicable product specific worksheet.		
SUPPLEMENTAL WORKSHEETS		
Electrically or Battery Operated Products		
Electrically or battery operated product meets the		
requirements of worksheet supplement 3-79IC or 5-19IC as applicable		N/A - Not a battery operated product
		Two to satisfy operated product
Bluetooth Products		
Products which have bluetooth functions meet the		
requirements of the Bluetooth Device worksheet supplement 5-29		N/A - Bluetooth function not provided
		TVA - Bidetootii Tanetion not provided
Laser Products		
Products which include a LASER device meet the		
requirements of the LASER accessory worksheet supplement 82-4 or 82-7		N/A - Does not include a laser device
		TVA - Does not include a laser device
Food Contact Products		
Products marketed or intended to be used in direct		
contact with food meet the requirements of the Direct Food Contact Products worksheet supplement 14-		
105IC		N/A -Not a food contact product
Pesticide Products		Total Total Contact product
The following product types meet the requirements of the Pesticide / Insecticide Product worksheet 8-24IC:		
- Pesticide, Insecticides, Fungicide, Rodenticide		
- Minimum Risk Pesticide		
- Pesticide Device		
- Pesticide Treated Product		
- Natural Cedar Product used as an Insecticide		
- Products with antimicrobial / antibacterial label claims		N/A -Not a pesticide containing product

		RATING	COMMENTS
Restricted Substances & Hazardous Components - Children's Products			
Products marketed or intended for children meets the requirements of the applicable Restricted Substances and Hazardous Components worksheet supplement(s) as indicated below:			N/A -Product is not a children's product
Product Description	Worksheet #		
Children's Toy	26-35IC		N/A -Product is not a children's product
Children's Art Material	26-38		N/A -Product is not a children's product
All Other Children's Products (except children's footwear)	26-35IC		N/A -Product is not a children's product
Worksheet Supplement(s) used:			N/A -Product is not a children's product
Gasoline powered products meet the requirements of worksheet 16-85			N/A - Not gasoline powered
Toy Products			
Toys meet the requirements of the toy worksheet 7-7IC (attached)			N/A - Product is not a toy
Federal Hazardous Substance Act & Poison Prevention Packaging Act			
Art materials and other products with accessible substances that are required to meet the requirements of the Federal Hazardous Substances Act (FHSA) or the Poison Prevention Packaging Act (PPPA) meet the requirements of the applicable worksheet supplement(s) indicated below:			N/A -Product does not require evaluation worksheet 1-4 or 3-77 for FHSA and PPP.

i			RATING	COMMENTS
	Product Description	Worksheet #		
	Household / Automotive Chemical Product	1-4		
	Adult Art Material	3-77		N/A -Product does not require evaluation to
	Worksheet Supplement(s) used:			worksheet 1-4 or 3-77 for FHSA and PPPA requirements
v. CC	ONCLUSIONS			
OV	ERALL RATING			PASS
СОММ	ENTS:			
Latest Ch	ange: Added leather label visible r	eq		

This technical worksheet represents testing methods and procedures generally used for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.

ALL PRODUCTS - US MARKETS

SAMPLE Canopy Bed, Twin

I. F	I. PACKAGING AND LABELING				
L	LABELED CLAIM VERIFICATION				
	Federal Trade Commission (FTC) &various state laws				
	Performance / Efficacy / Quality				
	Product meets all objective labeled				
	performance, efficacy or quality. Cl				
	substantiated by in-house testing, opassing test report (dated within 1 ye				
	by the manufacturer	ar) may be submitted			
	Note: For claims that do not cite an inc				
	supplier may submit a Letter of Guarar year) that is signed by a company repr				
	year) that is eighed by a company repr				
	Performance / Efficacy / Quality Claims	VERIFICATION METHOD	RATING	COMMENTS	
	7.00	Manager			
	Twin	Measure	Pass		
	Cold	Viewel			
	Gold	Visual	Pass		
	0				
	Gross weight:55.5lbs.(25.2 kg)	Measure	Pass		
		Alexander and alexander			
		No additional claims		N/A - No additional claim	
				TVA - No additional claim	
II. (CONCLUSIONS				
(OVERALL RATING			Pass	
COMMENTS:					
l otoot	advert Observer				
	atest Change: Added leather label visible req. 12/16/21				

This technical worksheet represents testing methods and procedures generally used for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.

UL VS Terms and Conditions

All services are governed by the following Terms and Conditions.

- 1. Verification Services. The UL Contracting Party ("we", "us", or "our" as the context requires) will perform commercial testing, verification, audit, assessment, inspection, and/or other services ("Services") in accordance with your instructions as described in this order, scope of work, project proposal, quotation, or order acknowledgment ("Quotation"). The Services will be limited to an assessment of your samples' conformity to requirements, specifications, and/or protocols you have established ("Your Requirements"), and do not express any opinion regarding the bulk from which the samples were drawn. The Services do not involve any assessment or evaluation to independent safety standards, and we and our affiliates have no responsibility to make any independent safety assessment of any samples.
- 2. Retailer Programs. If you request us to test compliance with retailer, carrier or other third party program ("Retailer") by requesting Services under the Retailer's program, you consent to our disclosure of all associated information, materials, and deliverables to such Retailer and acknowledge that, notwithstanding any terms to the contrary in these Terms and Conditions, the ownership of the deliverables for the Services will be in accordance with the Retailer's program.
- 3. Payment Terms. You will pay, without set off, our fees and related expenses in accordance with the Quotation including the cost of all taxes, wire or transfer fees, duties, and other fiscal charges which become due on the quoted price and will indemnify us from and against liabilities, incurred as a result of failure to pay any such sums when they become due. We may charge interest at 1% per month (12% per year), or the maximum legal rate if less than 1.0% per month, from the due date until paid fully. You agree to pay reasonable collection costs, including attorneys' fees, if necessary, in the event of late or non-payment.
- 4. Your Requirements. You are responsible for establishing or selecting all Your Requirements that we will use in performing the Services. We may provide you with assistance in developing Your Requirements that meet your needs, however, in all cases you must review and approve Your Requirements to be used in performing the Services.
- 5. Estimated Schedule and Price. Any time schedule and pricing terms set forth in this Quotation are estimates only and subject to change upon reasonable notice from us depending upon the specific project.
- 6. On-Site Investigations. If we perform Services on site at your facilities, or at the facilities of other parties as directed by you; you will ensure that our representatives have safe, secure, and free access to the facilities. Our access will not be conditioned upon the execution of any agreement, waiver, or release. If our representatives are prevented from performing or completing any Services for any reason beyond our reasonable control, we will not be responsible for the nonperformance, and you may be charged for any actual expenses we incur and fees for Services performed.
- 7. Deliverables. We will provide you with a report outlining: (i) your instructions and request for Services accepted by us, (ii) Your Requirements used in providing the Services, (iii) the Services performed, and (iv) the results of those Services. We are under no obligation to refer to or report on any facts or circumstances which are outside your specific instructions received and accepted by us.
- B. Our Findings. We do not guarantee that our opinions or findings will be recognized or accepted by third parties.
- 9. Use of Names and Marks. Except as otherwise authorized by us in writing, you will not use our name, abbreviation, symbols, marks, or the name of any of our subsidiaries, affiliates, or parent on any goods or their containers or packaging, or in connection with any advertising, promotions, or otherwise.
- 10. Cancellation Fees. If you cancel or change a Quotation: (i) for an inspection after 3:00 PM of the working day before the scheduled inspection date, we will charge you the Quotation price plus any travel costs incurred before the cancellation; (ii) for testing after we receive the sample(s) at the testing facility, we will charge you cancellation fees according to the amount of actual work performed with a minimum cancellation fee of \$100 USD; or (iii) for a scheduled audit date, you will be responsible for all incurred non-refundable travel costs associate with that audit. Any change or cancellation of an audit that occurs within 7 days of the scheduled audit will be charged a \$600 USD fee in addition to any incurred travel costs.
- 11. No Warranty. NO REPRESENTATION, WARRANTY, OR GUARANTEE, EXPRESS OR IMPLIED, IS INCLUDED IN THESE TERMS AND CONDITIONS, OR IN ANY OUOTATION, REPORT, OR OTHER DOCUMENT PROVIDED UNDER THESE TERMS AND CONDITIONS INCLUDING, BUT NOT LIMITED TO: (i) ANY "IMPLIED WARRANTY OF MERCHANTABILITY" OR "FITNESS FOR A PARTICULAR PURPOSE", (ii) NON-INFRINGEMENT, AND (iii) THAT THE WEB SERVICES (AS DEFINED BELOW) WILL BE UNINITERRUPTED, TIMELY, SECURE, OR ERROR-FREE.
- 12. Your Information. You represent and warrant that all information and data provided to us by you, or on your behalf, is complete and accurate and may be relied upon to provide Services. In addition, you represent and warrant that all of Your Information is owned or licensed by you, and does not infringe on the intellectual property rights of any third party. If any information or data provided to us by you or on your behalf is either incomplete or inaccurate, we will not be liable in any manner for any deficiencies in the Services.
- 13. Ownership of Work Product. You will own the test reports or other materials provided to you pursuant to any Quotation. We may retain a copy of the test reports and other materials for our archives and for creating reports for you and third parties, as required by you.
- 4. Web Services. We may provide you with certain website tools and related services, including the ability to order services online through a website (collectively, the "Web Services"). The Web Services are provided to you as a convenience and are provided on an "as is, as available" basis. By using the Web Services, you acknowledge and agree that no data or content transmitted over our networks, the Internet, or wirelessly, or through or in connection with the Web Services, is guaranteed to be secure or free from unauthorized intrusion, and that data stored by us, our affiliates, or our service providers may be deleted, modified, or damaged. You acknowledge that if you wish to protect your transmission of data or files to us, it is your responsibility to use a secure encrypted connection to communicate with and use the Web Services. Your use of the Web Services is at your sole risk and is subject to any terms of use applicable to such Web Services are included in the definition of Services above.
- 15. Confidentiality. We will not disclose your information obtained in confidence ("Confidential Information") to third parties, except our subsidiaries, affiliates, or subcontractors, without your prior written authorization. Confidential Information will not include information: (a) already known to us, (b) publicly available, (c) subsequently acquired by us from other sources without a breach of these Terms and Conditions, (d) disclosure that is necessary to perform the Services, (e) required to be produced by law or government order, or accreditation authority, or (f) related to a product bearing a UL Mark that should be disclosed to us or our affiliates pursuant to another agreement with you.
- 16. Samples. If we require sample examination, you will ship samples to us at your expense. Upon completion of testing, the samples will be destroyed, unless other arrangements are made for return of the samples at your expense. You acknowledge that testing and sample preparation may damage or destroy the sample(s), for which we will not be liable.
- 17. LIMITATION OF LIABILITY. OUR LIABILITY FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE OF ANY NATURE AND HOWSOEVER ARISING FOR ANY BREACH OF CONTRACT AND/OR ANY FAILURE TO EXERCISE APPROPRIATE SKILL AND CARE BY US WILL UNDER NO CIRCUMSTANCE EXCEED THE FEES RECEIVED FOR THE SPECIFIC SERVICES WHICH GIVE RISE TO SUCH CLAIMS. UNDER NO CIRCUMSTANCE WILL WE HAVE ANY LIABILITY FOR ANY CLAIMS FOR INDIRECT, CONSEQUENTIAL, INCIDENTAL, SPECIAL, EXEMPLARY, OR PUNITIVE DAMAGES OF ANY NATURE WHATSOEVER, INCLUDING BUT NOT LIMITED TO: LOSS OF PROFITS, GOODWILL, USE, DATA, FUTURE BUSINESS, OR PRODUCTION; CANCELLATION OF CONTRACTS ENTERED INTO BY YOU; OR OTHER INTANGIBLE LOSSES (EVEN IF WE HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES). UNDER NO CIRCUMSTANCE WILL WE BE LIABLE TO YOU FOR ANY CLAIMS FOR LOSS, DAMAGE, OR EXPENSE UNLESS SUCH CLAIM IS BROUGHT UNDER SECTION 25 (DISPUTES) WITHIN TWELVE MONTHS AFTER THE DATE OF THE PERFORMANCE BY US OF THE SERVICES WHICH GIVE RISE TO THE CLAIM OR, IN THE EVENT OF ANY ALLEGED NON-PERFORMANCE, WITHIN TWELVE MONTHS OF THE DATE WHEN SUCH SERVICES SHOULD HAVE BEEN COMPLETED.
- 18. Indemnification. You will defend, hold harmless, and indemnify us and our officers, directors, trustees, employees, agents, or subcontractors against all claims made by any third party for loss, damage, or expense arising out of these Terms and Conditions, including without limitation, the performance or non-performance of any Services or the Web Services.
- 19. Waiver. Any failure by a party to insist upon the performance of any section of these Terms and Conditions will not constitute a waiver of any rights under these Terms and Conditions or future performance of that section.
- 20. No Third Party Beneficiaries. The parties intend that no provisions of these Terms and Conditions will in any way bind or benefit any third party or the public at large and that no third party will have any rights or cause of action under these Terms and Conditions. In particular, in the event Singapore law governs these Terms and Conditions pursuant to Section 24 (Governing Law), a person or entity who is not a party to these Terms and Conditions will have no right under the Contracts (Rights of Third Parties) Act (Chapter 53B) to enforce any term of these Terms and Conditions, regardless of whether such person or entity has been identified by name, as a member of a class, or as answering a particular description.
- 21. No Assignment. Neither party may assign any of its rights or obligations under these Terms and Conditions to any other person without the other party's written authorization. However, we may, upon written notice, assign our rights and obligations under these Terms and Conditions to any of our affiliates or subsidiaries.
- 22. Subcontracting. We may use subcontractors for certain testing or other Services. All subcontractors will meet our current qualification requirements and will comply with our requirements for confidentiality, conflicts of interest, and ethical standards.
- 23. Termination and Notice. These Terms and Conditions will continue in effect until terminated by either party upon thirty days written notice or, in the event of your breach of these Terms and Conditions, immediately upon receipt of written notice to you. You will pay those fees and expenses incurred by us prior to termination. Notice to either party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us must be sent both to: U. Verification. U. Verification. U. Verification and Notice to either party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us must be sent both to: U. Verification. U. Verification and Notice to either party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us must be sent both to: U. Verification. Volume to experie the party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us must be sent both to: U. Verification to use the party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to us must be sent both to: U. Verification to use the party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party's designated principal place of business. Notice to use must be sent both to: U. Verification to use the party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party and the party may be made by hand delivery, courier service, mail, facsimile, or e-mail transmission at the receiving party and the party may be made by hand delivery, courier s
- 24. Governing Law: These Terms and Conditions will be governed and interpreted by the laws of the State of Illinois, United States of America, except if: (i) UL Contracting Party's principal place of business is Asia, Australia, or New Zealand, then Singapore law, and (ii) UL Contracting Party's principal place of business is Europe, then Swiss law, without reference to the applicable jurisdiction's choice of law principles.
- 25. Disputes. Any dispute or disagreement, other than nonpayment of fees, relating to these Terms and Conditions or the Services, will be settled by confidential, binding arbitration administered by the International Centre for Dispute Resolution of the American Arbitration Association ("AAA") pursuant to the AAA Commercial Arbitration Rules and the Procedures for Large, Complex Commercial Disputes. The arbitration venue will be Chicago, Illinois, except if: (i) UL Contracting Party's principal place of business is in Europe, the venue will be Gingapore, Septible of Singapore. The arbitration will be conducted before a panel of three (3) arbitrators. The arbitration panel will be selected as follows: the parties will request a list of ten (10) arbitrators drawn from the AAA's panel of commercial arbitrators (who are experienced in and familiar with the AAA's Procedures for Large, Complex Commercial Disputes). From this list, both parties will each choose one arbitrator. After they have been notified of their panel selection, the two (2) arbitrators will agree on a third arbitrators will agree on a third arbitrators will are even a transport of the services of terms of Conditions to award incidental, consequential, or punitive damages (including, but not limited to, loss of use, unjust enrichment, and/or lost profits), or exceed the remedies provided by the limitation of liability of these Terms and Conditions. The panel's decision will be binding and judgment on the arbitration award may be entered by a court of competent jurisdiction. Arbitration will be the final remedy for any dispute between the parties arising out of these Terms and Conditions, provided, however, that nothing herein will prevent either party from seeking a court order for injunctive relief (in addition to other remedies) to stop or prevent misuse or misappropriation of its marks, confidential or proprietary information, or infringement of its intellectual property, in a court of law. All arbitrations will be conducted in English.
- 26. Severability. If any section of these Terms and Conditions is held invalid, void, or unenforceable for any reason that section will be severed, and all other sections of these Terms and Conditions will remain valid to the extent permissible under law.
- 27. Modifications. These Terms and Conditions are the entire and complete agreement between the parties and supersede any other communications, representations, or agreements with respect to its subject matter. Under no circumstances will any preprinted, additional, or different terms and conditions on your requests for quotation, purchase orders, invoices, sales or marketing materials, emails, any acceptance communications, or other business documents apply to any Services or Quotation or bind us in any manner. Modifications thave not been made by us or that have not been accepted by us in a written or emailed confirmation from us are not accepted by us, and commencement of performance will not signify acceptance by us of any such modifications. Any such modifications are excluded from our agreement, and such modifications will not be a binding agreement on us.
- 28. Order of Precedence. Except for conflicts with Section 3 (Payment Terms), Section 5 (Estimated Schedule and Price) and Section 10 (Cancellation Fees), these Terms and Conditions will take precedence over any conflicting terms in any Quotation.
- 29. Electronic Signature. These Terms and Conditions may be executed and delivered by facsimile, PDF, or by means of other electronic signature. Our electronic, digital, or hard copies of these Terms and Conditions, your acceptance, and Quotations as signed, or otherwise accepted, by you will be the true, complete, valid, authentic, and enforceable copies of these documents. You agree that you will not contest the admissibility or enforceability of our copies in a court or any proceeding arising out of such documents.
- 30. Force Majeure. Neither party will be liable for any failure or delay in the performance of its obligations due to fire, flood, earthquake, elements of nature, or acts of God, acts of war, terrorism, riots, civil disorder, rebellions, or other similar cause beyond the reasonable control of the party affected, provided such default or delay: (i) could not have been prevented by reasonable precautions; (ii) cannot reasonably be circumvented; (iii) and the party hindered or delayed immediately notifies the other party describing the circumstance causing delay.

UL VS Terms and Conditions Rev. Date: February 13, 2018