Assembly Instructions

Caution: You must read this before you proceed

Care & Maintenance



Not for commercial use. For residential use only.



 Furniture may scratch floors. We recommend using furniture pads to protect your floors.




Do not put hot items directly on furniture surface.



Do not clean furniture with harsh cleansers or polish.



Do not place furniture under direct sunlight.



• Do not place furniture near heating or cooling vents.



 Do not write on furniture without a padded barrier to protect the surface.




• Do not place furniture outside . For indoor use only.



 Stains may be removed with mild soap solution and damp cloth.




Children should not climb or jump on the furniture.



 Dust and pick-up spills using a clean, non-colored, lint-free cloth.

Please look in Seat frame for hardware packs and legs. Sets often ship in multiple boxes and may arrive a day or two apart.

CHAIR



Parts List				
Label	Picture	Description	QTY	
Α		Right Arm Leg	1	
В		Left Arm Leg	1	
C		Chair Back	1	
D		Seat Cushion	1	

<u>es</u>				
Hardwa	re			
Label	Picture	Description	QTY	
1		JCBC Screw (M6*80mm)	4	
2		JCBC Screw (M6*35mm)	3	
3		CSK Screw (M4*45mm)	2	
4		Spring Washer (M6)	7	
5		Flat Washer (M6)	7	
6		Flat Washer (M8)	4	
7		Hex Nut (M8)	4	
8		Allen Key (M4)	Provided	
9		Y Spanner (M8*13mm)	Provided	
10		Screwdriver	Not Provided	
Assembly Preparation				
Before Beginning Assembly:	A	B	4 PCS 3 PCS 2 PCS 7 PCS 7 PCS 4 PCS 4 PCS 1 PC	



Read instructions, cover to cover-




Have 2 adults on hand for assembly-



Do not assemble on flooring or carpet-




Assemble on a clean non-marring surface (packing foam)-




Save all packaging until finished-

Assembly Steps




This Chair has multiple parts and may require up to some 30 minutes to assemble. To give you an overview of the chair parts, the above picture is to help you put the various parts into perspective. Please read through the instructions below to familiarise yourself with the parts and steps before assembly.






Place all Parts on a clean, flat surface.

Step 2




Place the Chair back (C) on a clean , non-marking surface. Install the Seat Cushion (D) into the Chair back (C) using JCBC Screw (M6*80mm) ①, and JCBC Screw (M6*35mm) ②, Spring washer (M6) ④, Flat washer (M6) ⑤, with Allen Key (M4) ⑧, as pictured above.

Step 3




Attach the both Arm leg (A) and (B) into the Seat Cushion (D) and Chair back (C) as pictured above.

Step 4




Place the chair downside as shown.
Install both Arm Leg (A) and (B) consecutively on both sides into the Seat Cushion (D) using Flat washer (M8) 6 and Hex Nut (M8) 7 with Y Spanner 9.

Step 5




Install both Right arm leg (A) and Left arm leg (B) with the Chair back (C) using CSK Screw (M4*45mm) ③, with Screw driver ①, as pictured above.

Step 6



Place the chair right side up on a LEVEL SURFACE to see if it wobbles.

Step 7



CAUTION 1: When tightening the screws and nuts, tighten sequentially. If there are any wobbles after tightening, loosen the screws and bolts and execute this same process.

Ensure all screws and bolts are fully locked into position.

Caution 2: This chair can only be used on a flat, level surface.

Your Chair is ready for use.