Technical Report: **96252800626** OCTOBER 21, 2025
Date Received: OCTOBER 07, 2025

CONG TY TNHH TM SX XNK HUNG GIA PHAT
THUA DAT SO 65, 80, TO BAN DO SO 67, AP BINH CO, PHUONG BINH CO, TP. HO CHI MINH

Sample Description:	FULL LOFT BED		
Vendor:	CONG TY TNHH TM SX XNK HUNG GIA PHAT	Sample Size:	/
Manufacturer:	CONG TY TNHH TM SX XNK HUNG GIA PHAT	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC	SKN/SKU No.:	/
Agent:	/		/
Labeled Age Grade:	/	PO No.:	V575TMS20250815LE
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	/	Item#:	/
Color:	WHITE /YELLOW	Date of Production:	/
Program:	/	Model/Style#:	N708P365801A N708P365802A N708P365803A N708P365804A N708P365801L N708P365802L N708P365803L N708P365804L N708P365801P N708P365802P N708P365803P N708P365804P
Previous No:	N/A	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				

Bureau Veritas
Consumer Products Services (VN) Ltd.
Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone, Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.
- The Chemical test following reports listed:

No.	Tested component:	Chemical test	Reference report	Report issued date
1	Coating (Yellow Warning Label)	Lead	96252740611	OCTOBER 09, 2025
2	Coating (Maximum Weight Label)			
3	Coating (Tracking Label)			
4	Coating (Caprop65 Warning Label)			
5	Coating (COO Label)			

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:
Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:
Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	White Coating (Wood)	Coating	-
I002	Yellow Coating (Wood)	Coating	-
I003	No Coating (Hardware)	-	-
I004	MDF	Wood	-
I005	Plywood	Wood	-
I006	Yellow Metal (Bolt)	Metal	-
I007	Yellow Metal (Barrel Nut)	Metal	-
I008	Yellow Metal (Round Head Screw)	Metal	-
I009	Yellow Metal (Flat Head Screw)	Metal	-
I010	Yellow Metal (Hinge)	Metal	-
I011	Yellow Metal (Sheet Screw)	Metal	-
I012	Yellow Metal (L Bracket)	Metal	-
I013	Yellow Metal (U Bracket)	Metal	-
I014	Yellow Metal (Knob Bolt)	Metal	-
I015	Bronze Metal (Cable Clamp Of Latch 1)	Metal	-
I016	Bronze Metal (Rivet Of Latch 1)	Metal	-
I017	Bronze Metal (Body Of Of Latch 1)	Metal	-
I018	Bronze Metal (Catch Of Of Latch 1)	Metal	-
I019	Brown Plastic (Roller Of Latch 1)	Hard Plastic	-
I020	Bronze Metal (Clip Of Latch 2)	Metal	-
I021	Bronze Metal (Body Of Latch 2)	Metal	-
I022	Bronze Metal (Rivet Of Latch 2)	Metal	-
I023	Brown Plastic (Roller Of Latch 2)	Hard Plastic	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	**90 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001+I002	I003
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	-
Conclusion	-	PASS	NA

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**					
Test Item(s)	-	I004+I005	I019+I023	I006	I007	I008	I009
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	17	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**					
Test Item(s)	-	I010	I011	I012	I013	I014	I015
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**					
Test Item(s)	-	I016	I017	I018	I020	I021	I022
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- According to Children’s Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children`s products containing up to 0.03 % lead weight.

TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001+I002	I003
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	-
Conclusion	-	PASS	NA

-	**Unit**	**Result**					
Test Item(s)	-	I004+I005	I019+I023	I006	I007	I008	I009
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	17	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**					
Test Item(s)	-	I010	I011	I012	I013	I014	I015
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**					
Test Item(s)	-	I016	I017	I018	I020	I021	I022
Parameter	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- Tested per client’s request

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	NA
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	NA
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

CARTON PHOTO



Photo 1

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365801A
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Photo 2

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365801A
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 3

Photo 4

Photo 5

Photo 6



Photo 7

Photo 8



Photo 9



Photo 10

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365801L
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365801L
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 11



Photo 12

Photo 13



Photo 14

Photo 15



Photo 16

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365801P
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365801P
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 17



Photo 18

Photo 19

Photo 20

Photo 21



Photo 22

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365802A
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365802A
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 23



Photo 24

Photo 25

Photo 26

Photo 27



Photo 28



Photo 29

Photo 30



Photo 31

Photo 32

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER
N708P365802L
BOX : 2 OF 4
ENCADRÉ: 2 DE 4

MEAS/MESURES: 78.6*16.1*5.5 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 33

Photo 34

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

N708P365802L
QTY/QTE: 1PC
COLOR/COULEUR: WHITE+YELLOW/BLANC + JAUNE
GW.: 89.1 LBS
NW.: 81.84 LBS

Photo 35



Photo 36

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365802P
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365802P
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 37

Photo 38

Photo 39

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER

N708P365802P

BOX : 2 OF 4
ENCADRÉ: 2 DE 4

MEAS/MESURES: 78.6*16.1*5.5 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM

DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 40

N708P365802P

N708P365802P

Photo 41

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

N708P365802P
QTY/QTE: 1PC
COLOR/COULEUR: WHITE+BROWN/BLANC + BRUN
GW.: 89.1 LBS
NW.: 81.84 LBS

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

Photo 42



Photo 43

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365803A
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365803A
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 44

Photo 45

Photo 46

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER
N708P365803A
BOX : 3 OF 4
ENCADRÉ: 3 DE 4

MEAS/MESURES: 61.3*16.5*6.8 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 47

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

N708P365803A
QTY/QTE: 1PC
COLOR/COULEUR: BEIGE/BEIGE
GW.: 80.08 LBS
NW.: 73.04 LBS

Photo 48



Photo 49

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365803L
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365803L
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 50

N708P365803L

N708P365803L

Photo 51



Photo 52

Photo 53

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER
N708P365803L
BOX : 3 OF 4
ENCADRÉ: 3 DE 4
MEAS/MESURES: 61.3*16.5*6.8 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 54

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

N708P365803L
QTY/QTE: 1PC
COLOR/COULEUR: WHITE+YELLOW/BLANC + JAUNE
GW.: 80.08 LBS
NW.: 73.04 LBS

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

Photo 55



Photo 56

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365803P
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365803P
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 57

N708P365803P

N708P365803P

Photo 58

WARNING / *AVERTISSEMENT*

To help prevent serious or fatal injuries from entrapment or falls./Pour aider à prévenir les blessures graves, voire mortelles, dues au coincement ou aux chutes :

- Use guardrails on both sides of upper bunk.
  Utilisez des garde-corps des deux côtés du lit supérieur.
- Prohibit horseplay on or under bed (s).
  Interdire les jeux de chevaux sur ou sous le lit(s).
- Never allow a child under 6 years on upper bunk
  Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure
- Use only mattress that is 75" long and 53" wide on upper bunk.
  Utilisez uniquement un matelas mesurant 75" de long et 53" de large sur le lit supérieur.
- Prohibit more than one person on upper bunk.
  Interdire plus de une personne sur la couchette supérieure.
- Ensure thickness of mattress does not exceed 8"
  Assurez-vous que l'épaisseur du matelas ne dépasse pas 8"
- Use ladder for entering and leaving upper bunk. And that mattress surface is at least 5" below upper edge guardrails.
  Utilisez une échelle pour entrer et sortir du lit supérieur. Et cette surface de matelas se trouve à au moins 5" sous les garde-corps du bord supérieur.

STRANGULATION HAZARD - Never attach or hang items to any part of the bunk bed that are not designed for use with the bed for example, but not limited, hooks, belts and jump ropes.
RISQUE D'ÉTRANGLEMENT - N'attachez ni ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.

5.0 mm

DO NOT REMOVE THIS LABEL/NE PAS ENLEVER CETTE ETIQUETTE

Photo 59

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER
N708P365803P
BOX : 3 OF 4
ENCADRÉ: 3 DE 4

MEAS/MESURES: 61.3*16.5*6.8 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM

DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 60



Photo 61



Photo 62

Photo 63

Photo 64

Photo 65

Photo 66

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER
N708P365804A
BOX : 4 OF 4
ENCADRÉ: 4 DE 4
MEAS/MESURES: 51.2*21.6*7.3 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 67

N708P365804A
QTY/QTE: 1PC
COLOR/COULEUR: BEIGE/BEIGE
GW.: 84.7 LBS
NW.: 77.66 LBS

Photo 68

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

Photo 69



Photo 70

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh, Viet Nam
09/2025
N708P365804L
PO: V575TMS20250815LE
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh, Viet Nam
09/2025
N708P365804L
PO: V575TMS20250815LE
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde

Photo 71

N708P365804L
N708P365804L

Photo 72



Photo 73

Photo 74

Photo 75



Photo 76



Photo 77



Photo 78

Photo 79

Photo 80



Photo 81

Photo 82

ITEM : LOFT BED FULL SIZE WITH DRESSING AND CASESTAIR
ARTICLE : LIT MEZZANINE DOUBLE AVEC DRESSING ET ESCALIER

N708P365804P

BOX : 4 OF 4
ENCADRÉ: 4 DE 4

MEAS/MESURES: 51.2*21.6*7.3 INCH
P.O.NO./P.O.NUMÉRO.: V575TMS20250815LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM

DO NOT CUT OPEN WITH SHARP KNIFE/TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL POINTU

Photo 83

You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre la fiche d'instructions de montage emballée dans le carton avant de commencer l'assemblage.

Sets often ship in multiple boxes and may arrive a day or two a part
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver à un jour ou deux d'intervalle.

Photo 84

LABELS ON PRODUCT







TRACKING LABEL

Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365801A PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365801L PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365801P PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde
Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365802A PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365802L PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365802P PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde
Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365803A PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365803L PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365803P PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde
Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365804A PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365804L PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde	Compliance Information Not Retailer GIGACLOUD TECHNOLOGY (USA) INC. 4388 SHIRLEY AVENUE EL MONTEM CA 91731 Made in Ho Chi Minh City, Viet Nam 10/2025 N708P365804P PO#V575TMS20250815LE Complaince Level: Californiaa 93120 Phase 2 and 40 CFR 770 TSCA Title VI Complaint for Formaldehyde

WARNING LABEL