Technical Report: **96253100448** NOVEMBER 15, 2025
Date Received: NOVEMBER 06, 2025

DAI VIET CO.,LTD
NO. 276/19/13 TRAN HUNG DAO STREET, DONG B QUARTER, DONG HOA WARD, HO CHI MINH CITY, VIETNAM.

Sample Description:	TWIN HOUSE BED WITH DRAWERS AND STAIR		
Vendor:	DAI VIET CO.,LTD	Sample Size:	/
Manufacturer:	DAI VIET CO.,LTD	VPN:	/
Buyer:	GIGACLOUD	SKN/SKU No.:	N709P395152, N709P395153, N709P395154
Agent:	/		/
Labeled Age Grade:	/	PO No.:	V222VDY20251017WM
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	/	Item#:	/
Color:	WHITE + NATURAL	Date of Production:	/
Program:	/	Model/Style#:	/
Previous No:	N/A	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.
- The Chemical test following reports listed:

No.	Tested component	Chemical test	Reference report
1	White Coating (Wood)	16 CFR Part 1303 Total Lead Content in Surface Coating 15 U.S.C 1278a Total Lead Content	96251320694
2	Natural Coating (Wood)		96250480527

Bureau Veritas
Consumer Products Services (VN) Ltd.
Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone,
Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:
Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:
Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Black / Yellow Overlapping Coating (Bunk Warning Label)	Coating	-
I002	Black / Yellow / Red / White Overlapping Coating (CA Prop65 Label)	Coating	-
I003	Red / Yellow Overlapping Coating (Safety Weight Label)	Coating	-
I004	Black / White Overlapping Coating (Tracking Label)	Coating	-
I005	Black / White Overlapping Coating (COO Label)	Coating	-
I006	Bunk Warning Label	Paper	-
I007	CA Prop65 Label	Paper	-
I008	Safety Weight Label	Paper	-
I009	Tracking Label	Paper	-
I010	COO label	Paper	-
I011	MDF	Wood	-
I012	Plywood (Slat)	Wood	-
I013	LVL (Guardrail Slat)	Wood	-
I014	Leaf Hinge	Metal	-
I015	2-Hole Mending Plate	Metal	-
I016	4-Hole Mending Plate	Metal	-
I017	Gray Bolt	Metal	-
I018	Gray Hex Head Screw	Metal	-
I019	Yellow Flat Head Screw	Metal	-
I020	Yellow Round Head Screw	Metal	-
I021	Gray Barrel Nut	Metal	-
I022	Gray Cap Nut	Metal	-
I023	Gray Knob Bolt	Metal	-
I024	L-Shaped Bracket	Metal	-
I025	Metal Part (Door Catcher)	Metal	-
I026	White Plastic Part (Door Catcher)	Hard Plastic	-
I027	Metal Frame (Drawer Wheels)	Metal	-
I028	Metal Rivet (Drawer Wheels)	Metal	-
I029	White Plastic Wheel (Drawer Wheels)	Hard Plastic	-

TEST RESULT

Total Lead Content in Surface Coating:
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method: U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	**90 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001+I002+I003	I004+I005
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method: U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**				
Test Item(s)	-	I011+I012+I013	I014	I026	I029	I015
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**						
Test Item(s)	-	I016	I017	I018	I019	I020	I021	I022
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I023	I024	I025	I027	I028
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- According to Children’s Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children`s products containing up to 0.03 % lead weight.

TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	**100 mg/kg**

-	Unit	Result	
Test Item(s)	-	I001+I002+I003	I004+I005
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I011+I012+I013	I014	I026	I029	I015
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	Unit	Result						
Test Item(s)	-	I016	I017	I018	I019	I020	I021	I022
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

-	Unit	Result				
Test Item(s)	-	I023	I024	I025	I027	I028
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- Tested per client’s request

RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	M
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	M
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	M
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	M
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	M
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

CARTON LAYOUT




160 mm
310 mm
1990 mm
ITEM: TWIN HOUSE BED WITH DRAWERS AND STAIR - WHITE + NATURAL
ARTICLE: LIT JUMELÉ AVEC TIROIRS ET ESCALIER - BLANC + NATUREL
N709P395153K
BOX/ENCADRÉ: 2 OF 3/2 DE 3
You must read and understand the assembly instruction sheet packed in the carton before you start to assemble
Vous devez lire et comprendre le feuille d'instructions de montage emballée dans le carton avant de commencer à assembler
Sets often ship in multiple boxes and may arrive a day or two apart
Les ensembles sont souvent expédiés dans plusieurs boîtes et ne peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.
WARNING
AVERTISSEMENT
FRAGILE
NO HOOK
WEIGHT
FRAGILE
NOIRE
POIDS
N709P395153K
N709P395153K
QTY/QTE: 1 PC / 1 ENSEMBLE
COLOR/COULEUR: WHITE + NATURAL/BLANC + NATUREL
GW: 70.55 LBS
NW: 62.83 LBS
MEAS/MESURE: 78.74 x 12.40 x 6.50 INCH
P.O NO./P.O.NUMÉRO: V221VDY20251017WM
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ


215 mm
460 mm
1285 mm
ITEM: TWIN HOUSE BED WITH DRAWERS AND STAIR - WHITE + NATURAL
ARTICLE: LIT JUMELÉ AVEC TIROIRS ET ESCALIER - BLANC + NATUREL
N709P395154K
BOX/ENCADRÉ: 3 OF 3/3 DE 3
You must read and understand the assembly instruction sheet packed in the carton before you start to assemble!
Vous devez lirez/ comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler
Sets often ship in multiple boxes and may arrive a day or two apart!
Les ensembles sont souvent expédiés dans plusieurs boîtes et ne peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.
WARNING
AVERTISSEMENT
N709P395154K
QTY/QTE: 1 PC / 1 ENSEMBLE
COLOR/COULEUR: WHITE + NATURAL/BLANC + NATUREL
GW: 81.57 LBS
NW: 72.75 LBS
MEASUREMENT/MESURE: 50.98 x 18.31 x 8.66 INCH
P.O NO./P.O.NUMÉRO: V22TVDY2025 01/WM
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ

WARNING LABEL & COUNTRY OF ORIGINAL LABEL & CA PROP 65 LABEL & SAFETY MAXIMUM WEIGHT LABEL











TRACKING LABEL

Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh City, Viet Nam
11/2025
N709P395152/N709P395153/N709P395154
PO V221VDY20251017WM
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde

Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh City, Viet Nam
11/2025
N709P395152/N709P395153/N709P395154
PO V221VDY20251017WM
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde