**Technical Report:** **96253100464** NOVEMBER 21, 2025
Date Received: NOVEMBER 06, 2025 

DAI VIET CO., LTD
NO. 276/19/13 TRAN HUNG DAO STREET, DONG B QUARTER, DONG HOA WARD, HO CHI MINH CITY, VIETNAM

| | | | |
|---|---|---|---|
| Sample Description: | FULL HOUSE BED WITH TRUNDLE AND STAIR | | |
| Vendor: | DAI VIET CO., LTD | Sample Size: | / |
| Manufacturer: | DAI VIET CO., LTD | VPN: | / |
| Buyer: | GIGACLOUD | SKN/SKU No.: | N709P395149/N709P395150/ N709P395151 |
| Agent: | / | | / |
| Labeled Age Grade: | / | PO No.: | V222VDY20251017WM |
| Appropriate Age Grade: | / | Ref #: | / |
| Client Specified Age Grade: | / | Country of Origin: | VIETNAM |
| Tested Age Grade: | / | Assortment No.: | / |
| UPC Code: | / | Department No.: | / |
| Phase of Production: | / | Item#: | / |
| Color: | WHITE + NATURAL | Date of Production: | / |
| Program: | / | Model/Style#: | / |
| Previous No: | N/A | Country of Destination: | USA |

| TEST PROPERTY | PASS | FAIL | DATA | N/A | Remark |
|---|---|---|---|---|---|
| CPSIA Total Lead Content In Substrate Materials | X | | | | |
| 15 U.S.C 1278a Total Lead Content | X | | | | |
| 16 CFR 1213 Bunk Beds | X | | | | |
| 16 CFR 1513 Requirements for Bunk Beds | X | | | | |
| ASTM F1427-21e1 Bunk Beds | X | | | | |

**Bureau Veritas**
**Consumer Products Services (VN) Ltd**.
Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone, Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

**Note(s):**

- The Chemical test following reports listed:

| No. | Tested component | Chemical test | Reference report |
|---|---|---|---|
| 1 | White Coating (Wood) | 16 CFR Part 1303 Total Lead Content in Surface Coating / 15 U.S.C 1278a Total Lead Content | 96251320694 |
| 2 | Natural Coating (Wood) | | 96250480527 |
| 3 | Black / Yellow Overlapping Coating (Bunk Warning Label) | | 96253100448 |
| 4 | Black / Yellow / Red / White Overlapping Coating (CA Prop65 Label) | | |
| 5 | Red / Yellow Overlapping Coating (Safety Weight Label) | | |
| 6 | Black / White Overlapping Coating (Tracking Label) | | |
| 7 | Black / White Overlapping Coating (COO Label) | | |
| 8 | Bunk Warning Label | 15 U.S.C 1278a Total Lead Content | |
| 9 | CA Prop65 Label | | |
| 10 | Safety Weight Label | | |
| 11 | Tracking Label | | |
| 12 | COO label | | |
| 13 | MDF | | |
| 14 | Plywood (Slat) | | |
| 15 | LVL (Guardrail Slat) | | |
| 16 | Leaf Hinge | | |
| 17 | 2-Hole Mending Plate | | |
| 18 | 4-Hole Mending Plate | | |
| 19 | Gray Bolt | | |
| 20 | Gray Hex Head Screw | | |
| 21 | Yellow Flat Head Screw | | |
| 22 | Yellow Round Head Screw | | |
| 23 | Gray Barrel Nut | | |
| 24 | Gray Cap Nut | | |
| 25 | Gray Knob Bolt | | |
| 26 | L-Shaped Bracket | | |
| 27 | Metal Part (Door Catcher) | | |
| 28 | White Plastic Part (Door Catcher) | | |
| 29 | Silver Metal (U-Shaped Bracket) | | 96253100462 |

- This report includes the test result(s) which was conducted & reviewed by Analytical department.

If there is any question regarding this report, please contact the following lab personnel:

**Administrative inquiries, please contact:**
Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

**Technical inquiries, please contact:**
Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

**BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.**

**TERRY NGUYEN**
**LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION**

**RESULT(S):**

**REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)**

| Section | Description | Results |
|---|---|---|
| 1213.3<br>1513.3 | Requirements | |
| 1213.3(a)<br>1513.3(a) | Guardrails | |
| 1213.3(a)(1)<br>1513.3(a)(1) | Two guardrails required if bed is > 30 inches from ground | M |
| 1213.3(a)(2)<br>1513.3(a)(2) | One guardrail shall be continuous | M |
| 1213.3(a)(3)<br>1513.3(a)(3) | No greater than 15 inches between either end | M |
| 1213.3(a)(4)<br>1513.3(a)(4) | Bunk Beds with ladder, continuous guardrail on other side | M |
| 1213.3(a)(5)<br>1513.3(a)(5) | Guardrails attached so they cannot be removed without releasing a device | M |
| 1213.3(a)(6)<br>1513.3(a)(6) | The upper edge shall be no less than 5 inches above top surface | M |
| 1213.3(a)(7)<br>1513.3(a)(7) | No openings in the structure between lower edge and underside | M |
| 1213.3(b)<br>1513.3(b) | Bed End Structures | |
| 1213.3(b)(1)<br>1513.3(b)(1) | The upper edge of end structure shall be at least 5 inches above mattress | M |
| 1213.3(b)(2)<br>1513.3(b)(2) | No openings in the structure above foundation of the upper bunk that permits passage of the wedge block | M |
| 1213.3(b)(3)<br>1513.3(b)(3) | Tested in accordance with Section 1213.4(c) | M |
| 1213.3(b)(4)<br>1513.3(b)(4) | Neck entrapment requirements of Section 1213.4(c)(3) | M |
| 1213.5<br>1513.5 | Marking and Labeling | |
| 1213.5(a)<br>1513.5(a) | Permanent label with name and address, model # and date code | M |
| 1213.5(b)<br>1513.5(b) | Permanent Warning Label placement | M |
| 1213.6<br>1513.6 | Instructions | |
| 1213.6(a)<br>1513.6(a) | Size of mattress and foundation | M |
| 1213.6(b)<br>1513.6(b) | Safety Warning | - |
| 1213.6(b)(1)<br>1513.6(b)(1) | Do not allow children under 6 years of age to use the upper bunk | M |

**REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)**

| Section | Description | Results |
|---|---|---|
| 1213.6(b)(2)<br>1513.6(b)(2) | Use guardrails on both sides of the upper bunk | M |
| 1213.6(b)(3)<br>1513.6(b)(3) | Prohibit horseplay on or under beds | M |
| 1213.6(b)(4)<br>1513.6(b)(4) | Prohibit more than one person on upper bunk | M |
| 1213.6(b)(5)<br>1513.6(b)(5) | Use ladder for entering or leaving upper bunk | M |
| 1213.6(b)(6)<br>1513.6(b)(6) | If the bed is placed against a wall, use full length guardrail along wall | M |

*M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section*

**RESULT(S):**

**STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)**

| Section | Requirement | Result |
|---|---|---|
| 4 | Performance Requirements | |
| 4.1 | Vertical Protrusions | - |
| 4.1.1 | Vertical protrusions along the top inside surface | M |
| 4.1.2 | Cap used along the top surface of upper bunk | NA |
| 4.2 | Fit of Top Bed to Bottom Bed | NA |
| 4.3 | Mattress and Foundation Size and Fit (Top Bed) | M |
| 4.4 | Mattress Size and Fit (Lower Foundation) | NA |
| 4.5 | Upper and Lower Foundation Support Systems | - |
| 4.5.1 | Horizontal position of the mattress and the foundation | M |
| 4.5.2 | Utilized event cross-members | M |
| 4.5.3 | Release of positive fastening devices or use of hand tools | M |
| 4.5.4 | Static load for the foundation support system | M |
| 4.6 | Side Rails | - |
| 4.6.1 | Bolt-On Side Rails | M |
| 4.6.2 | Hook-On Side Rails | NA |
| 4.6.3 | Side rail attachments | M |
| 4.7 | Guardrails | - |
| 4.7.1 | Presence of guardrails | M |
| 4.7.2 | Requirement of attachment | M |
| 4.7.3 | Requirement of height of the upper edge above the sleeping surface | M |
| 4.7.4 | Opening of the guardrail | M |
| 4.7.5 | Opening between the either end of the guardrail and the bed end structure | M |
| 4.8 | Bed Structure | - |
| 4.8.1 | The upper edge of the upper bunk end structures | M |
| 4.8.2 | Openings in the rigid end structures of the upper bunk | M |
| 4.8.3 | Openings in the end structures of the lower bunk | M |
| 4.8.4 | Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure | M |
| 4.9 | Ladders | - |
| 4.9.1 | Presence of ladder | M |
| 4.9.2 | Dimension requirement of ladder | M |
| 4.9.3 | Openings between ladder step and upper bunk boundary | M |
| 4.9.4 | Gaps between edge of mattress and interior vertical stile | NA |
| 4.10 | Metal beds: frame and fastenings | NA |
| 6 | Marking and Labeling | M |
| 7 | Instructional Literature | M |

*M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section*

## CARTON LAYOUT







ITEM: FULL HOUSE BED WITH DRAWERS AND STAIR - WHITE + NATURAL
ARTICLE: LIT COMPLET AVEC TIROIRS ET ESCALIER - BLANC + NATUREL
N709P395151K
BOX/ENCADRÉ: 3 OF 3/3 DE 3
You must read and understand the assembly Instruction sheet packed in the carton before you start to assemble!
Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler!
Sets often ship in multiple boxes and may arrive a day or two apart!
Les ensembles sont souvent expédiés dans plusieurs boîtes et ne peuvent pas arriver au même moment, peut-être à un jour ou deux d'intervalle.
WARNING
AVERTISSEMENT
N709P395151K
QTY/QTE: 1 PC / 1 ENSEMBLE
COLOR/COULEUR: WHITE + NATURAL/BLANC + NATUREL
GW: 85.98 LBS
NW: 79.37 LBS
MEAS/MESURE: 57.09 x 17.91 x 8.46 INCH
P.O NO./P.O.NUMÉRO: V222VDY20251017WM
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU OU TEL BIEN AIGUISÉ

**LABEL PHOTO**

SAFETY MAXIMUM
SÉCURITÉ MAXIMALE
WEIGHT/POIDS
550LBS
WARNING
This product can expose you to
chemicals including Wood dust
which is known to the State of
California to cause Cancer
For more information go to
www.P65Warnings ca.gov.

MADE IN VIETNAM


70.00 mm
25.00 mm
Compliance Information - Not Retailer
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Made in Ho Chi Minh City, Viet Nam
11/2025
N709P395149/N709P395150/N709P395151
PO V222VDY20251017WM
Compliance Level: California 93120
Phase 2 and 40 CFR 770 TSCA
Title VI Compliant for Formaldehyde
Informations sur la conformité - Aucun détaillant
GIGACLOUD TECHNOLOGY (USA) INC.
4388 SHIRLEY AVENUE EL MONTE, CA 91731
Fabriqué à Ho Chi Minh City, Viet Nam
11/2025
N709P395149/N709P395150/N709P395151
PO V222VDY20251017WM
Niveau de conformité : Californie 93120
Phase 2 et 40 CFR 770 TSCA
Title VI Compliant pour le formaldéhyde


AVERTISSEMENT
Pour aider à prévenir les blessures graves ou mortelles causées par le piégeage ou les chutes:
- Ne laissez jamais un enfant de moins de 6 ans sur le lit du haut.
- Utilisez uniquement un ou plusieurs matelas répondant aux spécifications suivantes sur le lit supérieur:
Type de lit
Double standard
Longueur
74"- 75"
Largeur
53 1/2"


- Assurez-vous que l'épaisseur du matelas ne dépasse pas 6" et que le matelas est au moins 5" sous l'extrémité supérieure des garde-corps.
- Utilisez des garde-corps des deux côtés de la couchette supérieure.
- Interdire les chamailleries sur ou sous le(s) lit(s).
- Interdisez plus d'une personne sur le lit supérieur.
- Utilisez une échelle pour entrer et sortir du lit supérieur
Risque d'étranglement - Ne jamais attacher ou suspendre des objets à une partie du lit superposé qui n'est pas conçue pour être utilisée avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.
NE PAS ENLEVER CETTE ÉTIQUETTE


WARNING
TO HELP PREVENT SERIOUS OR FATAL INJURIES FROM ENTRAPMENT OR FALLS:
Never allow a child under 6 years on upper bunk.
Use only mattress(es) meeting the following specifications on the upper bunk:
Bed Type
Full Standard
Length
74" - 75"
Width
53 ½"


• Ensure thickness of mattress does not exceed 6" and mattress is at least 5" below upper edge of guardrails.
• Use guardrails on both sides of upper bunk.
• Prohibit horseplay on or under bed(s).
• Prohibit more than one person on upper bunk.
• Use ladder for entering and leaving upper bunk.
STRANGULATION HAZARD -Never attach or hang items to any part of the bunk bed that are not designed for use with the bed example, but not limited to hooks, belts and jump ropes.
DO NOT REMOVE THIS LABEL