TEST REPORT

Report No. 010126010147

DATED: 03 FEBRUARY 2026

Client	:	**GRAND VICTERY FURNITURE SDN BHD** PLO 36, KAWASAN PERINDUSTRIAN BUKIT PASIR, MUKIM SUNGAI RAYA, 84300 MUAR, JOHOR, MALAYSIA
Buyer	:	GIGACLOUD TECHNOLOGY
Sample Description	:	GV SA56LBD(GC)
Color	:	LIGHT GREY WITH BROWN OAK
SKU No.	:	WF321600AAA/ WF321598AAA/ WF321598AAA
Model / Style	:	BUNK BED
Production Date	:	JANUARY 2026
Manufacturer	:	GRAND VICTERY FURNITURE
Country of Origin	:	MALAYSIA
Country of Destination	:	USA
Test Sample Received	:	RECEIVED ON 21/01/2026
Test Period	:	FROM 21/01/2026 TO 03/02/2026

TEST REQUESTED	CONCLUSION	REMARK
ASTM F1427-21e1 – STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS	**PASS**	/
16 CFR 1513 – REQUIREMENT FOR BUNK BEDS	**PASS**	/
16 CFR 1213 – SAFETY STANDARD FOR ENTRAPMENT HAZARDS IN BUNK BEDS	**PASS**	/
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (F)/ 16 CFR PART 1303 – TOTAL LEAD IN SURFACE COATING	**PASS**	/
CONSUMER PRODUCT SAFETY IMPROVEMENT ACT OF 2008 SECTION 101 (A)/ 15 U.S.C 1278A – TOTAL LEAD IN SUBSTRATE	**PASS**	/

Remark(s):

The results reported herein have been performed in accordance with the terms of accreditation under the Singapore Accreditation Council.

For technical enquiries or any other concerns, please contact:

GIC TESTING & INSPECTION SERVICES PTE LTD

Tel: +65 6741 2260

Email: services.sg@gicgrp.com

PREPARED BY:	**APPROVED BY:**
LUKMAN YUSOFF	**WONG KOK LEONG**
Testing Engineer	Assistant Lab Manager

GICG - ENABLING TRUST IN A CHANGING WORLD

SAMPLE PHOTOS

SAMPLE PHOTOS

WARNING LABEL

PRODUCT LABEL

SAMPLE PHOTOS



PACKAGING PHOTO

TEST RESULT(S):

ASTM F1427-21e1 Standard Consumer Safety Specification for Bunk Beds

Test Method : Reference to ASTM F1427-21e1.

Section	Description	Results
4	**Performance Requirements**	
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of top bed to bottom bed	NA
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	NA
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6.1	Bolt-on side rails	M
4.6.2	Hook-on side rails	NA
4.6.3	Side rail attachments	M
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	NA
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	NA
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	NA
4.10	Metal beds: frame and fastenings (5.8.1 & 5.8.1.1)	NA
4.10	Metal beds: frame and fastenings (5.8.2)	NA
5	**Test Method**	
5.1	Bed assembled in accordance with the provided instruction	M
5.10	**Permanency of Labels and Warnings**	
5.10.1–5.10.2	Permanent label	M
5.10.3	Label attached by a seam	NA
5.10.4	Adhesion test for warnings	NA
5.10.4.4	Non-paper label	NA
6	**Marking and Labeling**	
6.1	Presence of permanent label or marking	M
6.2.1	Warning label requirement (Upper bed end structure)	M
6.2.2	Font requirement (Upper bed end structure & Carton)	M
6.2.3	Warnings on carton containing bed ends	M
6.3	Permanency of labels and warnings	M
7	**Instructional Literature**	
7.1	Presence of printed instructions	M
7.2	Parts list	M
7.3	Assembly Instructions	M
7.4	Size of mattress and foundation	M
7.5	Replacement parts	M
7.6.1-7.6.13	Safety warnings	M

TEST RESULT(S): (Continued)

16 CFR 1513 – Requirement for Bunk Beds – Bunk Bed

Test Method : Reference to FHSA, Title 16, CFR, Part 1513.

Section	Description	Results
1513.3	**Requirements**	
1513.3(a)	**Guardrails**	
1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1513.3(a)(2)	One guardrail shall be continuous	M
1513.3(a)(3)	No greater than 15 inches between either end	M
1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1513.3(b)	**Bed End Structures**	
1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1513.3(b)(3)	Tested in accordance with Section 1513.4(c)	M
1513.3(b)(4)	Neck entrapment requirements of Section 1513.4(c)(3)	M
1513.5	**Marking and Labeling**	
1513.5(a)	Permanent label with name and address, model # and date code	M
1513.5(b)	Permanent Warning Label placement	M
1513.6	**Instructions**	
1513.6(a)	Size of mattress and foundation	M
1513.6(b)	Safety Warning	M
1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1513.6(b)(3)	Prohibit horseplay on or under beds	M
1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

Note:
M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

TEST RESULT(S): (Continued)

16 CFR 1213 – Safety Standard for Entrapment Hazards in Bunk Beds – Bunk Bed

Test Method : Reference to FHSA, Title 16, CFR, Part 1213.

Section	Description	Results
1213.3	**Requirements**	
1213.3(a)	**Guardrails**	
1213.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b)	**Bed End Structures**	
1213.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3)	Tested in accordance with Section 1213.4(c)	M
1213.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	M
1213.5	**Marking and Labeling**	
1213.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b)	Permanent Warning Label placement	M
1213.6	**Instructions**	
1213.6(a)	Size of mattress and foundation	M
1213.6(b)	Safety Warning	M
1213.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M
1213.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1213.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

Note:
M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

TEST RESULT(S): (Continued)

Consumer Product Safety Improvement Act Of 2008 Section 101 (f)/ 16 CFR Part 1303 – Total Lead In Surface Coating

Test Method : Reference to CPSC-CH-E1003-09.1.

Test Item(s)	Item / Component Description(s)
1	Coating on Grey Color Panel
2	Coating on Brown Color Panel
3	Coating on Grey Color Edging
4	Coating on White Drawer Slider
5	Coating on Black Metal Support

Test Item(s)	Unit	Permissible Limit	Result		
			1	2	3
Lead (Pb)	mg/kg	90	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result	
			4	6
Lead (Pb)	mg/kg	90	ND	ND
Conclusion	-	-	**PASS**	**PASS**

Note:
- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg
- ND = Not Detected

TEST RESULT(S): (Continued)

Consumer Product Safety Improvement Act Of 2008 Section 101 (a)/ 15 U.S.C 1278a – Total Lead In Substrate

Test Method : Reference to CPSC-CH-E1001-08.3
Reference to CPSC-CH-E1002-08.3

Test Item(s)	Item / Component Description(s)
1	Grey Color Edging Plastic
2	Stainless Hollow Steel
3	White Drawer Slider - Metal
4	White Drawer Slider - Metal Stud
5	White Drawer Slider - White Plastic Roller
6	L Bracket Steel
7	Round Glass Handle - Metal
8	Round Glass Handle - Plastic
9	Hinges
10	Black Metal Support
11	Black Plastic Pin Support
12	V Bracket
13	Backply Support
14	Screw Cap Plastic
15	Minifix Cap Plastic
16	Minifix Metal
17	Screw 16mm
18	Screw 14mm
19	Handle Screw
20	Nail
21	Euro Screw
22	Screw 28mm
23	Screw 32mm
24	Nut
25	JCBC Bolt 50mm
26	Screw 40mm
27	TP Screw

Test Item(s)	Unit	Permissible Limit	Result				
			1	2	3	4	5
Lead (Pb)	mg/kg	100	ND	29.4	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result				
			6	7	8	9	10
Lead (Pb)	mg/kg	100	ND	33.8	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result				
			11	12	13	14	15
Lead (Pb)	mg/kg	100	6.42	ND	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result				
			16	17	18	19	20
Lead (Pb)	mg/kg	100	ND	ND	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result				
			21	22	23	24	25
Lead (Pb)	mg/kg	100	ND	ND	ND	ND	ND
Conclusion	-	-	**PASS**	**PASS**	**PASS**	**PASS**	**PASS**

Test Item(s)	Unit	Permissible Limit	Result	
			26	27
Lead (Pb)	mg/kg	100	ND	ND
Conclusion	-	-	**PASS**	**PASS**

Note:
- mg/kg = milligrams per kilogram
- Reporting limit (Each): 2 mg/kg
- ND = Not Detected

END OF REPORT

This report sets forth our findings solely with respect to the test samples identified herein. The results in this report are not representative of the quality or characteristics of the lot/batch from which a test sample was taken or any similar or identical product unless specifically and expressly noted. The sample/s mentioned in this report is/are submitted/supplied/manufactured by the Client, GIC Testing & Inspection Services Pte. Ltd. therefore assumes no responsibility for the accuracy of information on the brand name, model/ style number, consignment or any information supplied. Unless otherwise stated in this report, no tests were conducted to determine long term effects of using the specific product. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission.