Technical Report: **96251850289** JULY 12, 2025
Date Received: JULY 04, 2025

GIGACLOUD TECHNOLOGY (USA) INC
18961 E ARENTH AVE CITY OF INDUSTRY, CA 91748 (US)

Sample Description:	BUNK BED + 2DRAWERS		
Vendor:	GIGACLOUD TECHNOLOGY (USA) INC	Sample Size:	/
Manufacturer:	CONG TY TNHH SAN XUAT XUAT KHAU HOANG ANH PHAT	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC	SKN/SKU No.:	N708P303434E-N708P303435E
Agent:	/		/
Labeled Age Grade:	/	PO No.:	V361NAR20250523LE
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	/
Color:	GRAY	Date of Production:	06/2025
Program:	/	Model/Style#:	N708P303434E-N708P303435E
Previous No:	96251550628	Country of Destination:	/

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total lead content in Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1213 Bunk Beds	X				
16 CFR 1513 Requirements for Bunk Beds	X				
ASTM F1427-21e1 Bunk Beds	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.

Bureau Veritas
Consumer Products Services (VN) Ltd.
Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone,
Thanh My Loi Ward, Thu Duc City, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:
Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:
Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Grey Coating (Wood)	Coating	-
I002	Yellow Metal (Big Bolt)	Metal	-
I003	Yellow Metal (Flat Head Screw)	Metal	-
I004	Yellow Metal (Barrel Nut)	Metal	-
I005	Yellow Metal (Bracket U)	Metal	-
I006	Yellow Metal (Round Screw)	Metal	-
I007	Yellow Metal (Caster)	Metal	-
I008	Silver Metal (Rivet Of Caster)	Metal	-
I009	Yellow Metal (Bracket L)	Metal	-
I010	Yellow Metal (Small Flat Screw)	Metal	-
I011	Silver Metal (Camlock)	Metal	-
I012	MDF	Wood	-
I013	Plywood	Wood	-
I014	White Plastic (Nut)	Hard Plastic	-
I015	White Plastic (Wheel Caster)	Hard Plastic	-
I016	Black Plastic (Cap Leg)	Hard Plastic	-
I017	Red/ Yellow/ White Coating (Maximum Label)	Coating	-
I018	Yellow/ Black/ White Coating (CA Prop 65 Warning Label)	Coating	-
I019	Black/ White Coating (Tracking Label & TSCA Label)	Coating	-
I020	Yellow/ Black Coating (Warning Label)	Coating	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	**90 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001+I017+I018	I019+I020
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**						
Test Item(s)	-	I002	I003	I004	I005	I006	I007	I008
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**			
Test Item(s)	-	I009	I010	I011	I012+I013
Parameter	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	73	ND
Conclusion	-	PASS	PASS	PASS	PASS

Individual Result

-	**Unit**	**Result**		
Test Item(s)	-	I014	I015	I016
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- According to Children’s Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children`s products containing up to 0.03 % lead weight.

TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**
Test Item(s)	-	I001+I017+I018
Parameter	-	-
Total Lead (Pb)	mg/kg	ND
Conclusion	-	PASS

-	**Unit**	**Result**						
Test Item(s)	-	I002	I003	I004	I005	I006	I007	I008
Parameter	-	-	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I009	I010	I011	I012+I013	I019+I020
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	73	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Individual Result

-	**Unit**	**Result**		
Test Item(s)	-	I014	I015	I016
Parameter	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND
Conclusion	-	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- Tested per client’s request

RESULT(S):

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.3 1513.3	Requirements	
1213.3(a) 1513.3(a)	Guardrails	
1213.3(a)(1) 1513.3(a)(1)	Two guardrails required if bed is > 30 inches from ground	M
1213.3(a)(2) 1513.3(a)(2)	One guardrail shall be continuous	M
1213.3(a)(3) 1513.3(a)(3)	No greater than 15 inches between either end	M
1213.3(a)(4) 1513.3(a)(4)	Bunk Beds with ladder, continuous guardrail on other side	M
1213.3(a)(5) 1513.3(a)(5)	Guardrails attached so they cannot be removed without releasing a device	M
1213.3(a)(6) 1513.3(a)(6)	The upper edge shall be no less than 5 inches above top surface	M
1213.3(a)(7) 1513.3(a)(7)	No openings in the structure between lower edge and underside	M
1213.3(b) 1513.3(b)	Bed End Structures	
1213.3(b)(1) 1513.3(b)(1)	The upper edge of end structure shall be at least 5 inches above mattress	M
1213.3(b)(2) 1513.3(b)(2)	No openings in the structure above foundation of the upper bunk that permits passage of the wedge block	M
1213.3(b)(3) 1513.3(b)(3)	Tested in accordance with Section 1213.4(c)	M
1213.3(b)(4) 1513.3(b)(4)	Neck entrapment requirements of Section 1213.4(c)(3)	M
1213.5 1513.5	Marking and Labeling	
1213.5(a) 1513.5(a)	Permanent label with name and address, model # and date code	M
1213.5(b) 1513.5(b)	Permanent Warning Label placement	M
1213.6 1513.6	Instructions	
1213.6(a) 1513.6(a)	Size of mattress and foundation	M
1213.6(b) 1513.6(b)	Safety Warning	-
1213.6(b)(1) 1513.6(b)(1)	Do not allow children under 6 years of age to use the upper bunk	M

REQUIREMENTS FOR BUNK BEDS (FHSA, Title 16, CFR, Part 1213 & 1513)

Section	Description	Results
1213.6(b)(2) 1513.6(b)(2)	Use guardrails on both sides of the upper bunk	M
1213.6(b)(3) 1513.6(b)(3)	Prohibit horseplay on or under beds	M
1213.6(b)(4) 1513.6(b)(4)	Prohibit more than one person on upper bunk	M
1213.6(b)(5) 1513.6(b)(5)	Use ladder for entering or leaving upper bunk	M
1213.6(b)(6) 1513.6(b)(6)	If the bed is placed against a wall, use full length guardrail along wall	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

RESULT(S):

STANDARD CONSUMER SAFETY SPECIFICATION FOR BUNK BEDS (ASTM F1427-21e1)

Section	Requirement	Result
4	Performance Requirements	
4.1	Vertical Protrusions	-
4.1.1	Vertical protrusions along the top inside surface	M
4.1.2	Cap used along the top surface of upper bunk	NA
4.2	Fit of Top Bed to Bottom Bed	M
4.3	Mattress and Foundation Size and Fit (Top Bed)	M
4.4	Mattress Size and Fit (Lower Foundation)	M
4.5	Upper and Lower Foundation Support Systems	-
4.5.1	Horizontal position of the mattress and the foundation	M
4.5.2	Utilized event cross-members	M
4.5.3	Release of positive fastening devices or use of hand tools	M
4.5.4	Static load for the foundation support system	M
4.6	Side Rails	-
4.6.1	Bolt-On Side Rails	M
4.6.2	Hook-On Side Rails	NA
4.6.3	Side rail attachments	M
4.7	Guardrails	-
4.7.1	Presence of guardrails	M
4.7.2	Requirement of attachment	M
4.7.3	Requirement of height of the upper edge above the sleeping surface	M
4.7.4	Opening of the guardrail	M
4.7.5	Opening between the either end of the guardrail and the bed end structure	M
4.8	Bed Structure	-
4.8.1	The upper edge of the upper bunk end structures	M
4.8.2	Openings in the rigid end structures of the upper bunk	M
4.8.3	Openings in the end structures of the lower bunk	M
4.8.4	Neck entrapment requirement of all portions of the boundary of any opening of the lower bunk end structure	M
4.9	Ladders	-
4.9.1	Presence of ladder	M
4.9.2	Dimension requirement of ladder	M
4.9.3	Openings between ladder step and upper bunk boundary	M
4.9.4	Gaps between edge of mattress and interior vertical stile	M
4.10	Metal beds: frame and fastenings	NA
6	Marking and Labeling	M
7	Instructional Literature	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section

CARTON


ITEM: BUNK BED + 2 DRAWERS - GRAY
ARTICLE: LIT SUPERPOSÉ + 2 TIROIRS - GRIS
N708P303434E
BOX/ENCADRÉ: 1 OF 2/1 DE 2
320 mm
65 mm
N708P303434E
QTY/QTE: 1 PC
COLOR/COULEUR: GRAY/GRIS
G.W: 95.64 LBS
N.W: 84.64 LBS
MEASUREMENT: 78.74 x 13.98 x 5.91 INCH
P.O NO/P.O NUMÉRO.: V361NA/R2E92S2LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ


ITEM: BUNK BED + 2 DRAWERS - GRAY
ARTICLE: LIT SUPERPOSÉ + 2 TIROIRS - GRIS
N708P303435E
BOX/ENCADRÉ: 2 OF 2/2 DE 2
320 mm
65 mm
N708P303435E
QTY/QTE: 1 PC
COLOR/COULEUR: GRAY/GRIS
G.W: 124.36 LBS
N.W: 118.36 LBS
MEAS/MESURE: 57.48 x 21.98 x 8.07 INCH
P.O NO/P.O NUMÉRO.: V361NA/R2/92/92/52/LE
MADE IN VIETNAM/FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ

HARDWARE INSIDE
N708P303435

LABELS ON PRODUCT



WARNING LABEL

WARNING

TO HELP PREVENT serious or fatal injuries from entrapment or falls:

- Use guardrails on both sides of upper bunk.
- Prohibit horseplay on or under bed (s).
- Prohibit more than one person on upper bunk.
- Use ladder for entering and leaving upper bunk.
- Never allow a child under 6 years on upper bunk.
- Use only mattress that is 74" - 75" long and 53.5"wide on upper bunk.
- Ensure thickness of mattress does not exceed 6"

And that mattress surface is at least 5" below upper edge of guardrails.

Strangulation Hazard- Never attach or hang items to any part of the bunk bed that are not designed for use with the bed, for example, but not limited, hooks, belts and jump ropes.

Made in Viet Nam

DO NOT REMOVE THIS LABEL

AVERTISSEMENT

POUR AIDER À PRÉVENIR les blessures graves ou mortelles causées par le piégeage

- Utiliser des garde-corps des deux côtés du lit supérieur.
- Interdire les chahuts sur ou sous le(s) lit(s).
- Interdire plus d'une personne sur la couchette supérieure
- Utilisez une échelle pour entrer et sortir du lit supérieur.
- Ne laissez jamais un enfant de moins de 6 ans sur la couchette supérieure.
- Utilisez uniquement un matelas mesurant 74" à 75" de long et -53.5" de large sur le lit supérieur.
- Assurez-vous que l'épaisseur combinée du matelas et du sommier ne dépasse pas 6"

Et cette surface du matelas se trouve à au moins 5" sous le bord supérieur des garde-corps.

Risque d'étranglement - N'attachez ou ne suspendez jamais d'objets à une partie du lit superposé qui ne sont pas conçus pour être utilisés avec le lit, par exemple, mais sans s'y limiter, des crochets, des ceintures et des cordes à sauter.

Fabriqué au Vietnam

NE PAS ENLEVER CETTE ÉTIQUETTE