Technical Report: **96253570520** DECEMBER 25, 2025
Date Received: DECEMBER 23, 2025

GIGACLOUD TECHNOLOGY(USA) INC.
4388 SHIRLEY AVENUE, EL MONTE, CA 91731

Sample Description:	FULL CAR BED WITH STORAGE		
Vendor:	GIGACLOUD TECHNOLOGY(USA) INC.	Sample Size:	01 PC
Manufacturer:	GIGACLOUD TECHNOLOGY(USA) INC.	VPN:	/
Buyer:	GIGACLOUD TECHNOLOGY(USA) INC.	SKN/SKU No.:	/
Agent:	/		/
Labeled Age Grade:	/	PO No.:	ALL PO
Appropriate Age Grade:	/	Ref #:	/
Client Specified Age Grade:	/	Country of Origin:	VIETNAM
Tested Age Grade:	/	Assortment No.:	/
UPC Code:	/	Department No.:	/
Phase of Production:	PRODUCTION	Item#:	WF305760
Color:	YELLOW	Date of Production:	/
Program:	/	Model/Style#:	/
Previous No:	96253160607	Country of Destination:	USA

TEST PROPERTY	PASS	FAIL	DATA	N/A	Remark
CPSIA Total Lead Content In Surface Coating	X				
CPSIA Total Lead Content In Substrate Materials	X				
15 U.S.C 1278a Total Lead Content	X				
16 CFR 1500.48 16 CFR 1500.49, Sharp Points And Sharp Edges	X				
15 U.S.C. § 2063(a)(5), Tracking Label For Children's Products	X				

Note(s):

- This report includes the test result(s) which was conducted & reviewed by Analytical department.

Bureau Veritas
Consumer Products Services (VN) Ltd.
Lot C7-C9, Conurbation 2, Cat Lai Industrial Zone, Cat Lai Ward, HCMC, Vietnam
Tel: 84-028-37421604~6 Fax: 84-028-37421603
website:www.bureauveritas.com/cps

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/ and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

If there is any question regarding this report, please contact the following lab personnel:

Administrative inquiries, please contact:
Primary Contact: Elise Vo, Tel: 84-028-37421-604 ~ 6, Ext: 394; email: elise.vo@bureauveritas.com
Back-up Contact: Cynthia Vuong, Tel: 848-37421-604 ~ 6, Ext: 641; email: cynthia.vuong@bureauveritas.com

Technical inquiries, please contact:
Primary Contact: Terry Nguyen, Tel: 84-028-37421-604 ~ 6, Ext: 355; email: terry.nguyen@bureauveritas.com
Back-up Contact: Louis Tran, Tel: 84-028-37421-604 ~ 6, Ext: 339; email: louis.tran@bureauveritas.com

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (VN) LTD.

TERRY NGUYEN
LAB MANAGER – HARDLINE, TOYS & JUVENILE PRODUCTS DIVISION

SAMPLE DESCRIPTION ASSIGNED BY LABORATORY

Test Item(s)	Sample description/ Location	Material	Style(s)
I001	Black/ Grey/ White Overlapping Coating (Full Sample)	Coating	-
I002	Yellow/White Coating (Wood)	Coating	-
I003	MDF wood	Wood	-
I004	Plywood	Wood	-
I005	Silver Metal (Bolt)	Metal	-
I006	Silver Metal (Cap Nut)	Metal	-
I007	Silver Metal (Round Head Screw)	Metal	-
I008	Silver Metal (Flat Head Screw)	Metal	-
I009	Silver Metal (Barrel Nut)	Metal	-
I010	Yellow Metal (Flat Head Screw On Slat)	Metal	-
I011	Yellow Metal (Rivet Of Stay Arm)	Metal	-
I012	Yellow Metal (Body Of Stay Arm)	Metal	-
I013	Yellow Metal (Arm Of Stay Arm)	Metal	-
I014	Yellow Metal (Springs Of Stay Arm)	Metal	-
I015	Yellow Metal (Holder Springs Of Stay Arm)	Metal	-
I016	Yellow Metal (I-Bracket Of Stay Arm)	Metal	-
I017	Yellow Metal (U-Bracket Of Stay Arm)	Metal	-
I018	Yellow Metal (Hinge)	Metal	-
I019	Black/ White Overlapping Coating (Tracking Label)	Coating	-
I020	Red/ Yellow Overlapping Coating (Maximum Weight Label)	Coating	-
I021	Black/ White/ Yellow Coating (Ca Prop 65 Label)	Coating	-
I022	Dark Blue/ Light Blue Overlapping Coating (Color Panel)	Coating	-

TEST RESULT

Total Lead Content in Surface Coating
- United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2) / United States Code of Federal Regulations (CFR), Title 16, Part 1303

Test Method : U. S. CPSC-CH-E1003-09.1 (February 25, 2011).

Maximum Allowable Limit :	**90 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001	I002
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	**Unit**	**Result**	
Test Item(s)	-	I019+I020+I021	I022
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million
Reporting Limit (mg/kg) : 10

Remark :

- Component(s) in Test Item(s) may not able to be tested individually due to overlapping.

TEST RESULT

Total Lead Content in Substrate:
- United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)

Test Method : U. S. CPSC Test Method CPSC-CH-E1001-08.3 (November 15, 2012) or U. S. CPSC Test Method CPSC-CH-E1002-08.3 (November 15, 2012).

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**				
Test Item(s)	-	I003+I004	I005	I006	I007	I008
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I009	I010	I011	I012	I013
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I014	I015	I016	I017	I018
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Reporting Limit (mg/kg) : 10

Remark :

- According to Children’s Products Containing Lead; Exemptions for Certain Electronic Devices; Final Rule, exemption were granted to steel alloy containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and copper-based alloy containing up to 4 % lead by weight.
- According to Petition Requesting Exception from Lead Content Limits; Notice Granting Exception, exemption was granted to certain aluminum alloy on certain ride-on children`s products containing up to 0.03 % lead weight.

TEST RESULT

Total Lead Content:
15 U.S.C 1278a-Children Product Containing Lead

Maximum Allowable Limit :	**100 mg/kg**

-	**Unit**	**Result**	
Test Item(s)	-	I001	I002
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	**Unit**	**Result**	
Test Item(s)	-	I019+I020+I021	I022
Parameter	-	-	-
Total Lead (Pb)	mg/kg	ND	ND
Conclusion	-	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I003+I004	I005	I006	I007	I008
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I009	I010	I011	I012	I013
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

-	**Unit**	**Result**				
Test Item(s)	-	I014	I015	I016	I017	I018
Parameter	-	-	-	-	-	-
Total Lead (Pb)	mg/kg	ND	ND	ND	ND	ND
Conclusion	-	PASS	PASS	PASS	PASS	PASS

Note / Key :

ND = Not detected NA = Not applicable “>” = Greater than
mg/kg = milligram(s) per kilogram = ppm = part(s) per million 10000 mg/kg = 1 % % = percent
Detection Limit (mg/kg) : 10

Remark :

- Tested per client’s request

RESULT(S):

Evaluation	Citation / Method	Test procedure	Results	Rating
Sharp Points And Sharp Edges	16 CFR 1500.48 16 CFR 1500.49	Items intended for children under 8 years of age shall not have accessible, potentially hazardous sharp points, sharp edge before or after use and abuse testing	M	PASS
Tracking Label For Children's Product	15 U.S.C. § 2063(a)(5)	A permanent and distinguishing mark or code on the product and its packaging, to the extent practicable, allows the manufacturer and purchaser to ascertain the name of the manufacturer or private labeler, location and date of production of the product. Verified the presence only. The accuracy of tracking label will not be verified. Note: Manufacturer or Private Labeler name can not be coded.	M	PASS

Results Key:

M	Meets	NM	Does Not Meet
NA	Not Applicable	NT	Not Tested
C	Claimed	R	Recorded

BLUE COLOR

YELLOW COLOR

CARTON


WF305760AAB
P.O.NO. / P.O.NUMÉRO : V089YFZ20240627WM
COLOR / COULEUR : BLACK / NOIRE
QTY / QTE : 1 SET
N.W. : 116.60 LBS
G.W. : 124.96 LBS
MEAS / MESURE : 58.66 X 21.65 X 8.86 INCH
MADE IN VIETNAM / FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ
CAUTION
ATTENTION
FRAGILE / FRAGILE
NO WET / NE PAS MOUILLER
WEIGHT / POIDS
ITEM : FULL CAR BED WITH STORAGE - BLACK
ARTICLE : LIT DE VOITURE COMPLET AVEC RANGEMENT - NOIRE
WF305760AAB
You must read and understand the assembly instruction sheet packed in the carton before you start to assemble.
Vous devez lire et comprendre la feuille d'instructions de montage emballée dans le carton avant de commencer à assembler.
Sets often ship in multiple boxes and may arrive a day or two apart.
Les ensembles sont souvent expédiés dans plusieurs boîtes et peuvent arriver avec un ou deux jours d'intervalle.
WF305760AAB
WF305760AAB
P.O.NO. / P.O.NUMÉRO : V089YFZ20240627WM
COLOR / COULEUR : BLACK / NOIRE
QTY / QTE : 1 SET
N.W. : 116.60 LBS
G.W. : 124.96 LBS
MEAS / MESURE : 58.66 X 21.65 X 8.86 INCH
MADE IN VIETNAM / FABRIQUÉ EN VIETNAM
DO NOT CUT OPEN WITH SHARP KNIFE / TOOL
NE PAS COUPER AVEC UN COUTEAU/OUTIL BIEN AIGUISÉ
WF305760AAB
WF305760AAB
WF305760AAB



CA PROP 65 LABEL

MAXIMUM WEIGHT LABEL

TRACKING LABEL