

15 Most Common Java Interview Programs

1. Reverse a String

```
public class ReverseString {  
    public static String reverse(String input) {  
        return new StringBuilder(input).reverse().toString();  
    }  
}
```

2. Check Palindrome

```
public class PalindromeCheck {  
    public static boolean isPalindrome(String str) {  
        return str.equals(new StringBuilder(str).reverse().toString());  
    }  
}
```

3. Factorial of a Number

```
public class Factorial {  
    public static int factorial(int n) {  
        if (n == 0) return 1;  
        return n * factorial(n - 1);  
    }  
}
```

4. Fibonacci Series

```
public class Fibonacci {  
    public static void printFibonacci(int count) {  
        int a = 0, b = 1;  
        for (int i = 0; i < count; i++) {  
            System.out.print(a + " ");  
            int sum = a + b;  
            a = b;  
            b = sum;  
        }  
    }  
}
```

5. Prime Number Check

```
public class PrimeCheck {  
    public static boolean isPrime(int num) {  
        if (num <= 1) return false;  
        for (int i = 2; i <= Math.sqrt(num); i++) {
```

```

        if (num % i == 0) return false;
    }
    return true;
}
}

```

6. Swap Two Numbers without Temp

```

public class SwapNumbers {
    public static void swap(int a, int b) {
        System.out.println("Before: a=" + a + ", b=" + b);
        a = a + b;
        b = a - b;
        a = a - b;
        System.out.println("After: a=" + a + ", b=" + b);
    }
}

```

7. Count Digits

```

public class CountDigits {
    public static int countDigits(int n) {
        int count = 0;
        while (n != 0) {
            n /= 10;
            count++;
        }
        return count;
    }
}

```

8. Reverse a Number

```

public class ReverseNumber {
    public static int reverse(int num) {
        int rev = 0;
        while (num != 0) {
            rev = rev * 10 + num % 10;
            num /= 10;
        }
        return rev;
    }
}

```

9. Sum of Digits

```

public class SumOfDigits {
    public static int sumDigits(int num) {

```

```

        int sum = 0;
        while (num != 0) {
            sum += num % 10;
            num /= 10;
        }
        return sum;
    }
}

```

10. Check Armstrong Number

```

public class Armstrong {
    public static boolean isArmstrong(int num) {
        int temp = num, sum = 0, digits = 0;
        while (temp != 0) {
            digits++;
            temp /= 10;
        }
        temp = num;
        while (temp != 0) {
            sum += Math.pow(temp % 10, digits);
            temp /= 10;
        }
        return sum == num;
    }
}

```

11. Find Largest Element in Array

```

public class LargestInArray {
    public static int findMax(int[] arr) {
        int max = arr[0];
        for (int i : arr) {
            if (i > max) max = i;
        }
        return max;
    }
}

```

12. Linear Search

```

public class LinearSearch {
    public static int search(int[] arr, int key) {
        for (int i = 0; i < arr.length; i++) {
            if (arr[i] == key) return i;
        }
        return -1;
    }
}

```

```
}  
}
```

13. Binary Search

```
public class BinarySearch {  
    public static int search(int[] arr, int key) {  
        int low = 0, high = arr.length - 1;  
        while (low <= high) {  
            int mid = (low + high) / 2;  
            if (arr[mid] == key) return mid;  
            if (arr[mid] < key) low = mid + 1;  
            else high = mid - 1;  
        }  
        return -1;  
    }  
}
```

14. Check Even or Odd

```
public class EvenOdd {  
    public static boolean isEven(int n) {  
        return n % 2 == 0;  
    }  
}
```

15. Print Multiplication Table

```
public class MultiplicationTable {  
    public static void printTable(int n) {  
        for (int i = 1; i <= 10; i++) {  
            System.out.println(n + " x " + i + " = " + (n * i));  
        }  
    }  
}
```