

20260410 ch5

姓名: 朱芊靄 交卷時間 (IP): 2026-04-10 13:22 分數: 75 / 100

恭喜您，通過測驗的及格門檻 60 分!

1 Experience has shown that the best way to construct a program is from small pieces. This is called _____.

- ☐ A. bottom up
- ☐ B. the whole is greater than the sum of the parts
- ☒ C. divide and conquer
- ☐ D. recursion

8.33 分

2 Which is *not* an ANSI standard library function?

- ☐ A. printf
- ☒ B. main
- ☐ C. scanf
- ☐ D. pow

8.33 分

3 Which one item is most *different* from the other three?

- ☐ A. worker function
- ☒ B. caller
- ☐ C. calling function
- ☐ D. boss function

正確答案: A

8.33 分

4 All functions in the math library return the data type _____.

- ☐ A. float
- ☐ B. int
- ☐ C. long
- ☒ D. double

8.33 分

5 If $a = 7.0$, $b = 7.0$ and $c = 6.0$, then what is printed by

```
printf("%.2f", sqrt(a + b * c));
```

- ☐ A. 49
- ☒ B. 7.00
- ☐ C. 7
- ☐ D. 49.00

8.33 分

6 Which of the following code segments does *not* contain any errors?

- ☐ A. `void printnum(int x) { print("%i", x); return x; }`
- ☐ B. `int cube(int s) { int s; return s * s * s; }`
- ☐ C. `double triple(float n) { return 3 * n; }`
- ☒ D. `double circumference (int r) return 3.14 * 2 * r;`

正確答案: C

8.33 分

7 Forcing arguments to the appropriate types is commonly called _____.

- ☐ A. conversion
- ☒ B. casting

- ☐ C. coercion
- ☐ D. transmogrification

正確答案: **C**

8.33 分

8 Placing a new item on a stack is known as _____.

- ☒ A. pushing.
- ☐ B. popping.
- ☐ C. appending.
- ☐ D. None of the above.

8.33 分

9 Which standard library header file contains function prototypes for conversions of numbers to text and text to numbers, memory allocation, random numbers and other utility functions.

- ☐ A. <stdarg.h>
- ☒ B. <stdlib.h>
- ☐ C. <stdutil.h>
- ☐ D. <stddef.h>

8.33 分

10 The rand function generates a data value of the type

- ☐ A. unsigned int
- ☒ B. int
- ☐ C. long int
- ☐ D. short int

8.33 分

11 Which is *not* an attribute of a variable?

- ☐ A. name
- ☒ B. definition
- ☐ C. type
- ☐ D. value

8.33 分

12 An identifier's _____ is where the identifier can be referenced in a program.

- ☐ A. locality
- ☐ B. vicinity
- ☐ C. neighborhood
- ☒ D. scope

8.37 分

Copyright © 臺北市立大學 All rights reserved.

本網站僅作學術研究用途，不得從事商業用途，請**尊重智慧財產權**，避免任何侵權行為，勿上傳/下載未經授權之檔案資料，並依授權規範合理使用。

Please respect the intellectual property rights.

線上：885 人