



Bill of Materials

<Parameter Title not found>

Source Data From: CC_SOC DEBUGGER.PrjPcb

Project: CC_SOC DEBUGGER.PrjPcb

Variant: None

 Creation Date:
 2010/7/24
 12:59:49

 Print Date:
 40383
 40383.54163

| Footprint | Comment | LibRef | Designator | Description | Quantity |
|--------------|--------------|----------------|-----------------|-------------|----------|
| 0805 | 1uF | CAP | C1 | Capacitor | |
| 0805 | 0.1uF | CAP | C2, C8, C10 | Capacitor | |
| 0805 | 33pF | CAP | C3, C4 | Capacitor | |
| 0805 | 47pF | CAP | C5*, C6* | Capacitor | |
| 0805 | 1nF | CAP | C7 | Capacitor | |
| 1206 | 4.7uF | C2 | C9 | | |
| 1206 | 10uF | C2 | C11 | | |
| USB-B | USBCON | USBCON | CN1 | Connector | |
| HDR5X2-LP | HEADER 5X2 | HEADER 5X2 | JP1 | | |
| FKV10LN | HEADER 5X2 | HEADER 5X2 | JP2 | | |
| LED-05/KC/C | R-G LED | LED- | LED1 | 312 | |
| | | 05/KC/COMMO | | | |
| | | N_K | | | |
| HOLE3 1 | | CON1 | O1, O2, O3, O4 | Connector | |
| sot23 | Q- | Q- | Q1 | 311000001 | |
| 30123 | 2N5551/SOT23 | 2N5551/SOT23 | 91 | 311000001 | |
| 0805 | 4.7K | RES1 | R1, R2, R3, R10 | | |
| 0805 | 330 | RES1 | R4, R5 | | |
| 0805 | 1.5K | RES1 | R4, R5 R6 | | |
| | - | - | | | |
| 0805 | 33 | RES1 | R7, R9 | | |
| 0805 | 56K | RES1 | R8 | | |
| 0805 | 0 | RES1 | R11, R13 | | |
| 0805 | 1K | RES1 | R12 | | |
| 0805 | 10K | RES1 | R14 | | |
| B3F-31XX | SW-PB | SW-PB | S1 | | |
| TESTPOINT- | TP1 | TP | TP1 | | |
| PAD35 | | | | | |
| TESTPOINT- | TP3 | TP | TP2 | | |
| PAD35 | | | | | |
| SO20/1.27/9. | 74LVCH245 | 74LVCH245 | U1, U3 | 313 | |
| 652 | | | | | |
| CC2511 | CC2511 | CC2511 | U2 | | |
| SOT-223 | AS1117 | AS1117 | U4 | | |
| XTAL-6X3.5 | 48.000MHz | XTAL_SMD_4X2 | Y1 | | |
| | | _5(4.0_X_2.5_M | | | |
| | | M) | | | |
| | | i) | | | 4 |
| Approved | | Notes | | | |
| дриотси | | 1.0.03 | | | |
| | | 1 | | | |
| | | | | | |
| | | | | | |
| | | 1 | | | |
| | | 1 | | | |
| | | | | | |