

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<title>USA Virtual Number Store Pro</title>
<style>
body{font-
family:Arial;margin:0;background:#f2f4f7}
header{background:#0088cc;color:#fff;pad-
ding:15px;text-align:center;font-size:22px}
nav{display:flex}
nav
button{flex:1;padding:12px;border:none;bac-
kground:#0077aa;color:white;cursor:pointe-
r}
nav button.active{background:#005f88}
main{padding:20px}
.card{background:#fff;padding:15px;border
```

```
-radius:8px;margin-bottom:12px}
button.action{background:#0088cc;color:white;border:none;padding:10px 16px;border-radius:6px;cursor:pointer}
input,select{width:100%;padding:10px;margin:10px 0;border-radius:6px;border:1px solid #ccc;font-size:16px}
#output{margin-top:20px;font-size:16px}
</style>
</head>
<body>
```

```
<header> USA Virtual Number Store
Pro</header>
```

```
<nav>
<button class="tab active" data-
page="home">Home</button>
<button class="tab" data-
page="products">Products</button>
<button class="tab" data-
```

```
page="order">Order</button>
<button class="tab" data-
page="payments">Payments</button>
<button class="tab" data-
page="support">Support</button>
</nav>
```

```
<main>
```

```
<!-- HOME -->
```

```
<div id="home" class="page">
```

```
<h3>Welcome 🖐️</h3>
```

```
<p>We provide USA virtual numbers &
services for business & communication.</
p>
```

```
<button class="action"
```

```
onclick="showUser()">Check My Telegram
Info</button>
```

```
<div id="user"></div>
```

```
</div>
```

```
<!-- PRODUCTS -->
```

```
<div id="products" class="page"  
style="display:none">
```

```
<div class="card"> Google Voice –  
Business use</div>
```

```
<div class="card"> TextNow – App  
verification</div>
```

```
<div class="card"> TextPlus – OTP  
support</div>
```

```
<div class="card"> Sideline – Business  
line</div>
```

```
<div class="card"> OpenPhone – Team  
use</div>
```

```
<div class="card"> Burner – Temporary  
number</div>
```

```
</div>
```

```
<!-- ORDER -->
```

```
<div id="order" class="page"  
style="display:none">
```

```
<h3>Place Order</h3>
```

```
<select id="product">
<option value="">Select Product</option>
<option value="Google Voice">Google
Voice</option>
<option value="TextNow">TextNow</
option>
<option value="TextPlus">TextPlus</
option>
<option value="Sideline">Sideline</option>
<option value="OpenPhone">OpenPhone</
option>
<option value="Burner">Burner</option>
</select>
<input id="qty" placeholder="Quantity">
<button class="action"
onclick="sendOrder()">Send Order</
button>
<div id="output"></div>
</div>

<!-- PAYMENTS -->
```

```
<div id="payments" class="page" style="display:none">
```

```
<h3>Payment Instructions 
```

```
<p> Send payment to PayPal / Wise / Crypto (Contact admin for details)</p>
```

```
<p> After payment, submit your transaction ID in the order form.</p></div>
```

```
<!-- SUPPORT -->
```

```
<div id="support" class="page" style="display:none">
```

```
<p> Telegram Support</p>
```

```
<p> 24/7 Response</p>
```

```
</div>
```

```
</main>
```

```
<script>
```

```
const tg = window.Telegram.WebApp;
```

```
tg.expand();
```

```
// Tab navigation
document.querySelectorAll('.tab').forEach(
  btn=>{
    btn.onclick=()=>{
      document.querySelectorAll('.tab').forEach(
        b=>b.classList.remove('active'));
      btn.classList.add('active');
      document.querySelectorAll('.page').forEach(
        (p=>p.style.display='none');
      document.getElementById(btn.dataset.page).style.display='block';
    };
  });
```

```
// Show Telegram User Info
function showUser(){
  const u=tg.initDataUnsafe.user;
  document.getElementById("user").innerHTML=
    `<p><b>${u.first_name}</b> (@$
```

```
{u.username || '-'})</p><p>ID: ${u.id}</p>`;
}
```

// Send Order to Bot/Admin

```
function sendOrder(){
const
p=document.getElementById("product").value;
const
q=document.getElementById("qty").value;
if(!p||!q){alert("Fill all fields");return;}
const msg=`ORDER\nProduct: ${p}\nQty: ${q}\nUser: ${tg.initDataUnsafe.user.first_name} (@${tg.initDataUnsafe.user.username || '-'})\nID: ${tg.initDataUnsafe.user.id}`;
tg.sendData(msg);
document.getElementById("output").innerText=" Order sent successfully!";
document.getElementById("qty").value="";
document.getElementById("product").value
```



```
=''';
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```