

## Practical 1 : Design a web Page using Inline and Internal Css.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        p

        {    color: blueviolet;

            background-color: black;    }

    </style>

</head>

<body>


    <h1 style="color:aqua;text-align: justify; "> Wel-come to my Web Page</h1>

    <p>This is a paragraph Tag</p>

</body>

</html>
```

## Output :



## Practical 2: Demonstrate the use of External css.

### .html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <h1> This is my Web Page.</h1>

    <p>External Css</p>

</body>

</html>
```

### .css

```
body {

    background-color: brown;

}

h1 {

    color: aqua;

    font-size: 60px;

    text-align: center;
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
border: radius 10px;;  
}  
P {  
    color: black;  
    text-align: center;  
    font-size: 40px;  
}
```

**Output :**

**This is my Web Page.**

External Css

### Practical 3 : Create a webpage to set Background color using css.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        body{

            background-color: aquamarine;

            font-family: 'Courier New', Courier, monospace;

        }

        h1{

            color: tomato;

            text-align: center;

            text-decoration: dotted;

        }

        p

        {

            color: blue;

            text-decoration: dotted;

            text-align: center;

        }

    </style>
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
</head>
```

```
<body>
```


```
<h1>Welcome to My web page</h1>
```

```
<p>This is an example of set Background color using css. </p>
```

```
</body>
```

```
</html>
```

## Output :



## **Practical 4 : Create Web Page to set different font style to each paragraph.**

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
    <style>
```

```
        body{
```

```
            background-color: aquamarine;
```

```
            text-align: center;
```

```
        }
```

```
        .p1{
```

```
            color: tomato;
```

```
            font-family: 'Courier New';
```

```
        }
```

```
        .p2
```

```
        {
```

```
            color: blue;
```

```
            font-family: 'Times New Roman';
```

```
        }
```

```
        .p3
```

```
        {
```

```
        color:red;

        font-family: Cambria;

    }

.p4

{

    color: aqua;

font-family: monospace;

}

.p5

{

    color: blueviolet;

    font-family: fantasy;

}

</style>

</head>

<body>

<h1>Welcome to My web page</h1>

<p class="p1">This is a paragraph with Courier New    </p>

<p class="p2">This is a paragraph with Times New Roman    </p>

<p class="p3">This is a paragraph with Cambria </p>

<p class="p4">This is a paragraph with monospace    </p>


<p class="p5">This is a paragraph with fantasy </p>

</body>
```

Roll no: 24104001 Name : Aachal Kiran Patil

</html>

**Output :**





## Practical 5 : Demonstrate Text Formating using CSS.

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
    <style>
```

```
        body{
```

```
            background-color: beige;
```

```
            text-align: center;
```

```
        }
```

```
        .p1{
```

```
            color: tomato;
```

```
            font-weight: bold;
```

```
        }
```

```
        .p2
```

```
        {
```

```
            color: blue;
```

```
            font-style: normal;
```

```
        }
```

```
        .p3
```

```
        {
```

```
            color:red;
```

```
        text-decoration: dashed;
    }

.p4
{
    color: aqua;
    text-decoration: line-through;
}

.p5
{
    color: blueviolet;
    text-shadow: 0cqi;
}

</style>

</head>

<body>

<h1>Welcome to My web page</h1>

<p class="p1">This is a Bold text  </p>

<p class="p2">This is a normal text  </p>

<p class="p3">This is a dashed text </p>

<p class="p4">This is a strike-through  </p>


<p class="p5">This is a shadow effect </p>


</body>

</html>
```

Roll no: 24104001 Name : Aachal Kiran Patil

## Output :



## **Practical 6 : Create a web page using different Background colors using css .**

**.html**

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <header>

        <h1>Welcome to My Colorful Webpage</h1>

    </header>

    <section class="section-1">

        <h2>Section 1</h2>

        <p>This is the first section with a light blue background.</p>

    </section>

    <section class="section-2">

        <h2>Section 2</h2>

        <p>This is the second section with a light green background.</p>

    </section>

</body>
```

</html>

## **.CSS**

```
body {  
    font-family: Arial, sans-serif;  
    line-height: 1.6;  
    margin: 0;  
    padding: 0;  
}  
  
h1, h2 {  
    text-align: center;  
}  
  
p {  
    text-align: center;  
    font-size: 1.1rem;  
}  
  
header {  
    background-color: #4CAF50; /* Green */  
    color: white;  
    padding: 30px 0;  
}  
  
header h1 {  
    font-size: 2.5rem;  
}  
  
.section-1 {
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
background-color: #ADD8E6; /* Light Blue */

padding: 50px 0;

}

.section-1 h2 {

    color: #333;

}

.section-2 {

    background-color: #98FB98; /* Light Green */

    padding: 50px 0;

}

.section-2 h2 {

    color: #333;

}
```

## Output :



## Practical 7 : Write A Program to demonstrate Id Selector in css.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        body{

            background-color: burlywood;

            text-align: center;

        }

        #p1{

            color: tomato;

            font-weight: bold;

            font-family: 'Lucida Sans';

        }

        #p2

        {

            color: blue;

            font-style: normal;

            font-family: 'Gill Sans';

        }

        #p3
```

```
{
    color:red;

    text-decoration: dashed;

    font-family: 'Franklin Gothic Medium';
}

#p4
{
    color: aqua;

    text-decoration: line-through;

    font-family: sans-serif;
}

#p5
{
    color: blueviolet;

    text-shadow: 0cqi;

    font-family: fantasy;
}

</style>

</head>

<body>

<h1>Welcome to My web page</h1>

<p id="p1">This is a paragraph 1 </p>

<p id="p2">This is a paragraph 2 </p>

<p id="p3">This is a paragraph 3 </p>
```



Roll no: 24104001 Name : Aachal Kiran Patil

```
<p id="p4"></p>This is a paragraph 4    </p>
```

```
<p id="p5">This is a paragraph 5</p>
```

```
</body>
```

```
</html>
```

## Output :



## Practical 8: Write A program to demonstrate class selector in css.

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <style>

        body{

            background-color: beige;

            text-align: center;

        }

        .p1{

            color: tomato;

            font-weight: bold;

        }

        .p2

        {

            color: blue;

            font-style: normal;

        }

        .p3

        {

            color:red;
```

```
        text-decoration: dashed;
    }

.p4
{
    color: aqua;
    text-decoration: line-through;
}

.p5
{
    color: blueviolet;
    text-shadow: 0cqi;
}

</style>

</head>

<body>

<h1>Welcome to My web page</h1>

<p class="p1">This is a Bold text  </p>

<p class="p2">This is a normal text  </p>

<p class="p3">This is a dashed text </p>

<p class="p4">This is a strike-through  </p>


<p class="p5">This is a shadow effect </p>

</body>

</html>
```

Roll no: 24104001 Name : Aachal Kiran Patil

## Output :



## **Practical 9 : Demonstrate the Orderlist and Unorderlist in html using External css.**

**.html**

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet" href="style.css">


</head>

<body>

<h1>Orderlist and Unorderlist</h1>

<h2>Name of Your Subject</h2>

<ol class="order">

    <li>CSS</li>

    <li>TCS</li>

    <li>Node Js</li>

    <li>RDBMS</li>

</ol>

<h2>Branch Name</h2>

<ul class="under">

    <li>MCA</li>
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
<li>BCA</li>
<li>B.tech</li>
<li>BSC</li>
</ul>
</body>
</html>
```

**.css**

```
body{
    text-align: center;
    background-color: cadetblue;

}
```

**.order**

```
{
    background-color: blueviolet;
    padding: 15px;
    width: 40%;
    margin: 0 auto;
    border-radius: 5px;

}
```


**.under li**

```
{
    background-color: brown;
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
padding: 5px;  
font-size: 18px;  
width: 40%;  
margin: 0 auto;  
border-radius: 5px;  
}
```

**Output :**



## Practical 10: Create a web page using Background Images using css.

### .html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet" href="style.css">


</head>

<body>

    <div class="content"

<h1>Welcome to My Web Page</h1>



<p>This is Webpage using different Background Images using Css </p>

</div>

</body>

</html>
```

### .css

```
body {

    margin: 0;

    height: 100vh;
```



```
background-image: url("fairy1.jpg");

background-size: cover, cover;

background-position: center center, top left;

background-repeat: no-repeat, no-repeat;
}

.content {

text-align: center;

color: white;

padding: 20px;

position: absolute;

top: 50%;

left: 50%;

background: rgba(0, 0, 0, 0.5);

border-radius: 10px;

}

h1 {

margin: 0;

font-size: 3rem;

}

p {

font-size: 1.5rem;
```

Roll no: 24104001 Name : Aachal Kiran Patil

}

**Output :**



**Practical 11 :Demonstrate external css to format you classroom time**

## table as you created.

### .html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>Document</title>

    <link rel="stylesheet" href="style.css">

</head>

<body >

    <h2>G H Raison College of Engineering and management, Jalgaon</h2>

    <h3>Department of Computer Application</h3>

    <h4>Class Time Table 2024-2025, Term 2</h4>

<center><table>

    <tr>

        <th>Day/Time</th>

        <th>09:45 AM to 10:45 AM</th>

        <th>10:45 AM to 11:45 AM</th>

        <th>11:45 AM to 12:45 PM</th>

        <th>12:45 PM to 1:45 PM</th>

        <th>1:45 PM to 2:45 PM</th>

        <th>02:45 PM to 03:45 PM</th>

        <th>03:45 AM to 4:45 PM</th>
```

</tr>

<tr>

<td class="color">Monday</td>

<td>Sub : RDBMS</td>

<td>Sub : RM</td>

<td>Sub : TCS</td>

<td>Sub : CSS 3</td>

<td class="no"></td>

<td>Library </td>

<td>Hobby Club</td>

</tr>

<tr>

<td class="color">Tuesday</td>

<td>Sub : RM</td>

<td>Sub : Node JS</td>

<td>Sub : TCS</td>

<td>Sub : RDBMS</td>

<td class="no"></td>

<td>Hobby Club</td>

<td>Hobby Club</td>

<tr>

|                                             |
|---------------------------------------------|
| <td class="color">Wednesday</td>            |
| <td>Sub : Node Js</td>                      |
| <td>Sub : RM</td>                           |
| <td>Sub : TCS</td>                          |
| <td>Sub : RDBMS</td>                        |
| <td class="no"></td>                        |
| <td>Lab on RDBMS</td>                       |
| <td>Lab on Node JS</td>                     |
| </tr>                                       |
| <tr>                                        |
| <td class="color">Thursady</td>             |
| <td class="no"></td>                        |
| <td>Sub : TCS</td>                          |
| <td>Sub : RM</td>                           |
| <td>Sub : RDBMS</td>                        |
| <td class="no"><center>Recess</center></td> |
| <td>Lab on RDBMS</td>                       |
| <td>Lab on javaScript</td>                  |
| </tr>                                       |
| <tr>                                        |

```
<td class="color">Friday</td>
    <td class="no"> </td>
    <td>Sub : CSS 3</td>
    <td>Lab on Node JS</td>
    <td>Lab on RDBMS</td>
    <td class="no"></td>
    <td>Lab on javaScript</td>
    <td>Lab on Javascript</td>
</tr>

<tr>
    <td class="color">Saturday</td>
    <td>Lab ob javaScript</td>
    <td>Lab on javaScript</td>
    <td>Lab on Node JS/Javascript</td>
    <td>Lab on RDBMS</td>
</tr>
</table>

</center>

</body>

</html>
```

### **.CSS**

```
body{
    text-align: center;
```

Roll no: 24104001 Name : Aachal Kiran Patil

```
}
```

```
table{
```

```
    margin-left: 50px ;
```

```
    border: 1px solid black;
```

```
}
```

```
th{
```

```
    background-color: #5c0f8b;
```

```
    color: white;
```

```
}
```

```
.color
```

```
{
```

```
    background-color: #5c0f8b;
```

```
    color: white;
```

```
}
```

```
td{
```

```
    background-color: yellow;
```

```
}
```

```
.no
```

```
{
```

```
    background-color: white;
```

```
}
```

## Output :

### G H Raisoni College of Engineering and management, Jalgaon

#### Department of Computer Application

#### Class Time Table 2024-2025, Term 2

| Day/Time  | 09:45 AM to 10:45 AM | 10:45 AM to 11:45 AM | 11:45 AM to 12:45 PM      | 12:45 PM to 1:45 PM | 1:45 PM to 2:45 PM | 02:45 PM to 03:45 PM | 03:45 AM to 4:45 PM |
|-----------|----------------------|----------------------|---------------------------|---------------------|--------------------|----------------------|---------------------|
| Monday    | Sub : RDBMS          | Sub : RM             | Sub : TCS                 | Sub : CSS 3         | Recess             | Library              | Hobby Club          |
| Tuesday   | Sub : RM             | Sub : Node JS        | Sub : TCS                 | Sub : RDBMS         |                    | Hobby Club           | Hobby Club          |
| Wednesday | Sub : Node Js        | Sub : RM             | Sub : TCS                 | Sub : RDBMS         |                    | Lab on RDBMS         | Lab on Node JS      |
| Thursday  |                      | Sub : TCS            | Sub : RM                  | Sub : RDBMS         |                    | Lab on RDBMS         | Lab on JavaScript   |
| Friday    |                      | Sub : CSS 3          | Lab on Node JS            | Lab on RDBMS        |                    | Lab on JavaScript    | Lab on Javascript   |
| Saturday  | Lab ob JavaScript    | Lab on JavaScript    | Lab on Node JS/Javascript | Lab on RDBMS        |                    |                      |                     |

**Practical 12 :Demonstrate the Border Radius property using css.**



```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
    <style>
```

```
        .box
```

```
        {
```

```
            width: 150px;
```

```
            background-color: blueviolet;
```

```
            height: 150px;
```

```
            color: black;
```

```
            text-align: center;
```

```
            line-height: 150px;
```

```
            font-size: 18px;
```

```
            margin: 20px;
```

```
            display: inline-block;
```

```
        }
```

```
        .rounded
```

```
        {
```


```
            border-radius: 20px;
```

```
            background-color: blue;
```

```
        }
```

```
.circle
{
    border-radius: 50%;
    background-color: aqua;
}
</style>
</head>
<body><center>
    <p class="box">Square</p>
    <p class="box rounded">Rounded</p>
    <p class="box circle">Circle</p>
</center>
</body>
</html>
```

## Output :



## Practical 13 :Demonstrate the RGBA colors property using css.

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
    <style>
```

```
        #p1
```

```
        {
```

```
            background-color: rgba(255,0,0,0.3);
```

```
        }
```

```
        #p2
```

```
        {
```

```
            background-color: rgba(0,255,0,0.3);
```

```
        }
```

```
        #p3
```

```
        {
```

```
            background-color: rgba(192,192,192,0.3);
```

```
        }
```

```
        #p4
```

```
        {
```

```
            background-color: rgba(255,0,255,0.3);
```

```
        }
```

```
        #p5
```

```
        {
```

```
        background-color: rgba(255,0,0,0.3);
    }
</style>
</head>
<body><center>
    <p id="p1">Red</p>
    <p id="p2">Green</p>
    <p id="p3">Grey</p>
    <p id="p4">purple</p>
    <p id="p5">Red</p>
</center>
</body>
</html>
```

## Output :



**Practical 13 :Demonstrate the linear gradient are used to arranged two or more colors in linear formate.**

Roll no: 24104001 Name : Aachal Kiran Patil

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Three-Color Linear Gradient</title>

  <style>

    .linear{

      height: 600px;

      margin: 0;

      width: 600px;

      background-image: linear-gradient(to right, #ff7e5f, #feb47b, #6a11cb);

    }

  </style>

</head>

<body><center>

  <div>

    <div class="linear"></div>


  </div>

</center>

</body>

</html>
```

**Output :**



**Practical 14 :Demonstrate the Repeat Radial Gradients using css.**

<!DOCTYPE html>

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
    <title>Document</title>
```

```
    <style>
```

```
        body{
```

```
            background-color: blueviolet;
```

```
            display: flex;
```

```
            justify-content: center;
```

```
            align-items: center;
```

```
            height: 100vh;
```

```
            background-color: blueviolet;
```

```
        }
```

```
        .gradient
```

```
        {
```

```
            width :400px;
```

```
            height: 300px;
```

```
            background: repeating-radial-gradient(circle,violet 0px,yellow 20px,black 40px);
```

```
        }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
    <div class="gradient"></div>
```

Roll no: 24104001 Name : Aachal Kiran Patil

</body>

</html>

**Output :**





## Practical 15 : Design a web page using css.

### .html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <title>G H Rasoni College, Jalgaon</title>

    <link rel="stylesheet" href="style.css">

</head>

<body>

    <header>

        <div class="container">

            <h1>G H Rasoni College</h1>

            <p>Jalgaon</p>

        </div>

    </header>

    <section class="about">

        <div class="container">

            <h2>About Us</h2>

            <p>G H Rasoni College of Engineering, Jalgaon is committed to providing quality education to the students in the field of engineering and technology. The college has a rich
```

legacy of excellence and innovation in academics and extracurricular activities.</p>

</div>

</section>

<section class="courses">

<div class="container">

<h2>Our Courses</h2>

<ul>

<li>Bachelor of Engineering (BE)</li>

<li>Master of Engineering (ME)</li>

<li>PhD Programs</li>

<li>Diploma Courses</li>

</ul>

</div>

</section>

<section class="contact">

<div class="container">

<h2>Contact Us</h2>

<p>Address: G H Rasoni College, Jalgaon</p>

<p>Email: info@ghrc.org</p>

<p>Phone: +91 123 456 7890</p>

</div>

</section>

<footer>

<div class="container">

&copy; 2025 G H Rasoni College, Jalgaon. All Rights Reserved.</p>

</div>

</footer>

</body>

</html>

## **.CSS**

\* {

margin: 0;

padding: 0;

box-sizing: border-box;

}

body {

font-family: Arial, sans-serif;

line-height: 1.6;

background-color: #f4f4f4;

}

.container {

width: 80%;

margin: 0 auto;

}

header {

background-color: #2d3e50;

color: #fff;

text-align: center;

```
padding: 20px 0;
}

header h1 {
    font-size: 3rem;
}

header p {
    font-size: 1.2rem;
}

.about {
    background-color: #fff;
    padding: 40px 0;
    margin-top: 20px;
}

.about h2 {
    text-align: center;
    font-size: 2rem;
    margin-bottom: 20px;
}

.about p {
    text-align: center;
    font-size: 1.1rem;
    color: #333;
}

.courses {
```

```
    background-color: #e2e2e2;

    padding: 40px 0;
}
```

```
.courses h2 {

    text-align: center;

    font-size: 2rem;

    margin-bottom: 20px;
}
```

```
.courses ul {

    list-style-type: none;

    text-align: center;
}
```

```
.courses li {

    font-size: 1.2rem;

    margin: 10px 0;
}
```

```
.contact {

    background-color: #fff;

    padding: 40px 0;

    margin-top: 20px;
}
```

```
.contact h2 {

    text-align: center;
}
```

```
    font-size: 2rem;

    margin-bottom: 20px;
}

.contact p {

    text-align: center;

    font-size: 1.2rem;

    color: #333;
}

footer {

    background-color: #2d3e50;

    color: #fff;

    text-align: center;

    padding: 10px 0;

    margin-top: 40px;
}

footer p {

    font-size: 1rem;
}
```

**Output :**

# G H Raisoni College

Jalgaon

## About Us

G H Raisoni College of Engineering, Jalgaon is committed to providing quality education to the students in the field of engineering and technology. The college has a rich legacy of excellence and innovation in academics and extracurricular activities.

## Our Courses

Bachelor of Engineering (BE)  
Master of Engineering (ME)  
PhD Programs  
Diploma Courses

college has a rich legacy of excellence and innovation in academics and extracurricular activities.

## Our Courses

Bachelor of Engineering (BE)  
Master of Engineering (ME)  
PhD Programs  
Diploma Courses

## Contact Us

Address: G H Raisoni College, Jalgaon  
Email: [info@ghrc.org](mailto:info@ghrc.org)  
Phone: +91 123 456 7890

**Practical 16 : Divide the page into three equal columns using Frameset tag and fill each frame with a different background colour Using CSS.**

**.html**

```
<!DOCTYPE html>

<html>

<head>

    <title>Three Column Frameset</title>

</head>

<frameset cols="33.33%, 33.33%, 33.34%">

    <frame src="frame1.html" name="leftFrame">

    <frame src="frame2.html" name="middleFrame">

    <frame src="frame3.html" name="rightFrame">

</frameset>

</html>
```

**frame1.html**

```
<!DOCTYPE html>

<html>

<head>

    <style>

        body { background-color: purple; }

    </style>

</head>

<body>
```



```
</body>
```

```
</html>
```

## **frame2.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <style>
```

```
        body { background-color: red; }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
</body>
```

```
</html>
```

## **frame3.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <style>
```

```
        body { background-color:yellow; }
```

```
    </style>
```

```
</head>
```


```
<body>
```

Roll no: 24104001 Name : Aachal Kiran Patil

</body>

</html>

**Output :**



**Practical 17 : Create a web page using frame. Divide the page into two parts with Navigation links on left hand side of page (width 20%) and content page on right hand side of page (width 80%). On clicking the navigation Links corresponding content must be shown on the right-hand side.**

### **.html**

```
<!DOCTYPE html>

<html>

<head>

    <title>Two-Frame Web Page</title>

</head>

<frameset cols="20%, 80%">

    <frame src="nav.html" name="leftFrame">

    <frame src="home.html" name="rightFrame">

</frameset>

</html>
```

### **nav.html**

```
<!DOCTYPE html>

<html>

<head>

    <title>Navigation</title>

    <style>

        body {

            background-color: #f0f0f0;
```

```
        font-family: Arial, sans-serif;
    }

    ul {
        list-style-type: none;
        padding: 0;
    }

    li {
        padding: 10px;
        border-bottom: 1px solid #ccc;
    }

    a {
        text-decoration: none;
        color: black;
        display: block;
    }

    a:hover {
        background-color: #ddd;
    }
</style>
</head>
<body>
    <ul>

        <li><a href="home.html" target="rightFrame" style="color: tomato;">Home</a></li>

        <li><a href="about.html" target="rightFrame" style="color: tomato;">About</a></li>
```

```
        <li><a href="services.html" target="rightFrame" style="color:
tomato;">Services</a></li>
```

```
        <li><a href="contact.html" target="rightFrame" style="color:
tomato;">Contact</a></li>
```

```
    </ul>
```

```
</body>
```

```
</html>
```

## **home.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Home</title>
```

```
</head>
```

```
<body>
```

```
    <h2 style="color: blue;">Welcome to Our Website</h2>
```

```
    <p>This is the home page content.</p>
```

```
</body>
```

```
</html>
```

## **about.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>About</title>
```

```
</head>
```

```
<body>
```

```
    <h2>About Us</h2>
```

```
    <p>We are a company dedicated to providing the best services.</p>
```

```
</body>
```

```
</html>
```

## **services.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Services</title>
```

```
</head>
```

```
<body>
```

```
    <h2>Our Services</h2>
```

```
    <p>We offer various services to cater to your needs.</p>
```

```
</body>
```

```
</html>
```

## **contact.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <title>Contact</title>
```

```
</head>
```

```
<body>
```

```
    <h2>Contact Us</h2>
```

Roll no: 24104001 Name : Aachal Kiran Patil

<p>Email: abc@gmail.com</p>

</body>

</html>

## Output :



## **Practical 18 : Divide the page into three equal rows using frameset tag and fill each frame with the different background color using Css.**

### **.html**

```
<!DOCTYPE html>

<html>

<head>

    <title>Three Column Frameset</title>

</head>

<frameset rows="33.33%, 33.33%, 33.34%">

    <frame src="frame1.html" name="leftFrame">

    <frame src="frame2.html" name="middleFrame">

    <frame src="frame3.html" name="rightFrame">

</frameset>

</html>
```

### **frame1.html**

```
<!DOCTYPE html>

<html>

<head>

    <style>

        body { background-color: orange; }

    </style>

</head>

<body>

    <h1>Frame 1</h1>
```



```
</body>
```

```
</html>
```

## **frame2.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <style>
```

```
        body { background-color: white; }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
    <h1>Frame 2</h1>
```

```
</body>
```

```
</html>
```

## **frame3.html**

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <style>
```

```
        body { background-color:green; }
```

```
    </style>
```

```
</head>
```

```
<body>
```

```
    <h1>Frame 3</h1>
```

Roll no: 24104001 Name : Aachal Kiran Patil

</body>

</html>

**Output :**



## Practical 19 : Develop JavaScript Program to print Hello World.

```
<html>

<head>

    <title>Document</title>

</head>

<body><center>

    <h1 style="color: red;">Wel-come to JavaScript</h1>

    <script>

        document.write("Hello World.....");

    </script>

</center>

</body>

</html>
```

### Output :

---

**Wel-come to JavaScript**

Hello World.....

Roll no: 24104001 Name : Aachal Kiran Patil

## Practical 21 : Develop JavaScript Program to Add Two Numbers.

```
<!DOCTYPE html>

<html lang="en">

<head>

  <title>Addition</title>

  <style>

    body{

      text-align: center;    }

    h1{

      color: teal;    }

  </style>

</head>

<body>

  <h1>Addition of Two Numbers</h1>

  <script>

    var x=10;

    var y=40;

    var z=x+y;

    document.write(z);

  </script>

</body>

</html>
```

Roll no: 24104001 Name : Aachal Kiran Patil

**Output :**

---

*Addition of Two Numbers*