2026 New Product Proposal

Product Roadmap/产品路标

Already listed/已上市

In research/在研



磁吸无线充：WD15W



PD充电器：PX65W



超薄充电器系列：CD20~30~45~65W



伸缩线+屏显充电器系列：45~70~100W



磁吸移动电源-
5000~10000mA



PD充电器：QV140W



PD充电器：QV100W



伸缩线：PM35~65W



屏显充电器系列：65~100~140W



PD排插：PC20~65W



PD充电器：CB20~65W



伸缩线：PE20~30W

伸缩线：PD45~65W



屏显充电器系列：45~70~100~140W



PD充电器:PN20~67W



伸缩线
充电器：PE35~65W



伸缩线充电器：PE45~70W~100W



伸缩线+屏显桌面充电器系列：100~140~200W

Driven by innovation and efficient response, all Peterpower products are designed in accordance with international standards, continuously providing customers with safe, fast and extremely personalized experience.

~ 2023

2024

2025

2026~~~~~~

Display 65W - 2C1A

65 GaN W

Size:30*52*59MM

Output USB-C1 (65W max)

Output USB-C2 (65W max)

Output USB-A1 18W

Output USB-C1+C2=45W+20

Output USB-C1+A=45W+18W

Output USB-C2+A=5V3A(C2 PD 5V1.5A)

Output USB-C1+C2+A=45W+5V3A(C2 PD 5V1.5A)

Total：65W max



Display 100W - 2C1A

100W GaN

Size:33*67.5*57.5MM

Output USB-C1 (100W max)

Output USB-C2 (100W max)

Output USB-A1 18W

Output USB-C1+C2=65W+30W

Output USB-C1+A=65W+18W

Output USB-C2+A=5V3A(C2 PD 5V1.5A)

Output USB-C1+C2+A=65W+5V3A(C2 PD 5V1.5A)

Total：100W max



Display 140W - 3C1A

140W GaN

Size:71*36*70MM

Display 100W - 3C1A

Output USB-C1 (140W max)

Output USB-C2 (140W max)

Output USB-C3 (40W max)

Output USB-A1 33W

Output USB-C1+C2=70W+70W

Output USB-C1+C3=100W+40W

Output USB-C1+A=100W+33W

Output USB-C2+C3=100W+40W

Output USB-C2+A=100W+33W

Output USB-C3+A=12W+12W

Output USB-C2+C3+A=100W+12W+12W

Output USB-C1+C3+A=100W+12W+12W

Output USB-C1+C2+C3+A=65W+45W+12W+12W

Total：100W max



Display 70W - 2C1A

70 GaN W

Size:36*69*59MM

USB-C1/C2:5V/9V/12V/15V 3A 20V/3.5A (70W max)

USB-A1(Port):5V/3A 9V/2A 12V/1.5A(18W max)

USB-C1+USB-C2=45W+20W

USB-C2+USB-A=5V3A

USB-C1+USB-A=45W+18W

Total：70W max



Display 100W - 2C1A

100 GaN W

Size:36*69*59MM

INPUT:100V-240VAC 1.5A 50/60HZ

USB-C1/C2:5V/9V/12V/15V 3A 20V/5A(100W max)

USB-A1:5V/3A 9V/3A 12V/2.5A 20V/1.5A(30W max)

USB-C1+USB-C2=65W+30W(95W max)

USB-C1+USB-A1=65W+30W(95W max)

USB-C2+USB-A1=5V/3A



Display 140W - 2C1A

140 GaN W

Size:36*69*69MM

Output Derate after over temperature: Single Port Output (140w)
Output USB-C1/C2: 5V/9V/12V/15V--3A, 20V/5A, 28V--5A(140W max)
Output USB-A1(Port): 5V--3A, 9V--2A, 12V-1.5A(18W max)
Output USB-C1+USB-C2=100W+30W OR +65W+65W(130W max)
Output USB-C1/C2+USB-A1(Port)=100W+18W(118W max)
Output USB-C1+USB-C2+USB-A1(Port)=65W+45W+18W(128W max)



20W Universal Charger with retractable cable







PE-20WCA

20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C Line: 5V3A,9V2.22A,12V1.67A

Output A :5V3A,9V2A,12V1.5A

Output C Line+A=15W

Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

20W Universal Charger with retractable cable



PE-20WCC

20W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C1/2: 5V3A,9V2.22A,12V1.67A

Output C+C=15W

Dimension： 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

30W Universal Charger with retractable cable



PE-30WCA

30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C Line:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output A :5V3A,9V2A,12V1.5A

Output C Line+A=15W

Dimension : 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

30W Universal Charger with retractable cable









PE-30WCC

30W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C1/2: 5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output C+C =15W

Dimension： 48*48*37.4mm_us

48*48*76.5mm_eu

48*48*63.3mm_uk

48*48*57.3mm_au

Color: White/Black

35W Universal Charger with retractable cable



PE-35WCC Plug US/EU/UK/AU

35W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.91A,15V2.33A,20V1.75A

Output C+C=15W

Dimension： 48*48*44mm_us

48*48*67.34mm_eu

48*48*51.23mm_uk

48*48*52.84mm_au

Color: White/Black

35W Universal Charger with retractable cable



PE-35WCC

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.91A,15V2.33A,20V1.75A

Output C+C=15W

Dimension : 48*48*44mm_us

48*48*80mm_eu

48*48*66.8mm_uk

48*48*60.8mm_au

Color: White/Black

45W Universal Charger with retractable cable

new coming



PE-45WCC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.0A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

AVS:9V-15V/2.67A 15V-20V/2A-40W

Output C+C=25W+20W

Dimension : 48*48*44mm_us

48*48*80mm_eu

48*48*66.8mm_uk

48*48*60.8mm_au

Color: White/Black

65W Universal Charger with retractable cable



PE-65WCC Plug US/EU/UK/AU

65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2 Line: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C Line=45W+20W

Dimension： 48*48*51.9mm_us

48*48*75.54mm_eu

48*48*59.23mm_uk

48*48*60.84mm_au

Color: White/Black

65W Universal Charger with retractable cable









PE-65WCC

65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C Line=45W+20W

Dimension： 48*48*51.9mm_us

48*48*91mm_eu

48*48*77.8mm_uk

48*48*71.8mm_au

Color: White/Black

70W Universal Charger with retractable cable

PeterPower

new coming



PE-70WCC

70W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2 Line: 5V3A,9V3A,12V3A,15V3A,20V3.5A

Output C+C Line=45W+20W

Dimension： 48*48*51.9mm_us

48*48*91mm_eu

48*48*77.8mm_uk

48*48*71.8mm_au

Color: White/Black

100W Universal Charger with retractable cable

new coming





PE-100WCCCA

100W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1 Line:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output C2:5V3A/9V3A/12V3A/15V3A/20V5A

Output C3:5V3A/9V3A/12V2.5A/15V2A/20V1.5A

Output A1:5V3A/9V3A/12V2.5A/15V2A/20V1.5A

Output C1+C2/C1+C3/C1+A/C2+C3/C2+A：65W+30W

OutputC1+C2+C3/C1+C2+A/C2+C3+A=45W+30W+18W

Output C3+A1=7.5W

Dimension : 48*48*66mm_us

48*48*105.1mm_eu

48*48*91.9mm_uk

48*48*85.9mm_au

Color: White/Black

45W Universal Charger with retractable cable （ultra-thin）

new coming



PH-45WCC

45W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C+C=20W+20W

Dimension： 65*48.5*29.5mm_us

102.4*50*29.5mm_eu

87.8*50*29.5mm_uk

93.8*50*29.5mm_au

Color: White/Black

65W Universal Charger with retractable cable （ultra-thin）

new coming







PH-65WCC

65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.25A

Output C+C=45W+12W

Dimension： 65*48.5*29.5mm_us

102.4*50*29.5mm_eu

87.8*50*29.5mm_uk

93.8*50*29.5mm_au

Color: White/Black

35W Universal Charger with retractable cable







PM-35WCC

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.9A,15V2.33A,20V1.75A

Output C1+C2: 15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

35W Universal Charger with retractable cable







PM-35WCCA

35W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.9A,15V2.33A,20V1.75A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2: 15W

Output C1/C2+A1: 15W

Dimension： 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

45W Universal Charger with retractable cable







PM-45WCC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C1+C2: 20W+20W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

45W Universal Charger with retractable cable







PM-45WCCA

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.2A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V2.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :30W+12W

Output C1+A1 :20W+18W

Output C2+A1 :15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

65W Universal Charger with retractable cable



PM-65WCC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.6A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output C1+C2: 45W+20W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

65W Universal Charger with retractable cable







PM-65WCCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.6A 50/60Hz

Output C1/2:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :15W

Dimension : 60*40*46mm_us

78.15*40*46mm_eu

58.7*40*46mm_uk

Color: White/Black

- 20W ultra-thin charger

PeterPower

PD-20WCA



20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C: 5.0V3A,9V2.22A,12V1.67A

Output A :5V3A,9V2A,12V1.5A

Output C+A=5V3A

Dimension : 70.2*41.64*12.3mm us

Color: White/Black

- 20W ultra-thin charger



PD-20WCC

20W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C1/C2: 5.0V3A,9V2.22A,12V1.67A

Output C1+C2=5V3A

Dimension : 70.2*41.64*12.3mm us

Color: White/Black

- 30W ultra-thin charger

PeterPower

PD-30WCA



30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C: 5V3A,9V3A,12V2.5A,15V2A

Output A :5V3A,9V2A,12V1.5A

Output C+A=5V3A

Dimension : 70.2*41.64*12.3mm us

Color: White/Black

- 30W ultra-thin charger



PD-30WCC

30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C1/C2: 5V3A,9V3A,12V2.5A,15V2A

Output C1+C2=5V3A

Dimension : 70.2*41.64*12.3mm us

Color: White/Black

45W ultra-thin charger

PeterPower



PD-45WCA

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C: 5V3A,9V3A,12V3A,15V3A,20V2.25A

PPS 5-16V-2.8A, 5-21V2.1A

Output A :5V3A,9V2A,12V1.5A

Output C1+A1:30W+12W

Dimension : 74.35*44.5*15.5mm us

Color: White/Black

- 45W ultra-thin charger

PeterPower

PD-45WC



45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C: 5V3A,9V3A,12V3A,15V3A,20V2.25A

PPS 5-16V-2.8A, 5-21V2.1A

Dimension : 74.35*44.5*15.5mm us

Color: White/Black

- 45W ultra-thin charger

PeterPower



PD-45WCC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C1/C2: 5V3A,9V3A,12V3A,15V3A,20V2.25A

PPS 5-16V-2.8A, 5-21V2.1A

Output C1+C2:30W+12W

Dimension : 74.35*44.5*15.5mm us

Color: White/Black

- 65W ultra-thin charger

PeterPower



PD-65WC

65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output : 5V3A,9V3A,12V3A,15V3A,20V3.25A

PPS 3.3-11V-3A, 3.3-21V3A

Dimension： 86*46.5*15.5mm_us

Color: White/Black

- 65W ultra-thin charger

PD-65WCA



65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output : 5V3A,9V3A,12V3A,15V3A,20V3.25A

PPS 3.3-11V-3A, 3.3-21V3A

Output A :5V3A,9V2A,12V1.5A

Output C1+A1:45W+12W

Dimension： 86*46.5*15.5mm_us

Color: White/Black

- 65W ultra-thin charger

PeterPower



PD-65WCC

65W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/C2: 5V3A,9V3A,12V3A,15V3A,20V3.25A

PPS 3.3-11V-3A, 3.3-21V3A

Output C1+C2:45W+12W

Dimension： 86*46.5*15.5mm_us

Color: White/Black

100W Foldable multi port small charger

new coming



QV-100WCCCA

100W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V5A

C3:5V3A/9V3A/12V3A/15V3A/20V3.25A

Output A :5V3A,9V3A,12V3A,20V3A

Output C1/2+C3 :65W+30W

Output C1/2+A1 :65W+30W

Output C1+C2+C3 :45W+30W+20W

Output C1+C2+A1:45W+30W+20W

Output C1/C2+(C3+A1)=65W+15W

Output C1+C2+(C3+A1)=45W+30W+15W

Output C3+A1=15W

Dimension : 69.5*32*55mm_us

Color: White/Black

- 140W Foldable multi port small charger



QV-140WCCA

140W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~2A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V5A,28V5A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :65W+65W

Output C1/2+A1 :100W+18W

Output C1+C2+A1:65W+45W+18W

Dimension : 82.9*32.8*65.8mm_us

Color: White/Black



WT08-5000mAh

5000mAh Magnetic Power Bank

Materials： PC, Electronic Parts Rated

Input: 5V-3A,9V-2.22A(USB-C)

Output: 5V-3A,9V-2.22A,12V-1.67A(USB-C)

Output: 15W (Wireless)

Battery Capacity:5000mAh/3.7V/18.5Wh

Dimension： 95*64*14mm_us

Color: White/Black



WT14-10000mAh

10000mAh Magnetic Power Bank

Materials： PC, Electronic Parts Rated

Input: 5V-3A,9V-2.22A(USB-C)

Output: 5V-3A,9V-2.22A,12V-1.67A(USB-C)

Output: 15W (Wireless)

Battery Capacity:10000mAh/3.8V/38.5Wh

Dimension： 110*70*16mm_us

Color: White/Black



WT24-10000mAh

10000mAh Power Bank

Materials： PC, Electronic Parts Rated

Input: 5V-2A(USB-C)

Output: 5V-2A(USB-C)

Output: 5V-2A(USB-A)

Output:USB-C+USB-A: 5V-2A

Battery Capacity:10000mAh/3.7V/37Wh

Dimension： 138*68*15.6mm_us

Color: White/Black



WT25-10000mAh

10000mAh Power Bank

Materials： PC, Electronic Parts Rated

Input: 5V-3A,9V-2A,12V1.5A(USB-C)

Output: 5V-3A,9V-2.22A,12V1.67A(USB-C)

Output: 5V-3A,9V-2A,12V1.5A(USB-A)

Output:USB-C+USB-A: 5V-3A

Battery Capacity:10000mAh/3.7V/37Wh

Dimension： 138*68*15.6mm_us

Color: White/Black



WT26-20000mAh

20000mAh Power Bank

Materials : PC, Electronic Parts Rated

Input: 5V-3A,9V-2A,12V1.5A(USB-C1)

Input: 5V-3A,9V-2A,12V1.5A(USB-C2)

Output: 5V-3A,9V-2.22A,12V1.67A(USB-C)

Output: 5V-3A,9V-2A,12V1.5A(USB-A)

Output:USB-C1+USB-C2+USB-A: 5V-3A

Battery Capacity:20000mAh/3.7V/74Wh

Dimension : 160*78.5*22.2mm_us

Color: White/Black

67W Foldable multi port small charger



PX-67WCCA

67W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2: 5V3A,9V3A,12V3A,15V3A,20V3.35A

Output A :5V3A,9V2A,12V1.5A

sOutput C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :5V3A=15W

Output C1+(C2+A1) :45W+15W

Dimension : 59.4*41*31mm_us


96.8*41*31mm_eu

82*41*48mm_uk

76.2*41*31mm_au

Color: White/Black

20W Foldable multi port charger



PN-20WC

20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C: 5V3A,9V2.22A,12V1.67A

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

20W Foldable multi port charger



PN-20WCA

20W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.5A 50/60Hz

Output C: 5V3A,9V2.22A,12V1.67A

Output A :5V3A,9V2A,12V1.5A

Output C+A :5V3A=15W

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

30W Foldable multi port charger



PN-30WC

30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

30W Foldable multi port charger



PN-30WCA

30W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.7A 50/60Hz

Output C:5V3A,9V3A,12V2.5A,15V2A,20V1.5A

Output A:5V3A,9V3A,12V2.25A,20V1.35A

Output C+A :5V3.6A=18W

Dimension : 38*41*31mm_us

75.4*41*31mm_eu

60.8*41*48mm_uk

54.8*41*31mm_au

Color: White/Black

35W Foldable multi port charger



PN-35WCA

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C:5V3A,9V3A,12V2.92A,15V2.33A,20V1.75A

Output A:5V3A,9V3A,12V2.25A,20V1.35A

Output C+A :5V3.6A=18W

Dimension : 47.8*41*31mm_us

85.2*41*31mm_eu

70.6*41*48mm_uk

64.6*41*31mm_au

Color: White/Black

35W Foldable multi port charger



PN-35WCC

35W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~0.8A 50/60Hz

Output C1/2:5V3A,9V3A,12V2.92A,15V2.33A,20V1.75A

Output C1+C2 :17.5W+17.5W

Dimension : 47.8*41*31mm_us

85.2*41*31mm_eu

70.6*41*48mm_uk

64.6*41*31mm_au

Color: White/Black

45W Foldable multi port charger



PN-45WC

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V2.25A

Dimension : 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

45W Foldable multi port charger



PN-45WCA

45W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output A :5V3A,9V2A,12V1.5A

Output C+A :30W+12W

Dimension : 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

45W Foldable multi port charger



PN-45WCC

45W GAN fast charging charger

Materials： PC, Electronic Parts Rated

Input:100-240V~1A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V2.25A

Output C1+C2 :25W+20W

Dimension： 56.8*41*31mm_us

94.2*41*31mm_eu

79.6*41*48mm_uk

73.6*41*31mm_au

Color: White/Black

65W Foldable multi port charger



PN-65WC

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C:5V3A,9V3A,12V3A,15V3A,20V3.25A

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

65W Foldable multi port charger



PN-65WCCA

65W GAN fast charging charger

Materials : PC, Electronic Parts Rated

Input:100-240V~1.5A 50/60Hz

Output C1/2:5V3A,9V3A,12V3A,15V3A,20V3.25A

Output A :5V3A,9V2A,12V1.5A

Output C1+C2 :45W+20W

Output C1+A1 :45W+18W

Output C2+A1 :5V3A=15W

Output C1+(C2+A1):45W+15W

Dimension : 67.6*41*31mm_us

105*41*31mm_eu

90.4*41*48mm_uk

84.4*41*31mm_au

Color: White/Black

THANKS!

- Contact Us

Email : sales04@goodwinpower.com

Phone: +86 19129562276

Website : http://www.goodwinpower.com/