Mode Reference Card (1/2)

(for version 5.11)

ng Started

-list 'auto-mode-alist '("\\.org\$" . org-mode)) -key global-map "\C-cl" 'org-store-link)¹ -key global-map "\C-ca" 'org-agenda)¹

many customization options try M-x org-customize the on-line documentation try M-x org-info

ility Cycling

rrent subtree between states	TAB
tire buffer between states	S-TAB
whole file	C-c C-a
ntext around point	C-c C-r
tree in indirect buffer, ded. frame	C-c C-k

\mathbf{n}

vious heading	C-c $C-n/p$
vious heading, same level	C-c C-f/b
d to higher level heading	C-c C-u
another place in document	C-c C-j
/next plain list item	S-UP/DOWN ³

ture Editing

w heading/item at current level	M-RET
w heading after subtree	C-RET
w TODO entry/checkbox item	M-S-RET
current heading up one level	M-LEFT
urrent heading down one level	M-RIGHT
current subtree up one level	M-S-LEFT
current subtree down one level	M-S-RIGHT
otree/list item up/down	M-S-UP/DOWN
ree	C-c C-x C-w
tree	C-c C-x M-w
otree	С-с С-х С-у
uffer to current subtree	C-x n s

ving

RCHIVE tag	C-c C-x C-a
ling of an ARCHIVEd tree	C-TAB
otree to archive file	C-c C-x C-s

ring and Sparse Trees

rse tree for all matches of a regexp	C-c /
DO's in sparse tree	C-c C-v
ODO list in agenda mode	C-c ${ t t}^1$
arse tree with all deadlines due	C-c C-w
ted view of current org file	C-c a L

Tables

Creating a table

just start typing, e.g.	Name Phone Age RET - TAB
convert region to table	C-c
separator at least 3 spaces	C-3 C-c

Commands available inside tables

The following commands work when the cursor is *inside a table*. Outside of tables, the same keys may have other functionality.

Re-aligning and field motion

re-align the table without moving the cursor	C-c C-c
re-align the table, move to next field	TAB
move to previous field	S-TAB
re-align the table, move to next row	RET

Row and column editing

move the current column left	M-LEFT/RIGHT
kill the current column	M-S-LEFT
insert new column to left of cursor position	M-S-RIGHT
move the current row up/down	M-UP/DOWN
kill the current row or horizontal line	M-S-UP
insert new row above the current row	M-S-DOWN
insert hline below (C-u: above) current row	C-c -
sort lines in region	C-c ^

Regions

cut rectangular region	C-c C-x C-w
copy rectangular region	C-c C-x M-w
paste rectangular region	С-с С-х С-у
fill paragraph across selected cells	C-c C-q

Miscellaneous

to limit column width to N characters, use	<n> </n>
edit the current field in a separate window	C-c '
make current field fully visible	C-u TAB
export as tab-separated file M-x	org-table-export
import tab-separated file M-x	org-table-import
sum numbers in current column/rectangle	C-c +

Tables created with the table.el package

nsert a new table.el table	C-c	~
recognize existing table.el table	C-c	С-с
convert table (Org-mode \leftrightarrow table.el)	C-c	~

Spreadsheet

Formulas typed in field are executed by TAB, RET and C-c C-c. = introduces a column formula, := a field formula.

- introduces a column formula, :- a neid for	mua.
Example: Add Col1 and Col2	=\$1+\$2
with printf format specification	=\$1+\$2;%.2f
with constants from constants.el	=\$1/\$c/\$cm
sum from 2nd to 3rd hline :=v	sum(@II@III)
apply current column formula	=
set and eval column formula	C-c =
set and eval field formula	C-u C-c =
re-apply all stored equations to current line	C-c *
re-apply all stored equations to entire table	C-u C-c *
iterate table to stability	C-u C-u C-c *
rotate calculation mark through # * ! ^_ \$	C-#
show line, column, formula reference	C-c ?
toggle coordinate grid	C-c }
toggle formula debugger	C-c {

$Formula\ Editor$

edit formulas in separate buffer	C-c '
exit and install new formulas	C-c C-c
exit, install, and apply new formulas	C-u C-c C-c
abort	C-c C-q
toggle reference style	C-c C-r
pretty-print Lisp formula	TAB
complete Lisp symbol	M-TAB
shift reference point	S-cursor
shift test line for column references	M-up/down
scroll the window showing the table	M-S-up/down
toggle table coordinate grid	C-c }

Links

globally store link to the current location insert a link (TAB completes stored links) insert file link with file name completion edit (also hidden part of) link at point	C-c 1 ¹ C-c C-1 C-u C-c C-1 C-c C-1
open file links in emacsforce open in emacs/other window open link at pointforce open in emacs/other window	C-c C-o C-u C-c C-o mouse-1/2 mouse-3
record a position in mark ring jump back to last followed link(s) Find next link Find previous link	C-c % C-c & C-c C-x C-n C-c C-x C-p

Internal Links

< <my target="">></my>	target
<< <my target="">>></my>	radio target^2
[[*this text]]	find headline
[[this text]]	find target or text in buffer
[[this text][description]]	optional link text

External Links

<pre>file:/home/dominik/img/mars.jpg file:papers/last.pdf</pre>	file, absolute file, relative
file:projects.org::*that text	find headline
file:projects.org::find me	find trgt/string
http://www.astro.uva.nl/~dominik	on the web
mailto:adent@galaxy.net	Email address
news:comp.emacs	Usenet group
bbdb:Richard Stallman	BBDB person
gnus:group	GNUS group
gnus:group#id	GNUS message
vm wl mhe rmail:folder	Mail folder
vm wl mhe rmail:folder#id	Mail message
info:emacs:Regexps	Info file:node
shell:ls *.org	shell command
elisp:(calendar)	elisp form
[[external link][description]]	optional link text

${\bf Completion}$

In-buffer completion completes TODO keywords at headline start, TeX macros after "\", option keywords after "#-", TAGS after ":", and dictionary words elsewhere.

Complete word at point M-TAB

Mode Reference Card (2/2)

(for version 5.11)

O Items and Checkboxes

e state of the current item	C-c C-t
xt/previous state	S-LEFT/RIGHT
xt/previous set	C-S-LEFT/RIGHT
DO items in a sparse tree	C-c C-v
TODO keyword's sparse tree	C-3 C-c C-v
riority of the current item	C-c , [ABC]
priority cookie from current item	C-c , SPC
ver priority of current item	$ exttt{S-UP/DOWN}^3$
w checkbox item in plain list	M-S-RET
eckbox(es) in region/entry/at po	int C-c C-x C-b
eckbox at point	C-c C-c
statistics cookies: insert [/] or	[%]
heckbox statistics (C-u : whole fi	le) C-c #

for current heading	C-c C-c
ags in all headings	C-u C-c C-c
arse tree with matching tags	C-c \
(agenda) match tags at cursor	C-c C-o

erties and Column View

ommands in property lines vious allowed value column view	C-c C-c S-left/right C-c C-x C-c
mn view vious allowed value vious allowed value e wed values list	<pre>q S-left/right n / p e a</pre>
ue	v
umn wider/narrower umn left/right column ırrent column	<pre>> / < M-left/right M-S-right M-S-left</pre>

\mathbf{stamps}

-	
for date and insert timestamp	C-c .
but insert date and time format	C-u C-c .
. but make stamp inactive	C-c !
EADLINE timestamp	C-c C-d
CHEDULED timestamp	C-c C-s
arse tree with all deadlines due	C-c C-w
between 2 dates in a time range	С-с С-у
imestamp at cursor by ± 1 day	S-RIGHT/LEFT 3
ear/month/day at cursor by ± 1	${ t S-UP/DOWN}^3$
e calendar for the current date	C-c >
nestamp matching date in calendar	C-c <
genda for current date	C-c C-o
te while prompted	mouse-1/RET
ustom format display for dates/times	C-c C-x C-t

Clocking time

start clock on current item	C-c C-x C-i
stop clock on current item	C-c C-x C-o
cancel current clock	C-c C-x C-x
display total subtree times	C-c C-x C-d
remove displayed times	C-c C-c
insert/update table with clock report	C-c C-x C-r

Agenda Views

add/move current file to front of agenda remove current file from your agenda cycle through agenda file list	C-c [C-c]
compile agenda for the current week compile global TODO list compile TODO list for specific keyword match tags in agenda files match tags in TODO entries find stuck projects show timeline of current org file configure custom commands configure stuck projects agenda for date at cursor	C-c a a ¹ C-c a t ¹ C-c a T ¹ C-c a m ¹ C-c a m^1

Commands available in an agenda buffer

View Org file

show original location of item show and recenter window goto original location in other window goto original location, delete other windows show subtree in indirect buffer, ded. frame	SPC/mouse-3 L TAB/mouse-2 RET b
toggle follow-mode	f
Change display	
delete other windows	0

switch to day/week/month/year view	dwmy
toggle inclusion of diary entries	D
toggle time grid for daily schedule	g
toggle display of logbook entries	1
refresh agenda buffer with any changes	r
save all org-mode buffers	S
display the following org-agenda-ndays	RIGHT
display the previous org-agenda-ndays	LEFT
goto today	

Remote editing

digit argument	0-9
change state of current TODO item	t
kill item and source	C-k
archive the subtree	\$
show tags of current headline	T
set tags for current headline/region	:
toggle ARCHIVE tag	a
set priority of current item	p
raise/lower priority of current item	${ t S-UP/DOWN}^3$
display weighted priority of current item	P
schedule/set deadline for this item	C-c C-s/d
change timestamp to one day earlier/later	$ t S-LEFT/RIGHT^3$
change timestamp to today	>
insert new entry into diary	i

start/stop/cancel the clock on current item jump to running clock entry	I / O / X J
Misc	
Open link in current line	C-c C-o
Calendar commands	
find agenda cursor date in calendar	С
compute agenda for calendar cursor date	С
show phases of the moon	M
show sunrise/sunset times	S
show holidays	H
convert date to other calendars	C
Quit and Exit	
quit agenda, remove agenda buffer	q
exit agenda, remove all agenda buffers	x

Calendar and Diary Integration

Include Emacs diary entries into Org-mode agenda with: (setq org-agenda-include-diary t)

LaTeX and cdlatex-mode

preview LaTeX fragment	C-c C-x C-l
Expand abbreviation (cdlatex-mode)	TAB
Insert/modify math symbol (cdlatex-mode)	'/,

Exporting and Publishing

Exporting creates files with extensions .txt and .html in the current directory. Publishing puts the resulting file into some other place.

export/publish dispatcher	С-с С-е
export visible part only	C-c C-e v
insert template of export options	C-c C-x t
toggle fixed width for entry or region	C-c :

Comments: Text not being exported

Text before the first headline is not considered part of the document and is therefore never exported. Lines starting with # are comments and are not exported. Subtrees whose header starts with COMMENT are never exported.

toggle COMMENT keyword on entry C-c;

Dynamic Blocks

update dynamic block at point	C-c C-x C-u
update all dynamic blocks	C-u C-c C-x C-u

Notes

- ¹ This is only a suggestion for a binding of this command. Choose you own key as shown under INSTALLATION.
- 2 After changing a #+KEYWORD or <<<target>>> line, press C-c C-c with the cursor still in the line to update.
- ³ Keybinding affected by org-CUA-compatibility.

Copyright © 2007 Free Software Foundation, Inc. v5.11 for Org-Mode 5.11, 2007 Author: Philip Rooke

based on refcard design and format by Stephen Gildea

Permission is granted to make and distribute copies of this card provided the copyright notice and this permission notice are preserved on all copies.