


n8n 실습 교안





Flexible AI workflow automation for technical teams

Build with the precision of code or the speed of drag-n-drop. Host with on-prem control or in-the-cloud convenience. n8n gives you more freedom to implement multi-step AI agents and integrate apps than any other tool.

Get started for free

Talk to sales



IT Ops can

- On-board new employees

Sec Ops can

- Enrich security incident tickets

Dev Ops can


- Convert natural language into API calls

Sales can

- Generate customer insights from reviews

You can

- Watch this video to hear our pitch



Start automating today

Full name

Gerald Hong

Company email

topmind1472@gmail.com

Confirm email address

topmind1472@gmail.com

Password

.....

Account name

topmind

.app.n8n.cloud



Keep up with our constant improvements through our newsletter



성공!



Start free 14-day trial

By continuing, you agree to our [terms and conditions](#).
[Privacy policy](#).

Hi there, Gerald

Answer these questions to get the most out of your n8n trial

1→ What is the size of your company?*

This helps us to customize your experience in n8n

A Only me

B <20

C 20-99

D 100-499

E 500-999

F 1000+

G I'm not using n8n for work

OK

Sign in to n8n cloud

n8n account name

topmind

.app.n8n.cloud

Sign in

New here? [Start a free trial](#)

Want to manage your cloud account and billing? [Sign in here](#)

Don't remember your account name? Check your welcome email from n8n

Dashboard



Upgrade plan

topmind

Open instance

Currently online ●

Running version n8n@1.100.1

14 days left in your free trial

0 / 1,000

Executions in July

0 / 5

Active workflows

Reaching your monthly limits? [Upgrade plan](#)

| Category | Topics | Latest |
|--|---------------------------|--|
| Announcements Stay up to date on the most recent n8n updates and news. | 47 1 unread | Add additional filters to Typeform trigger Feature Requests core, 4 votes 7m |
| Questions Ask all questions you have on n8n. | 9.0k 17 new | How do I iterate over a series of PDFs? Questions executions 9m |
| Feature Requests Suggest or vote for features you would like to have in n8n! | 1.4k 3 unread 2 new | How to send a Slack message as a bot, not a user Questions 11m |

Need help implementing a specific workflow?

Join our community forums to ask questions and share workflow solutions with the n8n team and other helpful n8n users.

[Visit forums](#)



Overview

All the workflows, credentials and executions you have access to

Create Workflow

| | | | | |
|--|---|---|---|--|
| <p>Prod. executions Last 7 days</p> <p>0</p> | <p>Failed prod. executions Last 7 days</p> <p>0</p> | <p>Failure rate Last 7 days</p> <p>0%</p> | <p>Time saved Last 7 days</p> <p>0s</p> | <p>Run time (avg.) Last 7 days</p> <p>0s</p> |
|--|---|---|---|--|

Workflows Credentials Executions

Welcome Gerald!

Create your first workflow



Start from scratch



Test a simple AI Agent example



Settings

Personal

Users

External Secrets

Environments

SSO

LDAP

Log Streaming

Community nodes

Personal Settings

Gerald Hong
Owner



Basic Information

First Name *

Gerald

Last Name *

Hong

Email *

topmind1472@gmail.com

Security

Password

[Change password](#)

Two-factor authentication (2FA)

Two-factor authentication is currently disabled. [Learn more](#)

Enable 2FA

Personalisation

Theme

System default



Save

Create Workflow

Workflows Credentials Executions

Create your first workflow

Start from scratch

Test a simple AI Agent example

n8n

+

Overview

Personal

Shared with you

Projects

+ Add project

Admin Panel

Templates

Variables

Insights

Help

Gerald Hong

Personal

Demo: My first AI Agent in n8n

+ Add tag

Inactive

Share

Save

Star

116,075

Editor

Executions

Evaluations

Set up template

Start by saying 'hi'

Open chat

When chat message received

Agent

Chat Model*

Memory

Tool

Model


OpenAI Model

Open chat


Chat


Session: 63a5d...


Logs

 n8n

+

 Overview


 Personal


 Shared with you


Projects


+


 Add project


 Admin Panel

 Templates

 Variables

 Insights

 Help


 Gerald Hong

...

Overview

All the workflows, credentials and executions you have access to

Create Workflow


| | | | | |
|---|--|--|--|---|
| <div>Prod. executions</div> <div>Last 7 days</div> <div>0</div> | <div>Failed prod. executions</div> <div>Last 7 days</div> <div>0</div> | <div>Failure rate</div> <div>Last 7 days</div> <div>0%</div> | <div>Time saved</div> <div>Last 7 days</div> <div>-- </div> | <div>Run time (avg.)</div> <div>Last 7 days</div> <div>0s</div> |
|---|--|--|--|---|

Workflows Credentials Executions

Search Sort by last updated Filter

My first AI Agent

Last updated 3 minutes ago | Created 8 July

 Personal

Inactive ☐

⋮

Total 1 1 50/page

INPUT

Mapping

From AI

When chat message received

▼

No input data yet

Execute previous nodes

(From the earliest node that needs it ?)

OpenAI Model

Parameters

Settings

Docs

Get 100 free OpenAI API credits

Claim credits

Credential to connect with

Select Credential

Model

Set up credential to see options

Options

No properties

Add Option

Output will appear here once the parent node is run



Connection

Need help filling out these fields? [Open docs](#)

Sharing

[✦ Ask Assistant](#) for setup instructions

Details


API Key *


Organization ID (optional)

Only required if you belong to multiple organisations

Base URL

<https://api.openai.com/v1>

 Enterprise plan users can pull in credentials from external vaults. [More info](#)



OpenAI Platform

- SETTINGS
- Your profile
- ORGANIZATION
- General
- API keys
- Admin keys
- Members
- Projects
- Billing
- Limits
- Usage
- Data controls
- PROJECT
- General
- API keys
- Webhooks
- Members
- Limits

Billing

OverviewPayment methodsBilling historyCredit grantsPreferences

Pay as you go

Credit balance ⓘ

\$4.94

Add to credit balanceCancel plan

ⓘ Auto recharge is off

When your credit balance reaches \$0, your API requests will stop working. Enable automatic recharge to automatically keep your credit balance topped up.

Enable auto recharge

- Payment methods

Add or change payment method
- Billing history

View past and current invoices
- Preferences

Manage billing information
- Usage limits

Set monthly spend limits
- Pricing

View pricing and FAQs



Connection

Sharing

Details

✓ Connection tested successfully

Retry

Need help filling out these fields? [Open docs](#)

[✦ Ask Assistant](#) for setup instructions

API Key *

.....

Organization ID (optional)

Only required if you belong to multiple organisations

Base URL

`https://api.openai.com/v1`

Enterprise plan users can pull in credentials from external vaults. [More info](#)

Overview

All the workflows, credentials and executions you have access to

Create Workflow

| | | | | |
|---|--|--|---|---|
| <div>Prod. executions</div> <div>Last 7 days</div> <div>0</div> | <div>Failed prod. executions</div> <div>Last 7 days</div> <div>0</div> | <div>Failure rate</div> <div>Last 7 days</div> <div>0%</div> | <div>Time saved</div> <div>Last 7 days</div> <div>-- </div> | <div>Run time (avg.)</div> <div>Last 7 days</div> <div>0s</div> |
|---|--|--|---|---|

Workflows

Credentials

 Executions

Search credentials...

Sort by last updated

OpenAi account
OpenAi | Last updated 8 minutes ago | Created 10 July

Personal

4666 Workflow Automation Templates



AI

Sales

IT Ops

Marketing

Document Ops

Other

Support


Trending AI templates



Angie, Personal AI Assistant with Telegram Voice and Text



Derek Cheung ✓



Chat with local LLMs using n8n and Ollama



Mihai Farcas ✓



Chat with a database using AI



David Roberts ✓



[← Back to Templates](#)

Very quick quickstart

[Use for free](#)

CREATED BY



Deborah ✓

LAST UPDATE

Last update a year ago

CATEGORIES

[Miscellaneous](#)

Want to learn the basics of n8n? Our comprehensive [quick quickstart](#) tutorial is here to guide you through the basics of n8n, step by step.

Designed with beginners in mind, this tutorial provides a hands-on approach to learning n8n's basic functionalities.



INPUT

SchemaTableJSON

When clicking "Test Workflow" ⚡

No fields - item(s) exist, but they're empty

Variables and context

1 item

Customer Datastore

Execute step

ParametersSettingsDocs

Operation

Get All People

Return All

☒

OUTPUT

SchemaTableJSON

5 items

| id | name | email | notes | country | created |
|----------|----------------------|------------------------------|---|---------|------------|
| 23423532 | Jay Gatsby | gatsby@west-egg.com | Keeps asking about a green light?? | US | 1925-04-10 |
| 23423533 | José Arcadio Buendía | jab@macondo.co | Lots of people named after him. Very confusing | CO | 1967-05-05 |
| 23423534 | Max Sendak | info@in-and-out-of-weeks.org | Keeps rolling his terrible eyes | US | 1963-04-09 |
| 23423535 | Zaphod Beeblebrox | captain@heartofgold.com | Felt like I was talking to more than one person | [null] | 1979-10-12 |
| 23423536 | Edmund Pevensie | edmund@narnia.gov | Passionate sailor | UK | 1950-10-16 |

I wish this node would...

INPUT

Schema Table JSON

Customer Datastore

5 items

A id 23423532

A name Jay Gatsby

A email gatsby@west-egg.com

A notes Keeps asking about a green light??

A country US

A created 1925-04-10

When clicking "Test Workflow"

1 item

Variables and context

Edit Fields1

Execute step

Parameters Settings Docs

Mode

Manual Mapping

Fields to Set

customer_id

A String

= {{ \$json.id }}

23423532

customer_name

A String

= {{ \$json.name }}

Jay Gatsby

customer_description

A String

= {{ \$json.notes }}

Keeps asking about a green light??

Drag input fields here or Add Field

Include Other Input Fields

Options

No properties

Add option

OUTPUT

Schema Table JSON

5 items

```
[
  {
    "customer_id": "23423532",
    "customer_name": "Jay Gatsby",
    "customer_description": "Keeps asking about a green light??"
  },
  {
    "customer_id": "23423533",
    "customer_name": "José Arcadio Buendía",
    "customer_description": "Lots of people named after him. Very confusing"
  },
  {
    "customer_id": "23423534",
    "customer_name": "Max Sendak",
    "customer_description": "Keeps rolling his terrible eyes"
  },
  {
    "customer_id": "23423535",
    "customer_id": "Zaphod Beeblebrox",
    "customer_description": "Felt like I was talking to more than one person"
  },
  {
    "customer_id": "23423536",
    "customer_name": "Edmund Pevensie",
    "customer_description": "Passionate sailor"
  }
]
```

I wish this node would...

INPUT

Customer Datastore 5 items

```
[
  {
    "id": "23423532",
    "name": "Jay Gatsby",
    "email": "gatsby@west-egg.com",
    "notes": "Keeps asking about a green light??",
    "country": "US",
    "created": "1925-04-10"
  },
  {
    "id": "23423533",
    "name": "José Arcadio Buendía",
    "email": "jab@macondo.co",
    "notes": "Lots of people named after him. Very confusing",
    "country": "CO",
    "created": "1967-05-05"
  },
  {
    "id": "23423534",
    "name": "Max Sendak",
    "email": "info@in-and-out-of-weeks.org",
    "notes": "Keeps rolling his terrible eyes",
    "country": "US",
    "created": "1963-04-09"
  },
  {
    "id": "23423535",
    "name": "Zaphod Beeblebrox",
    "email": "captain@heartofgold.com",
    "notes": "Felt like I was talking to more than one person",
    "country": null,
    "created": "1979-10-12"
  },
  {
    "id": "23423536",
    "name": "Edmund Pevensie",

```

SchemaTableJSON

Edit Fields1Execute step

ParametersSettingsDocs

ModeManual Mapping

Fields to Set

customer_idA String= {{ \$json.id }}

23423532

customer_nameA String= {{ \$json.name }}

Jay Gatsby

customer_descriptionA String= {{ \$json.notes }}

Keeps asking about a green light??

Drag input fields here or Add Field

Include Other Input Fields

OptionsNo propertiesAdd option

OUTPUT5 items

SchemaTableJSON

```
[
  {
    "customer_id": "23423532",
    "customer_name": "Jay Gatsby",
    "customer_description": "Keeps asking about a green light??"
  },
  {
    "customer_id": "23423533",
    "customer_name": "José Arcadio Buendía",
    "customer_description": "Lots of people named after him. Very confusing"
  },
  {
    "customer_id": "23423534",
    "customer_name": "Max Sendak",
    "customer_description": "Keeps rolling his terrible eyes"
  },
  {
    "customer_id": "23423535",
    "customer_name": "Zaphod Beeblebrox",
    "customer_description": "Felt like I was talking to more than one person"
  },
  {
    "customer_id": "23423536",
    "customer_name": "Edmund Pevensie",
    "customer_description": "Passionate sailor"
  }
]
```

Gerald Hong

Logs

I wish this node would...

Clear execution

Kakao Credential 등록



전체 앱 4

+ 앱 생성

🔍 앱 이름으로 검색



ID 1274222 | 비즈 앱

n8n-info

역할 Owner

플랫폼 Web



ID 1189189

신규 알림

역할 Owner



ID 1188897

제타알림톡

역할 Owner



ID 810012

map

역할 Owner

팝업 창에서 앱 이름과 회사명 입력 → 카테고리 선택 → 하단 경고문
박스에 체크(☑)하고 저장합니다. 우리는 이 앱을 제품으로 사용할
것이 아니고 테스트에 사용할 것이기 때문에 편하게 입력해도 됩니다.
이미지 등록도 필수 아님.

앱 생성

앱 이름 (필수)

nBn Cloud

회사명 (필수)

에이아이엘피

카테고리 (필수)

교육

앱 생성 시 유의 사항

앱 정보가 정확하지 않은 경우 서비스 이용이 제한될 수 있습니다.

☒ 서비스 이용이 제한되는 카테고리, 금지된 내용, 금지된 행동 관련 문명정책을 위반하지 않는 앱입니다.

취소

저장

앱 설정

대시보드

앱



일반

카카오톡 채널

추가 기능 신청

웹훅

멤버

고급

유료 API



제품 설정

카카오 로그인



비즈니스 인증

카카오톡 메시지

카카오맵



ID 1278848

n8n Cloud

역할 Owner

↔ 앱 변경

대시보드

앱의 항목별 주요 설정과 사용 현황을 확인할 수 있습니다.

비즈니스

앱을 사용 중인 서비스의 비즈니스 정보입니다.

비즈 앱 등록 [↗](#)

i 이 앱은 비즈 앱이 아닙니다.

사업자 정보를 등록하여 비즈 앱으로 전환할 수 있습니다.

비즈 앱 전환 시 이메일을 필수 동의항목으로 설정할 수 있고, 비즈니스 채널 연결이 가능합니다.

사업자 번호가 없는 개인 개발자는 본인인증과 카카오비즈니스 통합 서비스 약관 동의 완료 후 비즈 앱 전환이 가능합니다.

'앱키' 에서 'REST API 키' 복사

앱 설정

대시보드

앱

일반

카카오톡 채널

추가 기능 신청

웹훅

멤버

고급

유료 API

제품 설정

카카오 로그인

비즈니스 인증

카카오톡 메시지

카카오맵

플랫폼

문서 확인 

서비스를 제공하는 플랫폼에 대한 설정입니다.

Android

Android 플랫폼 등록

iOS

iOS 플랫폼 등록

Web

Web 플랫폼 등록

Web 플랫폼 등록

사이트 도메인

https://landing.koex.kr

JavaScript SDK, 카카오톡 공유, 카카오맵, 메시지 API 사용자 등록이 필요합니다.

여러개의 도메인을 플랫폼으로 추가해주세요. 최대 10개까지 등록 가능합니다. 추가 등록은 배
분적으로 상의주세요.

경로를 포함하여 도메인을 입력한 경우, 경로는 제외되고 도메인만 등록됩니다.

예시: (O) https://example.com (X) https://www.example.com/mypage

기본 도메인

기본 도메인은 첫 번째 사이트 도메인으로, 카카오톡 공유와 카카오톡 메시지 API를 통해 발송되는 메시지
의 Web 링크 기본값으로 사용됩니다.

https://naver.com

취소

저장

다음, 좌측 패널에서 카카오 로그인 하위 메뉴를 엽니다. '일반'을 선택하고 화면의 '사용 설정' 상태 버튼을 이동하여 활성화 시킵니다. 화면을 아래로 내리면 '리다이렉트 URI' 메뉴가 보입니다. 파란색 '리다이렉트 URI 등록'을 클릭하면 팝업창이 뜹니다.

×

리다이렉트 URI

리다이렉트 URI


https://example.com/oauth

- 카카오 로그인에서 사용할 리다이렉트 URI를 설정합니다.
- 여러개의 URI를 줄바꿈으로 추가해주세요. (최대 10개)
- REST API로 개발하는 경우 필수로 설정해야 합니다.
- 예시: https://example.com/oauth

취소

저장

파라미터 화면에서 'Authentication' 부분 선택 → 'Generic Credential Type'을 선택합니다. 그 아래 'Generic Auth Type' 부분 선택 → 'OAuth 2 API'를 선택한 후, 그 아래 'OAuth API' 부분 선택 → '+ Create new credential'을 선택하면 크레덴셜 생성 화면으로 이동합니다.





Unnamed credential

OAuth2 API

Save



Connection

Need help filling out these fields? [Open docs](#)

Sharing

[Ask Assistant](#) for setup instructions

Details

OAuth Redirect URL

`https://oauth.n8n.cloud/oauth2/callback`

In the service you're connecting to, use the URL above when prompted to enter an OAuth callback or redirect URL

Grant Type

Authorization Code

크레덴셜 생성화면에서 'OAuth Redirect URL'란에 마우스를 가져가 복사합니다. 그 상태로 다시 카카오 화면으로 돌아갑니다.

Authorization URL *

Access Token URL *

Client ID *

복사한 내용을 카카오 리다이렉트 URI 화면에 입력하고 저장합니다.

×

리다이렉트 URI

리다이렉트 URI

https://oauth.n8n.cloud/oauth2/callback

- 카카오 로그인에서 사용할 리다이렉트 URI를 설정합니다.
- 여러개의 URI를 줄바꿈으로 추가해주세요. (최대 10개)
- REST API로 개발하는 경우 필수로 설정해야 합니다.
- 예시: https://example.com/oauth

취소

저장

바로 아래 'Client Secret' 메뉴에서 '클라이언트 시크릿 발급' 버튼을 클릭하여 코드를 발급받고⁶⁰⁾, 코드 아래 상태를 '사용함'으로 설정합니다.

다음 좌측 패널에서 동의항목을 클릭 후 화면 '접근권한' 메뉴의 '카카오톡 메시지 전송' 오른쪽 끝 '설정' 버튼을 클릭합니다. 팝업창에서 '이용 중 동의'를 선택하고 동의 목적에 '정부지원사업 알림'이라고 입력하고 저장합니다.

동의항목 설정

항목

카카오톡 메시지 전송 / talk_message

동의 단계 (필수)

- ☐ 선택 동의
- ☒ 이용 중 동의
- ☐ 사용 안 함

- 필수 동의: 카카오 로그인 시 사용자가 필수로 동의해야 합니다.
- 선택 동의: 사용자가 동의하지 않아도 카카오 로그인을 완료할 수 있습니다.
- 이용 중 동의: 카카오 로그인 시 동의를 받지 않고, 항목이 필요한 시점에 동의를 받습니다.
- 사용 안 함: 사용자에게 동의를 요청하지 않습니다.

동의 목적 (필수)

정부지원사업 알림

취소

저장



Unnamed credential

OAuth2 API

Save



Connection

Need help filling out these fields? [Open docs](#)

Sharing

[Ask Assistant](#) for setup instructions

Details

OAuth Redirect URL

`https://oauth.n8n.cloud/oauth2/callback`

In the service you're connecting to, use the URL above when prompted to enter an OAuth call

Grant Type

Authorization Code

Authorization URL *

Access Token URL *

Client ID *

다시 creden셜 화면으로 돌아와 위 제목을 'kakao credential'로 고친 다음 아래 내용 입력

'Authorization URL*' → '<https://kauth.kakao.com/oauth/authorize>'

'Access Token URL*' → '<https://kauth.kakao.com/oauth/token>'

'Client ID*' → 복사해 놓은 REST API key 붙여넣기

'Client Secret*' → 복사해 놓은 시크릿 key 붙여넣기

'Scope' → 'talk_message'

'Authentication' → 드롭다운 메뉴로 'Body' 선택

위 세팅을 모두 하고 아래 붉은 색 'Connect my account' 버튼을 클릭했을 때 카카오톡 로그인 화면이 뜨면 성공! 개인정보 동의를 하고 로그인을 하면 'Account connected'라는 초록색 바(Bar)가 보임

다시 HTTP 노드 파라미터 세팅 화면에서 아래와 같이 세팅합니다.

'Method' → 드롭다운 메뉴로 'POST' 선택

'URL' → '<https://kapi.kakao.com/v2/api/talk/memo/default/send>'

'Send Headers' → 버튼을 밀어서 활성화

'Specify Headers' → 드롭다운 메뉴로 'Using Fields Below' 상태

'Head Parameters'

- 'Name' → 'Content-Type'

- 'Value' → 'application/x-www-form-urlencoded;charset=utf-8'

'Send Body' → 버튼을 밀어서 활성화

'Body Content Type' → 드롭다운 메뉴로 'JSON' 선택

'Specify Body' → 드롭다운 메뉴로 'Using Fields Below' 상태

'Body Parameters'


- 'Name' → 'template_object'

- 'Value' → 하단 박스 내 코드

```
{
  "object_type": "text",
  "text": "{{ $json.name }} 님의 상담 신청이 접수되었습니다.\n\n☎ Phone : {{ $json.phone }}\n❤️ Email : {{ $json.email }}\n📅 Time : {{ $json.time }}",
  "link": {
    "web_url": "https://landing.koex.kr"
  },
  "button_title": "홍박사 랜딩페이지"
}
```

```
{ "object_type": "text", "text": "{{ $json.name }} 님의 상담 신청이 접수되었습니다.\n\n☎ Phone : {{ $json.phone }}\n❤️ Email : {{ $json.email }}\n📅 Time : {{ $json.time }}", "link": { "web_url": "https://landing.koex.kr" }, "button_title": "홍박사 랜딩페이지" }
```

INPUT



Wire me up

This node can only receive input data if you connect it to another node. [Learn more](#)

Kakao send me

Execute step

Parameters Settings

Docs

Import cURL

Method

POST

URL

https://kapi.kakao.com/v2/api/talk/memo/default/send

Authentication

Generic Credential Type

Generic Auth Type

OAuth2 API

OAuth2 API

Kakao credential

Send Query Parameters



Send Headers



Specify Headers

Using Fields Below

Header Parameters

OUTPUT Schema Table JSON

1 item

```
[
  {
    "result_code": 0
  }
]
```

I wish this node would...