Profful Routogi 20711154 - Student Tol 2001104 - University Roll No.

(2011) There is an organization. A with multiple department. Design a retwoods for the HR department and the size of the department is 10 useas. Also, show the Communication between usea numbers and usea numbers 5 of the netwoods.

Objective description: we need to Lan environment in cisco packet traceer that will show communication between 2 users.

Steps to penform:

- 1) we will place notes first:

  Organization A, HR Departement and

  Over 1 to user 10.
- 2) Add switch and switch and connect them with cable.
- 3) Add 10 machines named PCO to PCB and Connect all machine to oscoltoh.
- 4) Assign IP address to every machine
- 5) we had assigned it as follows!

PCO - 192.168.1.1 PC4 - 192.168.1.5 In am assigning 21P's because we need to Show communication between users and users

6) Now there are a ways to really the connection between a users.

a) By pinging ather system IP.

b) By sending PDU packet from I system to another.

we had performed both as shown in the screenshots below:

7) We can see the connection is successfull and we are able to communicate between

tent story and allow the

user 1 and user 5 of 4R department.

on the most reach and

General deright a netwook between the Soc department of GEU & GEHU. Also, the Communication between user number 1 of GEC and were number 2 of GEHU.

Objective we will create a virtual Lan env. in visco packet traceou that will wonnect 2 wor of different departments and Connection will be Retablished.

steps! d) we will place note first.

- · Lorganization named Gen and Getter
- b) connect bother uter with sevial DTE wire
- d) Connect of witch and rowley
  - ed) Assign IP Address to all.
  - P) we has assigned
  - 1) we now again there are 2 ways to verify so se dect ouryone.



