

Name- Jay Karki

Course - MCA 'B'

Roll no. - 66

```
Ans1 → <html>
<head>
<title> display data in table format </title>
</head>
<body>
  <?php
    $con = mysql_connect ("localhost", "root", "");
    if (! $con)
    {
      die ("not connected", mysql_error());
    }
    echo "Connection open". "<br/>";
    $sldb = mysql_select_db ("wust", $con);
    if (! $sldb)
    {
      die ("not found", mysql_error());
    }
    echo "Database selected". "<br/>";
    $query = "select * from customer ";
    $sql = mysql_query ($query);
    echo "<table border = '1'>
    <tr>
    <th> C-No </th>
    <th> C-Name </th>
    <th> Item-purchased </th>
    <th> Mob-no </th>
    </tr>";
```

```
while ($row = mysql_fetch_array($sql))
```

```
{
```

```
    echo "<tr>";
```

```
    echo "<td>". $row ['c-no']. "</td>";
```

```
    echo "<td>". $row ['c-name']. "</td>";
```

```
    echo "<td>". $row ['item-purchased']. "</td>";
```

```
    echo "<td>". $row ['mob-no']. "</td>";
```

```
    echo "</tr>";
```

```
}
```

```
    echo "</table>";
```

```
    ?>
```

```
</body>
```

```
</html>
```


O/P:

Connection open

Database selected

C_No	C_Name	Item_Purchased	Mob_no
1	Anil	Book	2147483647
2	Yogesh	Marker	2147483647

Ans 2. <!DOCTYPE html>

<html>

<head>

<script src="https://ajax.googleapis.com/ajax/libs/jquery.min.js">

</script>

\$(document).ready(function () {

\$("#hide").click(function () {

\$("#p").hide();

});

\$("#show").click(function () {

\$("#p").show();

});

});

</script>

</head>

<body>

<h2>jQuery show and hide example</h2>

<p> My name is Jay Karki </p>

<button id="hide"> hide </button>

<button id="show"> show </button>

</body>

</html>

jQuery show and hide example

my name is jay karki

hide

show



Type here to search

