```
Name: - Shulsh Bhardwaj

Course: - McA Sec: - B1 Rollmo: - 32

Studid: - 21711011

Subject: - Pradical of Scripping languages & R
```

<u>(d1)</u>

```
<nm1>
 (head)
< Helle > display data in table format< | Hitle >
(head>
<body>
 <?Php
      Scon = mysql_cornect ("localhost," "root", "");
      J (1 sean)
     d'e ("not connected", mysql_cmor());
     echo "connection open" . " < bol> ">
     Isolb = mysql_select-db ("coust", scon);
     [ ( L &sldb)
     die ("not fourd! mysqleomer ());
```

```
echo "Database pelected", "Kbol7"
 squary = "select from customer";
 Isyl = mysql query ( kguery );
 echo "<falle border = 11'>
 <4x>
  > CNO < 1th>
 > Crome
 > Item_Puschased < 1th>>
 >Mode no < 1th>
 </to>
 while ($row = mysql_feth_corry ($ sql))
  echo"(tr>";
 echo " (td )" & row ['Gro'] "< (td)";
 echo "Ktd>". Brow ['cnome]. "Kltd>";
echo "". $row ['?tem fundased']. "<1td>";
echo "(td>" frow I'mobno]. < Itd>";
  echo "(1tr)")
 echo "<//able>"
 ?>
<160dy>
< mm/>
```

□ □ File C:/Users/amitr/OneDrive/Documents/output1.html

"; Ssldb = mysql\_select\_db("coust",Scon); if(!Ssldb) { die("not found".mysql\_error()); } echo "Database selected"."

"; Squery = "select \* from customer"; Ssql = mysql\_query(Squery); echo ""; while(Srow = mysql\_fetch\_array(Ssql)) { echo ""; echo "";

C_No	C_Name	Item_Purchased	Mob_no
"Srowf'e no'l."	"Srowl'c name'l."	".Srow['item purchased']."	"Srow('mob_no')."

<sup>&</sup>quot;; ?>