```
Question2)=) Write a Program to hide and show the Paragooph content on the botton elick using
    Jovery
      < ! DOCTYPE html)
       (head)
      Ktitle > I Query Show and hide Effect < Ititle >
      Lacript Soc= "https://code.jquetx.com/jquery-1.12.4.min.js")
       LStyle>
          · button E
            text-align: center;
display: inline-block;
              Font-813c: 14Py
              Cursor: pointer;
             1/2tyle>
             (Scorpt)
           $ (document). seady (Function() [
              11 Showing hidden pasagrophs
$ ("#ghow"). click (Function() E
               $ ("h2"). kide Show();
            3);
```

11 Hiding displayed Paragraphs
\$ ("# hide"). click (Junction() E \$ (" ha"). hide (); 3), Committee of the series of the (Thead) Stant (and 1 x 1 and 1 applied on 1 1 and 1 an (pogh) < h2) This 18 a pasajooph. 2/h2) Kbulton class="button" id= "hide" Hide Klbutton) < button class = "button" id=Show) Show(button) < 1 pody) (I html) 3 () 11 Charles of the second of I distributed who is the second During ship (ca) |

"; Ssldb = mysql_select_db("coust",Scon); if(!Ssldb) { die("not found".mysql_error()); } echo "Database selected"."

"; Squery = "select * from customer"; Ssql = mysql_query(Squery); echo ""; while(Srow = mysql_fetch_array(Ssql)) { echo ""; echo

C_No	C_Name	Item_Purchased	Mob_no
".\$row['c_no']." ".	Srow['c_name']."	".Srow['item_purchased']."	".Srow['mob_no']."