

Q-1

<html>

<head>

<title> Table format </title>

</head>

<body>

<?php

```
$con = mysql_connect("localhost", "root", "");
```

```
if (!$con)
```

```
{
```

```
die("not connected".mysql_error());
```

```
}
```

```
echo "Connection open", "<br/>";
```

```
$sldb = mysql_select_db("coust", $con);
```

```
if (!$sldb)
```

```
{
```

```
die("not found".mysql_error());
```

```
}
```

```
echo "Database Selected", "<br/>";
```

```
$query = "Select * from customer";
```

```
$sql = mysql_query($query);
```

```
echo "<table border = '1'>
```

```
<tr>
```

```
<th> C_No </th>
```

```
<th> C_Name </th>
```

```
<th> Item - Purchased </th>
```

```
"); $sldb = mysql_select_db("coust", $con); if(!$sldb) { die("not found".mysql_error()); } echo "Database selected".  
"; $query = "select * from customer"; $sql = mysql_query($query); echo ""; while($row = mysql_fetch_array($sql)) { echo ""; echo ""; echo ""; echo ""; echo ""; echo ""; } echo "
```

| C_No | C_Name | Item Purchased | Mob_no |
|-----------------|-------------------|---------------------------|-------------------|
| "\$row['c_no']" | "\$row['c_name']" | "\$row['item_purchased']" | "\$row['mob_no']" |

```
"; ?>
```

<th> Mob-no </th>

</tr>;

while (\$row = mysql_fetch_array(\$sql))
{

echo "<tr>;

echo "<td>". \$row ['C_No']. "</td>;

echo "<td>". \$row ['C_Name']. "</td>;

echo "<td>". \$row ['item_purchased']. "</td>;

echo "<td>". \$row ['mob-no']. "</td>;

echo "</tr>;

}

~~echo~~ echo "</table>;

>

</body>

</html>

Q-2

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
```

```
</script>
```

```
$(document).ready(function () {
```

```
  $("#hide").click(function () {
```

```
    $("#P").hide();
```

```
  });
```

```
  $("#show").click(function () {
```

```
    $("#P").show();
```

```
  });
```

```
});
```

```
</script>
```

```
</head>
```

```
<body>
```

```
<p> If you click on the "Hide" button the text  
will disappear, And if you click the "Show" button  
the text is show.
```


```
</p>
```

```
<button id="hide"> Hide </button>
```

```
<button id="show"> Show </button>
```

```
</body>
```

```
</html>
```



If you click on the "Hide" button the text will dissapear, And if you click the "Show" button the text is show.

Hide

Show

Q-3

```
library(dplyr)
```

```
library(ggplot2)
```

```
setwd("M:/r/lang/r/")
```

```
getwd()
```

```
data <- read.csv("earthquakes.csv")
```

```
view(data)
```

```
head(data)
```

```
tail(data)
```

```
tail(data, 10)
```

```
str(data)
```

```
summary(data)
```

```
data$state.length
```

```
sum(is.na(data))
```

```
ggplot(data, aes(y=year, x=deaths)) + geom_bar(stat="identity")
```

```
ggplot(data, aes(y=month, x=deaths)) + geom_bar(stat="identity")
```

```
ggplot(data, aes(y=month, x=deaths, group=month, color=deaths))  
+ geom_line() + geom_point()
```

```
data_size <- factor(data)
```

```
str(data_size)
```

```
summary(data_size)
```

```
levels(data_size)
```

```
data_table <- table(data_size)
```


Pie(data_table)

```
ggplot(data, aes(y=deaths, fill=year, x=year)) +  
  geom_bar(width=1, stat="identity") + coord_polar("x", start=0)  
ggplot(data, aes(y=year, x=deaths, group=year, colour=year))  
+ geom_line() + geom_point()
```

