Nome- Monsi Tiwari Course - MCA Section - A Studentia - 21712002 Roll no - 2101114

```
Ot - White a program to read customer information like c-no, c-none,
      iben- purchased and make from customer lable and display all this
      information in labb formal on ordful screen
Solutions Entry
         Chead >
          < lille > display dala in dala format < title >
          elhead>
            chody s
                  <?php
                     $con= mysel-connect ("localho#", "ooot", " " customer delail");
                 4 (15con)
                      die ("not connected". mysql-erro ());
                      echo " connection open" " < bos";
                      Asldb = mysqL select db("coust", & con);
                      if (!slab)
                          die ("not found", mysgl-error ();
                         echo "Dato base solected". "cbr>";
                         $query : "Select "from customer";
                        $ eq! = mysq! query ($ query);
                         echo " 
                        < 7£2
                           CNO < (th)</p>
                          2 th> a Name 
                          cth> Item_Purchased <1th>
                          > mob_ho < 1th>>
```

417)

```
while (400w = mysql-fetch -array (4591))
     echo "<do >":
     echo "dd >" . $ row ['cro']. " =/ dd >";
     echo "> fd > . $ row ['c. none']. " </ dd > ";
     echo "" srow [ 'item -purchased '] . " < 1 dd;";
     echo "" $ 1000 ['mob. 10']. " 
      echo "</br>";
      echo "</bable>";
      ?>
     <1body >
     c/html>
                    (Librores tosum " hunt far") site
                     sels Valoton should . " chas";
                         A sol - sexiel doing (& doing);
```





onnection open

C_No	C_Name	Item_Purchased	Mob_no
101	Mansi Tiwari	20	9253698
102	pooja	3	345896

Type here to search

```
221 Write a program to hide and show the paragraph content on the button
       Click using idnery
3017
       < 1000 TYPE HIML>
        < html >
                  < script sic = "https: llajax, googlapis. com lajax / libsljquery 135.5/jquery.
             <head >
                               min.js"> < 13cript >
                  escript>
                      $ (document). ready (function() {
                          $ ("#hide"). elick (function () &
                             $ ("P"). Wide ();
                            5))
                            $ l'#show"). Lick (function()?
                                $("p"). show();
                                ٤);
                              5);
                           23cript >
                          </ri>
                          < body >
                                  if you wan click on the hide button the text will
                                 dissafter, An if you click the show "button the Text
                                  is show.
                                 419>
                            = button id = "hide" > Hide < (button >
                            <br/>button id: "thow"> show < lbutton>
                           <160 dy >
                           ehtul>
```





× 🖰 practical.html

(7) WhatsApp

Show

× nannu123-ux/Scripting-Langua × practical.html

File | C:/Users/Mansi/Desktop/practical.html

× Mansi Tiwari (48)(21712002) (3) × +

A 6 6 3 6 1 6 1 1