

Que 1

①

```
<html>
<head>
<title> display data in table format </title>
</head>
<body>
<?php
    $con = mysql_connect("localhost", "root", "");
    if (! $con)
    {
        die("not connected". mysql_error());
    }
    echo "connection open". "<br />";
    $db = mysql_select_db("customer", $con);
    if (!$db)
    {
        die("not found". mysql_error());
    }
    echo "Database selected". "<br />";
    $query = "select * from customer";
    $sql = mysql_query($query);
    echo "<table border = '1'>
        <tr>
            <th> CNO </th>
            <th> C-Name </th>
            <th> Item purchase </th>
            <th> Mobile no </th>
        </tr>";
```

(2)

```
</tr>";  
while ($row = mysql_fetch_array($sql))  
{  
    echo "<tr>";  
    echo "<td>";  
    echo "<td>" . $row['cNo'] . "</td>";  
    echo "<td>" . $row['cName'] . "</td>";  
    echo "<td>" . $row['item_purchase'] . "</td>";  
    echo "<td>" . $row['mob no'] . "</td>";  
    echo "</tr>";  
}  
echo "</table>";  
?>  
</body>  
</html>
```

HEY I AM ADARSH SINGH AND CURRENTLY I AM WORKING ON HIDE AND SHOW FUNCTION.

Hide

Show

(3)

Que 2 <html>

<head>

<script>

• src = "http://ajax.googleapis.com/ajax/libs/jquery/
3.5.1/jquery.min.js"></script>

</script>

<script>

\$ document.ready(function () {

\$("#hide").click(function () {

\$("#p").hide();

});

</script>

</head>

<body>

<p> Hello My name is Adarsh Singh
I am working as a web developer

</p>

<button id = "hide" > Hide </button>

<button id = "show" > Show </button>

</body>

</html>

C_No	C_Name	Item_Purchased	Mob_no
1	Adarsh	Book	2147483647
2	Alok	Marker	2147483647