Name - Manish bigh university Roll No > 2/01/06 (42) Course > MCA I B Tractical Name > Scripting language Practical Code > PMC 103 Date 7 15/03/2022 Of So would a Rowgram to hide and Mow the favorgraph. Outent on the button click using Jowery. < 1DOCTYPE html) < html> < head > < Serespt Sac = "https://ajax.googleapin.com/ajax/1865/19/ww/
3.5.1/jquery, min.je">
11corbot> </script>script> \$ (document). sceady (function !) {

\$ ("1 #hide"). click (function !) {

\$ ("1"). hide!); of ("# show"). click ("function ()) { \$ ("P"). 1how (); 3); </script> </bad>

< body>

The hide () netwood hely the selected elements

The show() method in Jeveny in used to clipplay
the hidden and selected elements.

If you click on the "Hide" button, It will disappear

(P)

Loutton id = "hide" > Hide < button >

Loutton id = "show" > show < button >

Loutton id = "show" > show < button >

Loutton id = "show" > show < button >

Loutton id = "show" > show < button >

Loutton id = "show" > show < button >

Loutton >

Loutton id = "show" > show < button >

Loutton >

Mind

The hide() method hides the selected elements. The show() Method in jQuery is used to display the hidden and selected elements If you click on the "Hide" button, I will disappear.

Hide Show

Hide Show

The hide() method hides the selected elements. The show() Method in jQuery is used to display the hidden and selected elements If you click on the "Hide" button, I will disappear.

Hide Show