

```
Pawas Singh Bhakuni
< htm 1>
< head >
<ti>He > display data in table format </title>
</head>
< body >
     $con = mysql_connect ("localhost", "root", ""),
    if (!Scon)
    die ("not connected" mysql-error ());
  echo "connection open". "<br/>
$ sid b = mysql_select_db ("court", $con);
   if (1$sidb)
   die (" not found!" mysql-error (1);
    echo "Database selected! 'Kbr/>";
   Squay = "select & from austomen";
   $ sql = mysql - query ($query);
   echo "
   > C - No 
   < +h>> C - Name < 1 +h>
    item - Purchased 
    Mob- no < Hh>
```


```
while (5 row = mysql-fetch-array ($ sq!1)
  echo "";
  echo "<+d7". $ vow ['c-no']. "</td>";
  echo'c+d7". $row['c-name']."
  echo "''. $ row['item_purchased']."
  echo" >". $ row [' mob-no']." < 1+d>","
   echo"
   echo" < /table?";
   < 1 body >
```



```
Pawan Singh Bhakuni
        KIDOCTYPE H+m/>
       <html>
      < head >
Script src = "https: 11 ajax. google pis. com/ajax/libs/jquey.min.js>
    < /script>
     Lswipty
   $ Coocument). ready (function () {
    $ ("#hide"). click (function() {
     $ ("p"). hide();
     $ ( "#show"). click (function () (
        $ ("p") - show();
       3)?
       333
       cisuips?
       41 head 7
       L body >
      < h27 javery show and hide example < 1 h2>
       4p7 Pawan Bhakuni 41p>
       < button id = "hide"> hide </ button >
        < button 1d = "show"> show < | button>
        4/body>
        4/html>
```



Scanned by TapScanner



Scanned by TapScanner