
Oinstall delyer and platein package (d) install. package ("dplyer")
install. package ("plotuin") (Setwed ("D: / adarsh) (3) library (dplyer) library (flotein) @ Reading of o CSV file getdata < read · CSV (" stock · CSV") geldsta Sumary 3 # Cilcharch x < c (5, 4, 3, 2, 1) YE c("Duead), "Paint"), TCS) (cipla") SB) 6 # Barchart x < c (0, 56400000, 66 100000, 68451020, 78300000, 142800000) Drg (file="balidaer. prg") barplot (X) der. off) 长江



Plotting the graphs from stocks.csv

Installing dplyr and plotrix package

install.packages("dplyr")
install.packages("plotrix")

Setting of Working Directory

setwd("D:/adarsh")

Using library library(dplyr) library(plotrix)


Reading of .csv file

getdata<-read.csv("stocks.csv")
getdata
summary(getdata)</pre>

#PieChart


x<-c(0,56400000,66100000,68451020,78300000,142800000)
y<-c("Bread_sell","Asian paints","ICICI","TCS","cipla","SBI")
png(file = "3d_pie_chart.png")
pie3D(x,labels = y,explode = 0.1, main = "Pie Chart of STOCKS ")
dev.off()
#here we have created the pie chart of stocks and compare the values of
#different stocks</pre>

Pie Chart of STOCKS



#BarChart

x<-c(0,56400000,66100000,68451020,78300000,142800000)
png(file = "barchart.png")
barplot(x)
dev.off()




#BoxPlot

?boxplot

x < -c(0,56400000,661000000,68451020,78300000,142800000)


png(file = "boxplot.png")
boxplot(High ~ Low, data = getdata, xlab = " High", ylab = "Low", main = " Data")

input <- stocks[,c('high','low')]</pre>



#Histogram

hist(getdata\$High)
getdata\$High
png(file = "histogram.png")
hist(getdata\$High,xlab = "Weight",col = "yellow",border = "blue")
dev.off()




hist(getdata\$Low)
getdata\$Low
png(file = "histogram1.png")
hist(getdata\$High,xlab = "Weight",col = "green",border = "blue")
dev.off()
#creating histogram of high and low

#LineChart L<-c(getdata\$Low) L H<-c(getdata\$High) H png(file = "line_chart_2_lines.jpg") plot(L,type = "o",col = "red", xlab = "Low", ylab = "High", main = "comparsion between high and Low") lines(H, type = "o", col = "blue") dev.off()


#now by creating the line chart I am comparing higher and lower column

comparsion between high and Low



#ScatterChart

input <- getdata[,c('High','Low')] png(file = "scatterplot1.png") plot(getdata\$Low,getdata\$High,main='sctterplotof stocks' ,xlab='HIGH',ylab='LOW') abline(lm(getdata\$High~getdata\$Low), col="red") # regression line (y~x) lines(lowess(getdata\$Low,getdata\$High), col="blue") # lowess line (x,y) dev.off()



Some Quantitative Data

#Minimum

min(getdata\$Volume)

Maximum

max(getdata\$Volume)

Mean

mean(getdata\$Volume)

Median

median(getdata\$Volume)

Quantile

quantile (get data \$Volume, 0.25)

quantile(getdata\$ Volume, 0.75)

Standard Deviation And Variance

sd(getdata\$Volume)

var(getdata\$Volume)

Summary

summary(getdata)

```
> min(getdata$Volume)
[1] 0
> max(getdata$ Volume)
[1] 142800000
> mean(getdata$Volume)
[1] 68451020
> median(getdata$Volume)
[1] 66100000
> quantile(getdata$Volume, 0.25)
    25%
56400000
> quantile(getdata$ Volume, 0.75)
    75%
78300000
> sd(getdata$Volume)
[1] 17547686
> var(getdata$Volume)
[1] 3.079213e+14
> summary(getdata)
                                 High
   Date
                    Open
                                               Low
               Min. :26691 Min. :26854 Min. :26665
Length: 245
Mode :character Median :28832 Median :28991 Median :28678
                Mean :28827 Mean :28984 Mean :28657
                3rd Qu.:29442 3rd Qu.:29604 3rd Qu.:29311
Max. :30606 Max. :30796 Max. :30505
    Close
              Adj.Close
                              Volume
             Min. :26854 Min. :
Min. :26854
Median :28813 Median :28813 Median : 66100000
Mean :28817
              Mean :28817 Mean : 68451020
3rd Qu.:29453 3rd Qu.:29453 3rd Qu.: 78300000
```