Shiram Kumar 2htarly Cheady < title desplay me data in table forment (/ title) 2/head7 6 body 7 \$con = meysql-connect ("localhost", "rood.", ""); if (1\$con)

3 die ("not conneiled ", mysql-error ()); celes "connection open". "Lbo17" \$sldb = mysql-select-db (+ coust 1, \$ con); if (!\$ sldb) die ("not found", mysql_orror()); echo "Databose selected". "Lbr 17" of query = a select * from customer'; of sq1 = mysq1-query (&query); Swam echo "ctable border = "j" Ltny C-NO C/th> I th y C- Name ofth y 1th 7 Item Purchased (Hh) 2th y Mob-no < 1thy 2/17> uchile (\$ new = mysql-fetch-aney (\$ sql)) of eelo 4 Cfor 74; echo " " , \$ row (' C-no') " " ; echo "Ltd > 4. \$rew [c_name']. LItd 7"; echo "Ltd"7. \$ nao (etcm - purchased). "Ltd 7"

echo" tely". \$ row (mob-noi). "/2/tely";

echo "2/try"; ?7 2/body7 2/html7

Rollno-38 Shinam Kumar MCA See 18 cipochype html} Chtmly < head > CS oright Soc- 4https: 11 ayar, google apis com lajar 1 libs) journey 13.5.1 / journey. min. js 1> < 150 right? 2 soupt> \$ (document). ready (penetion () 2 & ("button"). click (function () } \$ (up1). toggle(); (Isvribt) 26 odg 7
26 atton 7 This is my paragraph and will hide and show when click button < | button) op7 rello priends Tata
CP7 relles grienels now are your L (body) 2/htmly