Name: Rakshit thopligal Subject: Scripting language Date: 15/03/2022 and R practical. Rollno: 19 Sec: B Student id: 21711107 Course: MCA(I & Sem) [Page-1] (de) < ! DOCETYPE HTML) <h+ml) (head) (Seript STC= "https://ajax.googleapis.com/ajax/libs/ Iquery 13.5.11 jquery min, js"> (Script) (script) \$ (document). ready (function() } & ("thide"). click (function) { & ("p"). hide(); \$ ("# Show"), click (Junction () } \$ ("p"). show (); 3); 3); 2/Script> (/head) < body>

```
[Page-2]
  If you dick on the "Hide" button, I will
     disappear. (/p)
   < button id = " hide & Hide & button)
   < buttonid = " show" ) show ( button)
  </body>
(di). <html)
   (head)
  <title > display data in table format </title>
  < body
   <?php
    & Con= mysql_ Connect ("localhost", "root", "").
      if (1 & con)
      diel" not connected" mysqt error();
```

echo" connection open". "26, 15"; \$516 = mysql - Select - db ("Coust", {con); if (!\$ 51db) Siel" not found" - mysqt emor D);

```
[ Page: 3]
echo" Database Selected". " < 64/5".
& query = " Select & from Customer",
  & sql = my sql - query (squery);
  echo" < table border = '1')
   (tr)
  <HJC-NOZ/th)
  < th) C-Name </th>
   Xtem_purchased 
   Mot no
  white ( & now = my sql - fetch- array ($19())
    echo "Ltr>"
   echo" < td )". { now ['c-no']." < td )".
  echo "L+d)". from ['(-name ]."  1.
  echo" Ltd " . 5 now [" item - purchased]." < 1+d>"?
   echo "<+d>" < now ['mob_no']." < 1+d 5".
   elho "Atr);
  Pecho " (/table)";
(16 ody)
</ndml>
```

(dues 2). (1) -> working directory-School(" C: / users / rakonil ")

R, C-read. cov (" (ar. 151")

(2) <> Structure of data set = 1 Str (datax)

W=> head of dare set > head (data >1)

(C) => tail of data self

min(darax 6 % horspower)

(9) => max of deracet +
max (data & horse power)

(9) => Mean of datasets

mean (datax horseponer)

(5) Mediam of data set + median (darax & horse power)

(10) Supmany of dapaset + Supmany (datase).